**Tropical Journal of Natural Product Research** 

Available online at <u>https://www.tjnpr.org</u> Original Research Article



Warda Elmaida Rusdi<sup>1</sup>\*, Mas A. K. Puspitasari<sup>2</sup>, Irmawan Farindra<sup>3</sup>

<sup>1</sup>Department of Public Medicine, Faculty of Medicine, Universitas Nahdlatul Ulama Surabaya, Indonesia <sup>2</sup>Faculty of Medicine, Universitas Nahdlatul Ulama Surabaya, Indonesia <sup>3</sup>Department of Anatomy and Histology, Faculty of Medicine, Universitas Nahdlatul Ulama Surabaya, Indonesia

# ARTICLE INFO

ABSTRACT

Article history: Received 14 October 2022 Revised 21 October 2022 Accepted 22 October 2022 Published online 01 November 2022

**Copyright:** © 2022 Rusdi *et al.* This is an openaccess article distributed under the terms of the <u>Creative Commons</u> Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. The number of confirmed cases of COVID-19 slowly decreasing from the efforts of health workers, the public, and the government in breaking the COVID-19 chain. But in June 2021, the number of COVID-19 cases increased again. This study aims to determine the relationship between the level of knowledge and community behavior to prevent the Swiss cheese model of COVID-19 transmission in the new normal period in Surabaya. The design of the study was cross-sectional. The study used primary data by distributing questionnaires to 101 respondents in five areas of Surabaya, namely Central Surabaya, North Surabaya, East Surabaya, South Surabaya, and West Surabaya. The data were then processed and analyzed univariately presenting the frequency distribution and bivariate using Spearman rank correlation through SPSS. The results of the analysis showed that the level of knowledge of the people of Surabaya was in the high category (66.3%) and preventive behavior was in a good category (84.2%). The results of the Spearman rank correlation study were obtained p value = 0.037 (p<0.05). There is a significant relationship between the level of knowledge and community behavior in the effort to prevent Swiss Cheese Model COVID-19 transmission in the new normal era in Surabaya.

Keywords: COVID-19, Knowledge, Behavior, Prevention.

## Introduction

COVID-19 was first discovered in late 2019 in Wuhan, China.<sup>1</sup> COVID-19 is an RNA virus that belongs to the same group as the coronavirus, with the main transmission being through droplet contact of infected patients.<sup>2</sup>. COVID-19 attacks the respiratory system and causes acute respiratory distress with some of the signs and symptoms, namely fever and respiratory disease (such as coughing and shortness of breath) and several other organs.<sup>3</sup> On February 11, 2020, this virus claimed many lives from various countries, so the WHO declared that COVID-19 had entered a pandemic status. The number calculated globally according to WHO (2020), namely at the end of November 2020, there were 57,882,183 confirmed cases of COVID-19 including 1,337,395 deaths and in Southeast Asia, there were also 10,421,539 confirmed cases with 159,263 deaths. The total number of confirmed cases in Indonesia according to the statistical data of the national COVID-19 Handling Task Force (2020) is 497,668 with 15,884 deaths. Confirmed cases in East Java according to the statistical data of the East Java COVID-19 Task Force (2020) totaled 58,679 and 4,149 died. The total number of confirmed cases of COVID-19 in Surabaya, according to the statistical data of the Surabaya COVID-19 Task Force (2020), amounted to 16,620 and 1,199 died. To prevent a wider spread, on March 31, 2020, the Indonesian government established Large-Scale Social Restrictions (PSBB) in each region and formed a Task Force for the Acceleration of Handling COVID-19.

\*Corresponding author. E mail: <u>wardaelmaida@unusa.ac.id</u> Tel: +62 8175797975

**Citation:** Rusdi WE, Puspitasari MAK, Farindra I. The Relationship of Knowledge Level with Community Behavior in the Swiss Cheese Prevention Efforts Model of Covid-19 Transmission During New Normal Era in Surabaya. Trop J Nat Prod Res. 2022; 6(10):1650-1653. http://www.doi.org/10.26538/tjnpr/v6i10.15

Official Journal of Natural Product Research Group, Faculty of Pharmacy, University of Benin Benin City Nigeria PSBB was enforced in all regions in Indonesia, including East Java Province. The Governor of East Java also issued PSBB guidelines for handling Covid-29 in East Java including the City of Surabaya on April 22, 2020.<sup>5</sup> PSBB is carried out in one way, namely preventing gatherings such as restrictions on workplaces. Long-term PSBB can affect the economy so the government takes mitigation by making adaptations through lifestyle changes in the COVID-19 situation or what is called the new normal. The new normal is a form of action to minimize the impact on society due to the COVID-19 pandemic.<sup>6</sup> The Indonesian government's appeal to carry out social distancing in the community to reduce mortality is very dependent on the individual understanding of each community.7 Successful prevention of the spread of disease depends on a compliant society.8. In addition to individual responsibility, there is a need for shared responsibility in carrying out preventive behavior following the Swiss Cheese Model strategy. The Swiss Cheese Model is a visualization of each prevention effort to reduce the spread of COVID-19, where every prevention effort has its weaknesses. Carrying out various preventive behaviors such as health protocols can cover up. Another study states that the attitude of some teenagers in Surabaya still admits that sometimes they wear masks.<sup>9</sup> Age, education level, type of work, and socioeconomic factors cannot influence the behavior of preventing the spread of COVID-19. While the knowledge factor can affect the behavior of preventing the transmission of COVID-19.<sup>10</sup> Statistical data from the Surabaya COVID-19 Task Force (2020), it was found that Surabaya again experienced an increase in COVID-19 infections in early June, it was found that 131 people confirmed in treatment until early July amounted to 652 patients and a total of 1402 patients died. The increase in COVID-19 infections in Indonesia has made the government make a policy in the form of PPKM or the Enforcement of Restrictions on Community Activities as a form of follow-up to the president's directives following the criteria for the level of the COVID-19 pandemic situation.<sup> $T_1$ </sup> A similar study was conducted in Turkey by Uzuntarla and Ceyhan,<sup>12</sup> which found that there was a significant relationship between knowledge, attitudes, and behavior toward COVID-19 in health workers.<sup>12</sup> Mujiburrahman *et al.*<sup>13</sup> also conducted a similar study using the Spearman test analysis on respondents taken from the community in the Potorono Banguntapan Hamlet, Bantul D.I. Yogyakarta and it was found that there was a relationship between knowledge and COVID-19 prevention behavior, a p-value = 0.001 (p <0.05).<sup>13</sup> A similar study by Susanti and Sri,<sup>14</sup>found a significant relationship between the knowledge of DIII Midwifery students at the Mohammad Husni Thamrin University and the behavior of preventing the COVID-19 virus (p-value = 0.024)<sup>14</sup>

Based on the description above, even though the PSBB has been implemented, in fact it is still not optimal in reducing the death rate and making residents in Surabaya still have confirmed COVID-19. So the need for the role and participation of the community in implementing policies from the government. A good application of knowledge about COVID-19 and also in taking precautions to reduce virus transmission. From the things that have been mentioned, researchers are interested in researching the relationship between knowledge level and community prevention behavior to prevent the Swiss cheese transmission model of COVID-19 in the new normal period in the city of Surabaya.

# **Materials and Methods**

The research method is quantitative. The design of this study is descriptive in nature to determine the relationship between the level of knowledge and community prevention behavior in dealing with the new normal of the COVID-19 pandemic using a cross-sectional method with each subject being examined only once. A total of 2,362,910 Surabaya residents lived in Central Surabaya. North Surabaya, East Surabaya. South Surabaya. And West Surabaya was included in this study. The study's sample consisted of Surabaya residents who met the following criteria: Inclusion criteria: Male and female must be between the ages of 15 and 69 with last education from elementary to doctoral and be willing to participate in the research. Exclusion criteria: Residents who do not have a Surabaya ID card or who do not live in Surabaya are excluded. In this study, the sample size is determined using the Lemeshow formula.

n = 
$$\frac{N.Z_{1}^{2} a. p. q}{d^{2} (N-1) + Z_{1-a}^{2} a. p. q}$$

Note:

n: Sample sizeN: Total populationq: 1 - p $Z_1 - \alpha_2$ : Z Statistics (Z = 1,96 for  $\alpha = 0,05$ d: Absolute precision data or margin of error usedp: Approximate proportion

The research material used in this study is primary data obtained from a questionnaire totaling 34 statements, 15 of which represent the level of knowledge and 19 of which represent preventive behavior. The questionnaire includes 25 favorable statements and 9 unfavorable statements. The validity and reliability of the questionnaires that were distributed have been tested, and they were distributed to the selected samples based on the study's inclusion and exclusion criteria. The data obtained were collected and processed and then analyzed for univariate data and bivariate analysis using the Spearman ranking correlation through the SPSS program to test the relationship with the variables.

Table 1: Questionnaire favorable and unfavorable

Aspect	Favorable	Unfavorable	Total
Knowledge	7	8	15
Level	(1,3,4,6,8,12,15)	(2,5,7,9,10,11,13,14)	15
Preventive Behavior	18 (1,2,3,4,5,6,7,8,9,11,12, 13,14,15,16,17,18,19)	1 (10)	19
Total	25	9	34

### **Results and Discussion**

COVID-19 entered Surabaya City on March 23, 2020, and the number of positive verified cases has escalated since then, with a total of 65,470 confirmed COVID-19 cases in the City of Surabaya as of early September 2021. After gathering the information, the characteristics of the respondents were determined based on the community's knowledge and behavior, and they are shown in tables 1 and 2. According to Table 2, respondents with a high degree of knowledge are aged 21-30 years (80%), male (66.7%), last education S2 (75%), and not COVID-19 survivors (70.1%).

Table 2:	Characteristics	of	Respondents	Based	on	Knowledge
Level						

			Knowledge Level		Total
		-	High	Moderate	
Age	15-20	n	6	7	13
		%	46.2	53.8	100.0
	21-30	n	24	6	30
		%	80.0	20.0	100.0
	31-40	n	4	3	7
		%	57.1	42.9	100.0
	41-50	n	19	12	31
		%	61.3	38.7	100.0
	51-60	n	13	6	19
		%	68.4	31.6	100.0
	61-69	n	1	0	1
		%	100.0	0.0	100.0
Gender	Man	n	18	9	27
		%	66.7	33.3	100.0
	Woman	n	49	25	74
		%	66.2	33.8	100.0
Last	Junior Highschoo	ol n	2	0	2
Education	-	%	100.0	0.0	100.0
	Senior	n	16	13	29
	Highschool				
	•	%	55.2	44.8	100.0
	D1/D2/D3	n	7	3	10
		%	70.0	30.0	100.0
	D4/S1	n	39	17	56
		%	69.6	30.4	100.0
	S2	n	3	1	4
		%	75.0	25.0	100.0
Job	Student	n	23	12	35
		%	65.7	34.3	100.0
	IRT	n	13	8	21
		%	61.9	38.1	100.0
	Self-employed	n	8	4	12
	1 5	%	66.7	33.3	100.0
	Private	n	14	6	20
	Employees				
	1 2	%	70.0	30.0	100.0
	Government	n	4	3	7
	Employees				
	1 2	%	57.1	42.9	100.0
	BUMN/BUMD	n	5	1	6
		%	83.3	16.7	100.0
COVID-1	9 COVID-19	n	20	14	34
Survivor	Survivor	0⁄~	58.8	41.2	100.0
		/0		71.2	100.0
	Not COVID-19	n	47	20	67
	Survivor	%	70.1	29.9	100.0

Table 3 shows that respondents who have good preventive behaviour according to their characteristics are aged 31-40 years (100%), female (90.5%), last education S2 (100%), and COVID-19 survivors (88, 2%).

**Table 3:** Characteristics of Respondents Based on Community Behaviour Variables.

			Community	Total	
			Good	Moderate	-
Age	15-20	n	9	4	13
		%	69.2	30.8	100.0
	21-30	n	24	6	30
		%	80.0	20.0	100.0
	31-40	n	7	0	7
		%	100.0	0.0	100.0
	41-50	n	27	4	31
		%	87.1	12.9	100.0
	51-60	n	17	2	19
		%	89.5	10.5	100.0
	61-69	n	1	0	1
		%	100.0	0.0	100.0
Gender	Man	n	18	9	27
		%	66.7	33.3	100.0
	Woman	n	67	7	74
		%	90.5	9.5	100.0
Last	Junior Highschool	n	2	0	2
Education		%	100.0	0.0	100.0
	Senior Highschool	n	21	8	29
		%	72.4	27.6	100.0
	D1/D2/D3	n	7	3	10
		%	70.0	30.0	100.0
	D4/S1	n	51	5	56
		%	91.1	8.9	100.0
	S2	n	4	0	4
		%	100.0	0.0	100.0
Job		n	28	7	35
	IRT	%	80.0	20.0	100.0
		n	18	3	21
	Self-employed	%	85.7	14.3	100.0
		n	11	1	12
	Private Employees	%	91.7	8.3	100.0
		n	15	5	20
	Government Employees	%	75.0	25.0	100.0
		n	7	0	7
	BUMN/BUMD	%	100.0	0.0	100.0
		n	6	0	6
COVID-19	COVID-19	n	30	4	34
Survivor	Survivor	%	88.2	11.8	100.0
	Not COVID-19	n	55	12	67
	Survivor	%	82.1	17.9	100.0

*Relationship between Community Behavior and Knowledge Level* Table 4 shows the distribution of respondents based on their level of knowledge and community behavior. It reveals that the majority of respondents (89.6%) have a high degree of knowledge and strong preventive practice. **Table 4:** Cross Tabulation of All Respondents Based on

 Knowledge Level and Prevention Behavior in Surabaya City

		<b>Preventive Behavior</b>			Total
			Good	Moderate	
Level of	High	n	60	7	67
Knowledge		%	89.6	10.4	100.0
	Moderate	n	25	9	34
		%	73.5	26.5	100.0
Total		n	85	16	101
		%	84.2	15.8	100.0

**Table 5:** The Relationship between Knowledge Level andCommunity Behaviour in Prevention Efforts of Swiss CheeseModel of COVID-19 Transmission in the New Normal Periodin the City of Surabaya

			Community	Description
			Behavior	
Spearman's	Level of	r	0.207	Weak positive correlation
rho	Knowledge			coefficient
		Р	0.037	There is a relationship
			(<0.05)	between the level of
				knowledge with people's
				behaviour
	-	N	101	The number of samples is
				101 respondents

As many as 10.4% of respondents have a high degree of knowledge and sufficient preventive behavior. The majority of responders (73.5%) have a moderate degree of understanding and practice excellent preventive behavior. As many as 26.5% of respondents had a moderate degree of knowledge and adequate preventative behavior. The Spearman rank correlation was used in the study analysis test to assess the relationship between the level of knowledge and the conduct of the community to prevent the Swiss cheese transmission model of COVID-19 in the new normal period in the city of Surabaya.

Table 5 shows that the correlation coefficient is 0.207 which is between the interval 0 < r < 0.5 which is interpreted as there is a weak positive relationship between the variables and it is obtained 0.037 > 0.05 which means that there is a significant relationship between the level of knowledge and community behaviour in Swiss prevention efforts. Cheese The model of COVID-19 transmission in the new normal period in the city of Surabaya.

## Conclusion

Based on the findings, it was concluded as follows: The inhabitants of Surabaya know 66.3% of the facts and information related to the COVID-19 disease. These include signs and symptoms, risk factors, and how the disease is transmitted. Surabaya residents have strong habits of safe behavior (84.2%). For example, they wear protective masks, stay sheltered at home, take care of their personal hygiene and avoid getting close to people. Additionally, they regularly test and trace their infections as a preventive measure. There is a significant association between the knowledge level of the community and their cooperation in preventing the Swiss cheese model of COVID-19 in Surabaya. The value of this relationship is 0.037, which resulted in a weakly positive correlation with a value of 0.207.

# **Conflict of Interest**

The authors declare no conflict of interest.

## **Authors' Declaration**

The authors hereby declare that the work presented in this article is original and that any liability for claims relating to the content of this article will be borne by them.

## Acknowledgements

Our highest appreciation goes to the citizens of Surabaya who were participants in this research.

#### References

- Gennaro F Di, Pizzol D, Marotta C, et al. Coronavirus Diseases (COVID-19) Current Status and Future Perspectives: A Narrative Review. Int J Environ Res Public Health [homepage on the Internet] 2020 [cited 2022 Oct 5];17(8). Available from: https://pubmed.ncbi.nlm.nih.gov/32295188/
- Esakandari H, Nabi-Afjadi M, Fakkari-Afjadi J, Farahmandian N, Miresmaeili SM, Bahreini E. A comprehensive review of COVID-19 characteristics. Biol Proced Online [homepage on the Internet] 2020 [cited 2022 Oct 5];22(1):1–10. Available from: https://biologicalproceduresonline.biomedcentral.com/articles/ 10.1186/s12575-020-00128-2
- Handayani D, Hadi DR, Isbaniah F, Burhan E, Agustin H. Penyakit Virus Corona 2019. J Respir Ind 2020;40(2):119– 129.
- Kementerian Kesehatan Republik Indonesia. Pedoman Pembatasan Sosial Berskala Besar Dalam Rangka Percepatan Penanganan Corona Virus Disease 2019. Indonesia: 2020;
- Gubernur Jawa Timur. Pedoman Pembatasan Sosial Berskala Besar dalam Penanganan Corona Virus Disease 2019 (Covid-19) di Provinsi Jawa Timur. Indonesia: 2020;
- Pragholapati a. new normal "Indonesia" after COVID-19 pandemic. [cited 2022 Oct 5]; Available from:

https://psyarxiv.com/7snqb/

- Yanti B, Mulyadi E, Wahiduddin W, et al. community knowledge, attitudes, and behavior towards social distancing policy as prevention transmission of COVID-19 IN INDONESIA. Indones J Heal Adm [homepage on the Internet] 2020 [cited 2022 Oct 5];8:4–14. Available from: https://e-journal.unair.ac.id/JAKI/article/view/18541
- 8. Burger R, Christian C, Maughan-Brown B. COVID-19 Risk Perception, Knowledge, and Behaviour. 2020;
- Widayati LP, Mustika I, Psikologi F, Kesehatan D, Sunan U, Surabaya A. Sikap Remaja terhadap Upaya Pencegahan Penyebaran Covid19 pada Orang Tanpa Gejala (OTG) di Surabaya. JI-KES (Jurnal Ilmu Kesehatan) [homepage on the Internet] 2021 [cited 2022 Oct 5];4(2):36–44. Available from: https://ojshafshawaty.ac.id/index.php/jikes/article/view/171
- Dewi EU. Faktor-Faktor Yang Mempengaruhi Perilaku Masyarakat Dalam Pencegahan Penularan COVID-19. J Keperawatan [homepage on the Internet] 2020 [cited 2022 Oct 5];9(2):21–25. Available from: https://jurnal.stikeswilliambooth.ac.id/index.php/Kep/article/v iew/259
- Menteri Dalam Negeri. Pemberlakuan Pembatasan Kegiatan Masyarakat Darurat Corona Virus Disease 2019 Di Wilayah Jawa Dan Bali Menteri. Indonesia: 2021;
- Uzuntarla Y, Ceyhan S. Knowledge, attitude and behavior towards COVID-19 among the Turkish healthcare workers. J Clin Med Kazakhstan 2020;6(60):93–98.
- Muijburrahman, Riyadi EM, Ningsih MU. Hubungan Pengetahuan dengan Perilaku Pencegahan Covid-19 di Masyarakat. J Keperawatan Terpadu (Integrated Nurs Journal) [homepage on the Internet] 2020 [cited 2022 Oct 5];2(2):130– 140. Available from: http://jkt.poltekkesmataram.ac.id/index.php/home/article/view/85
- Muslih M, Susanti HD, Rias YA, Chung MH. Knowledge, Attitude, and Practice of Indonesian Residents toward COVID-19: A Cross-Sectional Survey. Int J Environ Res Public Health [homepage on the Internet] 2021 [cited 2022 Oct 5];18(9). Available from: https://pubmed.ncbi.nlm.nih.gov/33922420/