

UNIVERSITAS NAHDLATUL ULAMA SURABAYA LEMBAGA PENELITIAN DAN PENGABDIAN KEPADA MASYARAKAT

Kampus A Wonokromo: Jl. SMEA No.57 Tlp. 031-8291920, 8284508 Fax. 031-8298582 — Surabaya 60243 **Kampus B RSIJemursari**: Jl. Jemursari NO.51-57 Tlp. 031-8479070 Fax. 031-8433670 — Surabaya 60237

Website: unusa.ac.id Email: info@unusa.ac.id

<u>SURAT KETERANGAN</u>

Nomor: 236-UNUSA-LPPM/Adm-I/II/2024

Lembaga Penelitian dan Pengabdin Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 06 Februari 2024

Judul : Joint Action to Prevent Stunting and Obesity in the Tanah Kali Kedinding

Health Center, Kenjeran District, Surabaya

Penulis : Riezky Faisal Nugroho, Mujayanto, Nuning Marina Pengge, Nurul

Hindaryani, Erlyna Jayeng Wijayanti, Erika Martining Wardani

No. Pemeriksaan : 2024.02.06.171

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (Similarity Index) yaitu 15%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya.

Surabaya, 6 Februari 2024

afrigain

Ketua LPPM

Achmad Syafiuddin, Ph.D

NPP: 20071300

LPPM Universitas Nahdlatul Ulama Surabaya

Website : Ippm.unusa.ac.id
Email : Ippm@unusa.ac.id
Hotline : 0838.5706.3867

2022 Okt_Joint Action to Prevent Stunting and Obesity in the Tanah Kali Kedinding Health Center, Kenjeran District, Surabaya

by Erika Wardani

Submission date: 04-Feb-2024 09:14PM (UTC+0700)

Submission ID: 2285767999

File name: ah Kali Kedinding Health Center, Kenjeran District, Surabaya.pdf (297.95K)

Word count: 2938

Character count: 15805



SURYA ABDIMAS

290l. 6 No. 4 (2022) pp. 664 - 670

Available online at: http://jurnal.umpwr.ac.id/index.php/abdimas/index p-ISSN: 2580-3492 e-ISSN: 2581-0162

Joint Action to Prevent Stunting and Obesity in the Tanah Kali Kedinding Health Center, Kenjeran District, Surabaya

¹Riezky Faisal Nugroho, ¹Mujayanto, ¹Nuning Marina Pengge, ¹Nurul Hindaryani, ¹Erlyna Jayeng Wijayanti, ²Erika Martining Wardani

22

Politeknik Kesehatan Kemenkes Surabaya

17 Pucang Jajar Tengah No.56, Kertajaya, Surabaya, 60282, Indonesia

Universitas Nahdlatul Ulama Surabaya

Jl. Raya Jemursari No.57, Jemur Wonosari, Surabaya, 60237, Indonesia

| riifan7@gmail.com ⊠ | DOI: https://doi.org/10.37729/abdimas.v6i4.2202 |

Abstrct

Stunting in children is a serious problem because it is associated with the risk of future illness and the difficulty of achieving optimal physical and cognitive development. The prevalence of stunting in Surabaya is found in several working areas of the puskesmas, one of which is at the Tanah Kali Kedinding Health Center at 25.37%. Obesity is a condition in which the accumulation of excess or abnormal fat is bad for health. The World Health Organization (WHO) in 2014 noted that 1.9 billion adults were overweight with a prevalence of 39% having children under five were overweight and obese. The case of obesity in the city of Surabaya itself ranks second highest in East Java Province, which is as many as 98,344 cases. This activity aims to increase knowledge about stunting and obesity prevention for pregnant women and mothers under five. This service method uses increasing knowledge about stunting and obesity in everyday life for pregnant women and mothers of toddlers, measuring nutritional status in Toddlers and cooking demonstrations of healthy snacks using the Risoles menu of Tongkol Ragout Fresh Bread. The results obtained, namely pregnant women and mothers under five experienced an increase in knowledge about stunting and obesity respectively 80% and 82%, both of which were classified as good.

Keyword: Stunting, Obesity, Knowledge, Pregnant mother, Toddler



This work is licensed under a <u>Creative Commons Attribution-NonCommercial 4.0</u> International License

1. Introduction



Stunting is a chronic condition of poor growth of a child which is the accumulation of the impact of various factors such as poor nutrition and health before and after the child's birth. Stunting in children is a serious problem because it is associated with the risk of future illness and the difficulty of achieving optimal physical and cognitive development. According to UNICEF, the problem of stunting is caused by two direct causes, namely food intake and infectious diseases. The direct causes are related to factors of parenting, food security, access to health services and environmental sanitation. However, the root cause of these factors is at the individual and household levels such as education level, household income, socio-cultural, economic, and political (Rahayu *et al.*, 2018; Kemenkes RI, 2018).

In toddlerhood, children are not getting breast milk and start choosing the food they want to eat. This should be a concern for parents, especially in the feeding process so that the nutritional needs of children are still met. Aspects of feeding patterns include a history of breastfeeding and complementary feeding and feeding practices affect the incidence of stunting. Toddlers who have a history of poor parenting are 2.4 times more likely to experience stunting compared to toddlers with a history of good parenting (Widyaningsih *et al.*, 2018). Feeding parenting is the dominant factor that affects stunting in toddlers compared to parenting habits, hygiene habits and habits of getting health services. Mothers who have stunted children tend to have a habit of delaying feeding their toddlers and not paying attention to their nutritional 263 ds (Bella *et al.*, 2020).

United Nation Children's Fund (2019) in 2018 nearly 200 million children under 5 years of age suffer from stunting (short) or wasting (UNICEF, 2019). Based [21] Nutrition Status Monitoring (PSG) data during 2015-2017, stunted toddlers had the highest prevalence compared to other nutritional problems (undernutrition, thinness, and obesity) which was 29.6% wasting (Kemenkes RI, 2018). Result Survei Status Gizi Balita Indonesia (SSGBI) 2019 shows that there has been a decrease in the prevalence of stunting from 30.8% in 2018 to 27.67% in 2019 (Kemenkes RI, 2018). However, this figure is still higher than the WHO target of 20%. The Surabaya City Health Office report noted that the prevalence of stunting in 2015 was 13.89%, while in 2016 there was an increase of 14.86%. The prevalence of stunting in Surabaya is found in several working areas of puskesmas, five of which are in the working area of Tanah Kali Kedinding Health Center 25.37%, Simomulyo Health Center with 17.58%, Kenjeran Health Center 14.78%, Banyu Urip Health Center 15.85% and Putat Jaya Public Health Center by 19.89% (Ernawati & Arini, 2020).

Obesity is a condition in which the accumulation of excess or abnormal fat is bad for health. The World Health Organization (WHO) in 2014 noted that 1.9 billion adults were overweight with a prevalence of 39% having children under five were overweight and obese. Obesity is most common in women with a prevalence of 15% and men 11%. NHANES data in 2009 the prevalence of obesity in adults from 35.7% to 18.5% (Kandinasti & Farapti, 2018). The prevalence of obesi 23 in adults in Indonesia has increased from year to year. The prevalence of obesity in the adult male population in 2013 was 19.7%, which is higher than in 2007 which was 13.9%. The prevalence of obesity in adult women also increased from 2007 to 2013 from 13.9% to 32.9% (Departemen Kesehatan RI, 2013). Riskesdas 2013, the overall prevalence of obese adults is 15.4%, while according to the 2016 National Health Service, the prevalence of obese adults is 20.7%. The case of obesity in the city of Surabaya itself ranks second highest in the province of East Java, which is as many as 98,344 cases (Dinas Kesehatan Provinsi Jawa Timur, 2018). Based on this, we feel the need to hold an educational 12 tivity about stunting and obesity that can support the fulfillment of nutritional needs for pregnant women and mothers of children under five in the area.

2. Method

Community service activities are carried out by collaboration between lecturers and students of the Department of Nutrition, Politeknik Kesehatan Kementrian Kesehatan Surabaya and the Nursing Study Program, Universitas Nahdlatul Ulama Surabaya. Community service activities last for 1 month (during January 2022). The location of community service activities is at the Tanah Kali Kedinding Health Center, Surabaya City

Jl. Kedung Cowek No. 226, Tanah Kali Kedinding, Kenjeran District, Surabaya City - East Java. The target of this activity is mothers of toddlers and pregnant women in the Tanah Kali Kedinding Health Center area of Surabaya City with a total of 56 participants. Activities in the form of increasing knowledge about stunting and obesity in everyday life for pregnant women and mothers of toddlers, measuring nutritional status in Toddlers and cooking demonstrations of healthy snacks using the Risoles menu of Tongkol Ragout Fresh Bread.

3. Result and Discussion

Community service activities that have been carried out have resulted in the following achievements. The average results of pre-test and post-tests of knowledge of mothers toddler and pregnant women about knowledge of stunting, presented on Table 1.

Table 1. The average results of pre-test and post-tests knowledge of mothers toddler and pregnant women about knowledge of stunting

	Stunting Knowledge		Average Score			
No		Pre	Pre-test		Post-test	
		f	%	f	%	
1	Good	6	11	45	80	
2	Enough	12	21	11	20	
3	Less	38	68	0	0	
	Total	56	100	56	100	

Based on Error! Reference source not found., the results show that the majority of the knowledge level of mothers under five and pregnant women about knowledge of stunting during the pre-test was included in the less category by 68% and increased knowledge to a good category by 80% after being given education to mothers under five and pregnant women. The average result of pre-test and post-test about obesity, shows on Table 2.

Table 2. The average results of pre-test and post-tests of knowledge of mothers toddlers and pregnant women about knowledge of obesity

Knowledge of Obesity	Average Score			
	Pre-test		Post-test	
	f	%	f	%
Good	5	9	46	82
Enough	10	18	10	18
Less	42	73	0	0
Total	56	100	56	100
	Obesity Good Enough Less	Obesity f Good 5 Enough 10 Less 42	Knowledge of Obesity Pre-test Good 5 9 Enough 10 18 Less 42 73	Knowledge of Obesity Pre-test Position f % f Good 5 9 46 Enough 10 18 10 Less 42 73 0

Based on Table 2, the results show that the majority of the knowledge level of mothers under five and pregnant women about knowledge when the pre test was carried out was in the less category of 73% and experienced an increase in knowledge to 32 in the good category by 82% after being given education to mothers under five and pregnant women.

Community service activities were carried out in 2 (two) meetings, namely on January 28, 2022 and January 30, 2022, which took place at the Tanah Kali Kedinding Village Hall. Community service activities were attended by pregnant women and mothers of toddlers, totaling approximately 56 participants. This activity presented by Figure 1.



Figure 1. Education about stunting and obesity in toddlers

Figure 1 is the first meeting on January 28, 2022, conducted education about: "Stunting and Obesity in Toddlers". Before the activity was carried out, participants were given 10 multiple choice questions representing stunting and obesity in toddlers as a pretest. The results of the pre-test knowledge of stunting and obesity obtained results of 68% and 73% respectively, both of which belong to the category of Less knowledge. The community service team also carried out a post-test after participants were given material to measure understanding of the material that had been given with the result that there was an increase in participants' knowledge about Stunting and Obesity by 80% and 82%, respectively, belonging to the category of Good knowledge. Figure 2 is the second meeting which was held on January 30, 2022, to measure the nutritional status of children under five and a demonstration of cooking healthy snacks.



Figure 2. Measurement of nutritional status in toddlers

Measurement of nutritional status in the form of measuring the height of toddlers using microtoise and digital scales. A demonstration of cooking healthy snacks using the Risoles Bread Ragout Ikan Tongkol menu with ingredients: potatoes, tuna, garlic, pepper, nutmeg, salt, eggs, bread flour and cooking oil. Toddler period is the most important period in the life cycle, because at the age of 0 to 5 years, toddlers experience physical, mental and behavioral development. Therefore, at that age toddlers need to get special attention in terms of their nutrition (Gunawan & Ash Shofar, 2018).

Mother's knowledge about nutritious food is one of the factors that can affect health, providing high adaptability for children's growth and development (Nugroho & Wardani, 2022). Mothers who have the ability in themselves will increase good and sufficient knowledge to overcome stunting prevention efforts, parents who have received information about stunting certainly understand, interpret and while mothers who have never received insightful information about stunting tend to have less knowledge than mothers who gain insight into stunting both through social media and counseling for posyandu cadres (Rahmwati *et al.* 2019).

At this time to determine the nutritional status of toddlers, Posyandu uses data from anthropometry. Posyandu uses the Towards Healthy Card (KMS) which is filled out once a month to monitor the development of the nutritional status of toddlers (Gunawan and Ash shofar, 2018). Posyandu cadres play a role in weighing toddlers (Nugroho & Wardani, 2022).

Toddler age is a vulnerable age and is very important in determining physical and mental growth and development in adolescence. The introduction of healthy and nutritious food for toddlers is very important so that children can know the benefits of healthy food for the body (Pratiwi *et al.* 2021). One source of protein, namely fish, which is a source of animal protein, can help the growth of brain cells, so fish is often considered as food to support intelligence (Riestamala *et al.*, 2013).

Tongkol is a fish (28) thas complete nutrition and the price is affordable. Tuna fish has advantages, namely high protein content and rich composed 3 fatty acids and every 100 grams has a chemical composition consisting 69.40% water, 1.50% fat, 25.00% protein and 0.03% carbohydrates and contains several minerals such as calcium, phosphorus, iron, sodium, vitamin A or retinol and B vitamins or thiamin, riboflavin and niacin (Sanger 2010; Hafiludin, 2011).

After the community service activities were 12 ried out, the results were able to increase knowledge about stunting and obesity in daily life for pregnant women and mothers of children under five, to find out the nutritional status of Toddlers in the Tanah Kali Kedinding Health Center area, Kenjeran District, Surabaya and mothers of toddlers can apply healthy snacks for children. toddlers, so that mothers of toddlers and pregnant women can apply them in their daily lives.

4. Conclusion

Based on community service activities that have been carried out on "Joint Action to Prevent Stunting and Obesity in the Tanah Kali Kedinding Health Center, Kenjeran District, Surabaya" pregnant women and breastfeeding mothers experienced an increase in knowledge about stunting by 80% which was classified as good and knowledge about obesity by 82%. which is good.

The community service activity program that has been implemented is certainly expected to increase knowledge about stunting and obesity in everyday life for pregnant women and mothers of toddlers, find out the nutritional status of Toddlers in the Tanah Kali Kedinding Health Center area, Kenjeran District, Surabaya and can implement healthy snacks for toddlers, so that mothers of toddlers and pregnant women can apply in everyday life.

Acknowledgement

The community service team would like to thank the Head of the Tanah Kali Kedinding Health Center, Surabaya City, who has assisted in the implementation of community service activities and has provided an opportunity for us to do community service.

References

- Bella, F. D., Fajar, N. A., dan Misnaniarti. (2020). Hubungan antara Pola Asuh Keluarga dengan Kejadian Balita Stunting pada Keluarga Mis di Palembang. *Jurnal Epidemiologi Kesehatan Komunitas*, 5(1), 15-22. https://doi.org/10.14710/jekk.v5i1.5359
- Departemen Kesehatan RI. (2013). Riset Kesehatan Dasar (Ristresdas). (2013). Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI.
- Dinas Kesehatan Provinsi Jawa Timur. (2018). Profil Kesehatan Provinsi Jawa Timur Tahun 2017. Surabaya: Dinas Kesehatan Provinsi Jawa Timur.
- Ernawati, D dan Arini, D. (2020). Pro Balita Stunting Di Wilayah Kerja Puskesmas Kenjeran Kota Surabaya. *Jurnal Kesehatan Mesencephalon*, 6 (1), 1-10. http://dx.doi.org/10.36053 14 nesencephalon.v6i1
- Gunawan dan Ash shofar, I. N. (2018). Penentuan Status Gizi Balita Berbasis Web 31 nggunakan Metode Z-Score. *Jurnal Infotronik*, 3 (2), 120-125. https://doi.org/10.32897/infotronik.2018.3.2
- Hafiludin. (2011). Karakteristik Prosimat dan Kandungan Senya 25 Kimia Daging Putih dan Daging Merah Ikan Tongkol (Euthynnus affinis). *Jurnal Kelautan*, 4(1), 1-10. https://doi.org/10.21107/jk.v4i1
- Kandinasti, S., & Farapti, F. (2018). Obesitas: Pentingkah M27 perhatikan Konsumsi Makanan di Akhir Pekan?. *Amerta Nutrition*, 2(4), 307. https://doi.org/10.20473/amnt.v2i4.2018.307-316
- Kementerian Kesehatan RI. (2018). Situasi Balita Pendek (Stunting) di Indonesia. Jakarta: Buletin Jendela Data dan Informasi Kesehatan.
- Nugroho, R. F dan Wardani, E. M. (2022). Edukasi Gizi Pada Kader Posyandu Sebagai Upaya Peningkatan Ingestahuan Kader di Wilayah Kerja Puskesmas Medokan Ayu Kota Surabaya. *Selaparang Jurnal Pengabdian Masyarakat Berkemajuan, 6* (2) 967-970. http://journal.ummat.ac.id/index.php/jpmb/article/view/8625
- Nugroho, R. F dan Wardani, E. M. (2022). Pendidikan Gizi Melalui Pemberian Tambahan Makanan L₂₀ Bagi Ibu Hamil dan Balita di Kecamatan Pakusari Kabupaten Jember. *Jurnal Pengabdian Kesehatan Komunitas*, 2(1), 15-21. https://doi.org/10.25311/jpkk.Vol2.Iss1.1136

- 15
- Pratiwi, R. D., Martini, N. K., Nyandra, M. (2021). Peran Ibu dalam Pemberian Makanan Ber 33 zi pada Balita Status Gizi Baik yang Kesulitan Makan. *Jurnal Kesehatan*, 14(2), 119-125. http://dx.doi.org/10.23917/jk.v14i2.11759
- Rahayu, A., Fahrini, Y., Andini, OP., Lia, A. (2018). Study Guide Stunting dan Upaya Pencegahannya. Yogyakarta: *CV Mine*.
- Rahmawati, A. (2019). Faktor yag Berhubungan dengan Pengetahuan Orang Tua tentang Stunting pada Balita. *Jurnal Ners dan Kebidanan (Journal of Ners and Midwifery)*, 6(3), 389–395. https://doi.org/10.26699/jnk.v6i3.art.p389-395
- Riestamala, E., Fajar, I., Setyobudi, S. I. (2021). Formulasi Ikan Lele Dan Bayam Hijau Terhadap Nilai Gizi, Mutt 24 Prganoleptik, Daya Terima Risoles Roti Tawar Sebagai Snack Balita. *Journal of Nutrition College*, 10(3), 233-242. https://doi.org/10.14710/jnc.v10i3.30749
- Sanger G. (2010). Mutu Kesegaran Ikan Tongkol (Auxis tazard) selama Penyimpanan Dingin. Warta Wiptek, 35(1), 39-43. http://repo.unsrat.ac.id/38/1/4__Mutu_s-segaran_Ikan.pdf
- UNICEF. (2019). The State of The World's Chingen 2019: Children, Food, and Nutrition Growing Well in A Changing World. New York: *United Nations Children* "s Fund. https://www.unicef.org/media/60806/file/SOWC-2019.pdf
- Widyaningsih, N. N., Kusnandar, dan Anantanyu, S. (2018). Keragaman Pangan, Pola Asuh Makan dan Kejadian Stunting pada Balita Usia 24-59 Bulan. *Jurnal Gizi Indonesia*, 7(1), 22-29. https://doi.org/10.14710/jgi.7.1.22-29

2022 Okt_Joint Action to Prevent Stunting and Obesity in the Tanah Kali Kedinding Health Center, Kenjeran District, Surabaya

ORIGINALITY REPORT

15% SIMILARITY INDEX

9%
INTERNET SOURCES

10%
PUBLICATIONS

5%

S STUDENT PAPERS

PRIMARY SOURCES

Ananda Riska Mita Izati. "Trend Cakupan Kunjungan Ibu Hamil (K4) Dan Pertolongan Persalinan Oleh tenaga Kesehatan Di Propinsi Jawa Timur", Jurnal Ilmiah Kesehatan Media Husada, 2018

1 %

Publication

Submitted to Lincoln University College
Student Paper

1%

Ni'matul Lailiyah, Eka Srirahayu Ariestiningsih, Dwi Novri Supriatiningrum. "HUBUNGAN PENGETAHUAN IBU DAN POLA PEMBERIAN MAKAN DENGAN KEJADIAN STUNTING PADA BALITA (2-5 TAHUN)", Ghidza Media Jurnal, 2021

1 %

Publication

4

Submitted to Universitas Singaperbangsa Karawang

%

Student Paper

5	Submitted to Rutgers University, New Brunswick Student Paper	1 %
6	Submitted to Universitas Jenderal Achmad Yani Student Paper	1%
7	journal.uhamka.ac.id Internet Source	1%
8	www.world-today-news.com Internet Source	1 %
9	Ramdhani M Natsir. "Pelatihan Swamedikasi Pemberian Obat Mata pada Masyarakat Terdampak Polutan dengan Media Booklet di Apotek Agita", JURNAL KREATIVITAS PENGABDIAN KEPADA MASYARAKAT (PKM), 2022	1%
10	Sri Arnita, Dwi Yunita Rahmadhani, Mila Triana Sari. "Hubungan Pengetahuan dan Sikap Ibu dengan Upaya Pencegahan Stunting pada Balita di Wilayah Kerja Puskesmas Simpang Kawat Kota Jambi", Jurnal Akademika Baiturrahim Jambi, 2020	1%
1	technodocbox.com Internet Source	1%

12	Carolin Dresch, Anja Alexandra Schulz. "Assessment of the Importance of COVID-19 Prevention Measures and Their Applicability in the Daily Life of Pregnant Women and Mothers of Infants", Diagnostica, 2023 Publication	%
13	journal.uii.ac.id Internet Source	1 %
14	repository.unsri.ac.id Internet Source	1%
15	Rinda Dian Pratiwi, Ni Ketut Martini, Made Nyandra. "Peran Ibu dalam Pemberian Makanan Bergizi pada Balita Status Gizi Baik yang Kesulitan Makan", Jurnal Kesehatan, 2021 Publication	<1%
16	digilib.unisayogya.ac.id Internet Source	<1%
17	scie-journal.com Internet Source	<1%
18	comserva.publikasiindonesia.id Internet Source	<1%
19	www.econstor.eu Internet Source	<1%

Markus Antonius Wirtz, Andrea Heiberger,

12

1%

20	Rizka Febtrina, Gita Adelia, Dendy Kharisna, Mariska Dita Pratiwi et al. "Optimalisasi Kader Posyandu Aster dalam Pencegahan Stunting di RW 02 Kelurahan Rejosari Kecamatan Tenayan Raya Kota Pekanbaru", Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM), 2023 Publication	<1%
21	ejurnal.poltekkesjakarta3.ac.id Internet Source	<1%
22	ijphs.iaescore.com Internet Source	<1%
23	scholarhub.ui.ac.id Internet Source	<1%
24	Andi Nurhikma Mahdi, Usman, Teti Susliyanti Hasiu. "PENGARUH PENDIDIKAN KESEHATAN MENGGUNAKAN MEDIA LEAFLET TERHADAP TINGKAT PENGETAHUAN REMAJA PUTRI TENTANG PENTINGNYA KONSUMSI TABLET FE", JURNAL KEPERAWATAN TROPIS PAPUA, 2023 Publication	<1%
25	Nurul Khakhim, Wahyu Lazuardi, Arief Wicaksono, Dimas N.D. Pratama, Azis Musthofa. "Priority Areas for Mangrove Conservation to Support Disaster Mitigation	<1%

Efforts in Pacitan Bay", International Journal of Safety and Security Engineering, 2021

Publication

26	blog.usaid.gov Internet Source	<1%
27	ouci.dntb.gov.ua Internet Source	<1%
28	repository.ub.ac.id Internet Source	<1%
29	Sudaryanto, Hero Wintolo, Lasmadi, Satmei Ainun Khoyimah, Mardiana Irawaty, Prasetyo Edi. "Internet-Based Regular Motion Technique for Quadcopter Optimization", 2023 International Conference on Electrical and Information Technology (IEIT), 2023 Publication	<1%
30	Zakiyatudin Anduko Romadhon, Arif Mulyanto, Ikhsan Mujahid, Oei Stefani Yuanita Widodo. "Relationship Long Time Storage of Trunk Fish (Euthnymus Affinis) Smoke With The Presence Of Staphylococcus Aureus Bacteria At Bobotsari Traditional Market", Jurnal Analis Medika Biosains (JAMBS), 2023 Publication	<1%
31	repository.penerbiteureka.com Internet Source	<1%

32

YESI ARI SONAIDAH, Nelfi Sarlis, Desmariyenti Desmariyenti, Nurul Hidayah. "Penyuluhan dan Pemeriksaan ANC Gratis Pada Ibu Hamil Di Akademi Kebidanan Sempena Negeri Pekanbaru Tahun 2021", Jurnal Pengabdian Kesehatan Komunitas, 2022

Publication

33

eurekaselect.com

Off

Internet Source

Publication

<1_%

34

Evan Vria Andesmora, Fevi Mawadhah Putri, Widia Bela Oktaviani, Dalli Yulio Saputra. "Zingiberaceae: Jenis dan Pemanfaatannya oleh Masyarakat Lokal Jambi", EDU-BIO: Jurnal Pendidikan Biologi, 2022

Exclude quotes Exclude bibliography Exclude matches

Off