SURAT PERNYATAAN PENGECEKAN SIMILARITY ATAU ORIGINALITY

Yang bertanda tangan di bawah ini Rektor Universitas Nahdlatul Ulama Surabaya, Menyatakan dengan sebenarnya bahwa karya ilmiah yang diajukan sebagai bahan Penilaian Penetapan Angka Kredit dan Kenaikan Jabatan Akademik/Fungsional dosen ke Asisten Ahli atas nama:

Nama

: Umdatus Soleha, SST., M. Kes

NPP

: 9904629

NIDN

: 0701087604

Tempat, tanggal lahir

; Banyuwangi, 1 Agustus 1976

Jurusan/Program Studi

: S1 Keperawatan

Unit Kerja

: Fakultas Keperawatan dan Kebidanan

Universitas Nahdlatul Ulama Surabaya

Telah dilakukan pengecekan Similarity atau Originality karya ilmiah melalui Turnitin dengan hasil sebagai berikut:

No	Judul	Hasil		
1	Pengaruh Konsumsi Ekstrak Daun Sauropus Androgynus (L) Meer (KATU) Dengan Peningkatan Hormon Prolaktin Ibu Menyusui dan Perkembangan Bayi di Kelurahan Wonokromo Surabaya	19 % Similarity Index		
2	Motivasi dan Dukungan Sosial Keluarga Mempengaruhi Kepatuhan Berobat Pada Pasien TB Paru di Poli Paru BP4 Pamekasan	23 % Similarity Index		
3	Hubungan tingkat pengetahuan dengan tingkat kepatuhan diet pada pasien gagal ginjal yang hemodialisis reguler di RS Darmo Surabaya	23 % Similarity Index		
4	Hubungan Self Efficacy dengan Perilaku Self Care Pasien Pasca Stroke di Rumah Sakit Islam Surabaya	17 % Similarity Index		
5	Gambaran pola makan pada penderita hipertensi yang Menjalani Rawat Ina di Irna F RSUD Syarifah Ambami Rato	22 % Similarity Index		
6	Gambaran Keteraturan Megontrol Tekanan Darah Pada Pasien Hipertensi di Puskesmas Kedurus Surabaya	19 % Similarity Index		
7	Correlation Between Party and Placental Retention Incidence AtDr. Soewandhie Hospital, Surabaya, Indonesia	7 % Similarity Index		
8	Analisys of influence independence factors of hypertension elder based on self care Orem Theory perspective in RW 3 Wonokromo Surabaya	2 % Similarity Index		
9	Supportive therapy in improving the independence of the elderly based on Orem Nursing Theory	1 % Similarity Index		

Demikian surat pernyataan ini saya buat untuk dipergunakan sebagaimana mestinya.

Surabaya, 1 April 2018

RelacionUSA

UlinUSAIr. Achmad Jazidie, M. Eng

Influence			
ORIGINALITY REPORT			
2%	1%	1%	2%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS
PRIMARY SOURCES			
1 www.talk	kstats.com		1%
Submitte Surabay Student Pape		Nahdlatul Ula	ma 1 %

Exclude quotes On Exclude matches Off

www.authorstream.com

Exclude bibliography On

Internet Source

Influence

by Soleha Um

Submission date: 10-Apr-2018 02:49PM (UTC+0700)

Submission ID: 944208093

File name: Analysis_Influence_Factors.pdf (292.71K)

Word count: 1913

Character count: 10556

Proceeding of Surabaya International Health Conference July 13-14, 2017

ANALYSIS OF INFLUENCE FACTORS AUOTONOMOUSNESS OF HYPERTENSION ELDER BASED ON SELF CARE OREM THEORY PERSPECTIVE IN RW 03 WONOKROMO SURABAYA

Umdatus Solcha

Nahdlatul Ulama University Surabaya umdatus@unusa.ac.id

Abstract

The elderly people who have hypertension have not relized and do not have enough ability to have hypertension treatment at home. The objective of this study was to analyze the factors that affect the independence of hypertension elderly people based on the theory perspective of "Orem Self Care" in RW 3 Wonokromo Subdistrict Surabaya.

This study design was a cross sectional analytic approach. The population was Hypertension Elderly Patients and the sample was 32 respondents. The sample was collected by a probability sampling technique used simple random sampling. The research variables were age, education, job, support and independence. The data collection was done by distributing questionnaire. The statistical test used Logistic Regression which had significance level $\alpha = 0.05$.

The result of the study was almost half (43.8%) of the respondents, the age was 60-74 (seniors up early) and the majority (62.5%) had a primary education. The majority (68.8%) of them was working, most (71.8%) had less family support and the majority (75%) was not independent. Logistic regression of SPPS was the most dominant factor of independence from age, education, job and family support that was P = 0.002 which was P > 0.05 means that the most dominant factor of independence was family.

The conclusion of this study is the family support is crucial to determine the elderly independence level, especially hypertension elderly people. It is expected that the family can pay more attention to the health condition of family members and provide support during the inspection process, the treatment of the elderly people who have hypertension.

Key words: factors auotonomousness, hypertension, elder

INTRODUCTION

Hypertension is one of some diseases that societyies are suffer from and without knowing the causes clearly. Hypertension sufferer should defend their life quality trough their awareness and the promotive and preventive that can control their blood pressure. In fact there are so many hypertension sufferer have not yet realized and have no enough abilities in caring in hypertension in their own house. This phenomenom will make some complications in target organ so that, hypertension called as silent killer.

Based on American Heart Association (AHA), USA's citizens in above 20 ages that suffer from hypertension are in 74,5 million. But about 90-95% cases are without knowing causes or primer hypertension. Hypertension is silent killer where the symtomps are differeent in each sufferer and almost all of them are closely same as other symptomps, (Pusat Data & disease's Informasi Kementerian Kesehatan RI, 2013). Hypertension is major factor risk of stroke, heart failure and coroner disease where it a larger factor then younger people. The most trigger factor of hypertension is genetic factor. Someone will have a bigger chance to get hypertension when their parents also a sufferer pof hypertension too, then it continued by age, gender, race, life style such as high salt consume, obesity, stress and any other external factor such as smoking, alcohol consumer, medicine comnsumer is also one of one external factor. Hypertension will also get wroster if the sufferer doesn not know how to care theirself. The lackness of knowledge and independence is caused by full activities or low economy status.

Hypertension could causing kongestive heart failure and cerebrovasculer, so this disease needs to be cared. Pharmacology already applied to fix this problem. Few of the pharmacology way that usually used such as diuretic medicine, sympathetic inhibitor, beta blocker batch, vasodilator, ACE inhibitor, antagonist calcium, and angiotensin receptor inhibitor II.

Averagely the control of hypertension will decrese prevalence about 8%. It will be gooder if hypertension sufferer upgrade their knowledge and independence to do some activities that will control their blood pressure. The best protection of hypertension complication is preventing and detecting early the symptomp of those diseases itself. Based on those reasons above, the authors want to analyze the independence of hypertension sufferer in controlling their blood pressure.

METHOD

The design of this research was analitic correlational. The collected data will be coded or corrected through observation paper, then it will be analyzed, which one is the majoring of age, education, job, family support that related to independence and using SPSS Logistic Regretion with meaning rate $\alpha = 0.05$. If the result shows p < 0.05; it means statistic hypothesis H₀ is denied and research hypothesis H₁ is accepted which it means the main factor of the independence.

Process data of percent number will be interpretated using quantitative scale, it described here:

100% : All 76-99% : Almost all 51-75% : Most of all 50% : Half of 26-49% : Almost half of 1-25% : Fraction of

0% : Nothing

RESULT

A. General Data

General data consits of characteristic datam they are education rate, age, and job, in RW III Karangrejo Sawah Kelurahan Wonokromo Surabaya.

1. Respondent's distribution based on age

Based on WHO there are 4 classification of elder age, they are 45-59 called pre-elder, 60-74 first stage of elder, 75-90 elder, >91 over elder which we've got is served in table 5.1.

Table 5.1 Frequency Distribution of Respondent Baseds Age in RW 3 Kelurahan Wonokromo Surabaya.

No.	Age	Frequency	Percentage (%)
1	45-49	9	28,1
2	60-74	14	43.8
3	75-90	9	28,1
	Amount	32	100

Sumber: Primer Data, Mei 2016

Proceeding of Surabaya International Health Conference July 13-14, 2017

Table 5.1 shows that almost half of 32 respondents are in 60-74 age (first stage of elder).

a. Respondent distribution Based education Based on UU national education system (2013), respondent classified by 3 grade: basic (ES-JHS and those equalities), medium (SHS and those equalities), and university that shown by the table below

Table 5.2 Distribution of respondent frequency Based on their last education in RW 3 KelurahanWonokromo Surabaya.

No.	Education	Frequency	Percentage (%)
1	Basic	20	62,5
2	Medium	10	31,3
3	University	2	6.3
200	Amount	32	100

Based on table 5.2 shows that almost of 32 respondents (62,5%) have last education grade on basic level.

b. Respondent distribution Based on job Based sakemas (Nurhasanah,2008) job variacies are classified by two fields, they are: employeed and jobless that showen by the table below.

Tabel 5.3 Frequency distribution of respondent Based on job in RW 3 Kelurahan Wonokromo Surabaya.

No.	Job	Frequency	Percentage (%)
1	Employeed	22	68,8
2	Jobless	10	31,3
1111	Amount	32	100

Based on table 5.3 shows that most of 32 elders (68,8%) are employeed.

c. Responden's Character Baseds support

This data shows that respondent's characteristic included family support of emotional, facilities and information. It will be served on the table below.

Tabel 5.4 Frequency distribution of respondent Based on family support in

RW 3 Kelurahan Wonokromo

No.	Family Support	Frequency	Percentage %
I.	Good support	9	28,3
2.	Non good enough support	23	71,8
Amount		32	100

Based on table 5.4 almost all of 32 respondents (71,8%) have a good support from their family.

d. Responden characteristic Based on Independence

Table 5.5 Frequency distribution of respondent Based on their independence in RW 3
Kelurahan Wonokromo Surahaya

No.	Independence	Frequency	Percentag e %
1.	Independence	8	25
2.	Unindependen	24	75
	ce		
Amount		32	100

Based on table 5.5 shows that almost all of respondents are unindependence.

e. Dominant factors's characteristic that on Independence

Table 5.6 Dominant factors's distribution on elder's independence in RW 3 KelurahanWonokromo Surabaya

Variables in the Equation

		В	SE	Wald	df	Sig	Exp(B)
Step [*	Age	.201	.898	.050	-1	.823	1.222
	Educati on	- 838	1.008	692	1	,406	432
	Job	1.435	1.615	780	- 1	.374	4,199
	Support	4.729	1.525	9.620	- 3	.002	113.144
	C(msta) nt	-7.133	4.445	2.576	1	.109	.001

Proceeding of Surabaya International Health Conference

July 13-14, 2017 http://nurseslabs.com/dorotheaorems-self-care-theory

The table above shows us that Regression Factor SPSS's that dominant in independence is P= 0.002 which is P< 0.05. It means the most dominant factor of independence is family support.

CONCLUSION

Based on research analysis result about factors rhat influiencing independence of hypertension sufferer from self care orem theory perspective in RW 3 Kelurahan Wonokromo Surabaya, we can conclude that:

- Elder hypertension sufferer in RW 3
 Kelurahan Wonokromo Surabaya almost half of them are in 45- 74 ages
- Elder hypertension sufferer in RW 3
 Kelurahan Wonokromo Surabaya almost all of their last education is basic education
- Elder hypertension sufferer in RW 3 Kelurahan Wonokromo Surabaya almost all of them are employeed
- Elder hypertension sufferer in RW 3
 Kelurahan Wonokromo Surabaya almost all of them are have a good support from their family
- Dominant factor that influencing hypertension elder's independence is support from their family

REFERENCES

Alligood, Raile Martha & Tomey, Marriner Ann. (2006). Nursing Theorits and

> Their work, Mosby, United States of America

Arikunto, S. (2008). Prosedur Penelitian Suatu Pendekatan Praktik Edisi Revisi. Jakarta, Rineka Cipta

Azwar, Saifudin. (2013). Sikap Manusia: Teori dan pengukurannya. Yogyakarta, Pustaka Pelajar

Dorothea Orem's Self Care Theory, diakses tanggal 28 Januari 2016 dari Friedman, M.M. (2003). Keperawatan Keluarga Teori dan Praktik (Edisi ke-3), alih bahasa oleh Ina Debora dan Yoakim Asy. Jakarta, EGC

Friedman, Marrilyn M., Bowden, Vicky., & Jones, Elaine 6. (2010). Buku Ajar Keperawatan Keluarga Riset.

Teori & Praktik (edisi 5). Jakarta, EGC.

Harmoko. (2012). Asuhan Keperawatan

Keluarga. Yogyakarta, Pustaka Pelajar

Hidayat, A. Aziz Alimul.(2008). Konsep Dasar keperawatan (edisi 2). Jakarta, Salemba Medika

Herman Adi Setiawan, "KEMANDIRIAN PADA LANSIA" diakses tanggal 2 Februari2010darihttps://stikeskabma lang.wordpress.com/2009/10/02/ke mandirian-pada-lansia/

Lailatul, Fitria . (2013). Hubungan Dukungan keluarga Dengan Kejadian Komplikasi Pada Penderita Diabetes Melitus Tipe 2 Di Poli Penyakit Dalam RSI. Ahmad Yani Surabaya

Nengriza, (2012). Teori Keperawatan Dorothy Orem, diakses tanggal 28 Januari 2016 dari https://nengriza9.wordpress.com/2 012/12/21/teori-keperawatandorothy-orem

Nugroho, Wahjudi. (2008). Keperawatan Gerontik & Geriatrik. Jakarta, EGC Nursalam. (2008). Konsep dan Penerapan Metodelogi Penelitian Ilmu Keperawatan (edisi 2). Jakarta, Salemba Medika

Nursalam. (2013). Metodologi Penelitian Ilmu Keperawatan (edisi 3). Jakarta, Salemba Medika

Potter, P. A., & Perry, A.G. (2009). Basic

Proceeding of Surabaya International Health Conference July 13-14, 2017

Nursing Essentials for Practice, Mosby: Elseiver

Putih, Galih. (2011). Bab 2: Konsep Kemandirian. http://digilib.unimus.ac.id.pdf. Diakses pada hari Senin tanggal 13 Januari 2014 pukul 15:24

Setiadi, (2007). Konsep dan Penulisan Riset Keperawatan. Yogyakarta : Graha Ilmu

Setiawan, Hilal. (2012). Instrumen pengkajian ADL dengan indeks Barthel (IB) dan indeks kats. http://hilal-setyawan.blogspot.com. Diakses pada hari Kamis tanggal 6 Februari 2014, pukul 18:06

Sukowati, Umi, dkk. (2010). Model konsep dan teori keperawatan. Bandung, Refika Aditama

Suprianto. (2009). Hubungan dukungan sosial keluarga dengan kepatuhan menjalankan program pengobatan pasien hipertensi di URJ Jantung RSU. Dr. Soetomo Surabaya. Dalam Jurnal Keperawatan vol. II no. 2 April 2009

Tinok, Ayu, Putri, dkk. (2012).

Kemandirian perawatan ibu post
sectio caesarea dengan
menggunakan pendekatan
discharge planning berdasarkan
teori self care Orem. Dalam Jurnal
Ners vol. 7 no. 2 Oktober 2012.

THONSON, R. LENY. (2010). KEPERAWATAN KELUARGA. JAKARTA, NUHA M

Wayne, G (2014 Pusat Data dan Informasi Kesehatan RI Infodatin diakses tanggal

28Januari2016https://www.google.com/sear ch?q=kejadian+hipertensi+riskesdes &ie=utf-8&oe=utf-8