

SURAT KETERANGAN

Nomor: 850/UNUSA/Adm-LPPM/VIII/2019

Lembaga Penelitian dan Pengabdian Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 17 Mei 2019.

Judul : Effect of Hypno Breastfeeding on Colostrum Ejection Onset in Primiparous Mothers
Penulis : Nur Masruroh, Ratna Ariesta Dwi Andriani
Identitas : Proceeding the 4th International Conference on Public Health
No. Pemeriksaan : 2019.08.16.372

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (*Similarity Index*) yaitu 9%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya

Surabaya, 16 Agustus 2019

Ketua LPPM,



Dr. Istas Pratomo, S.T., M.T.

NPP. 16081074

LPPM Universitas Nahdlatul Ulama Surabaya

Website : lppm.unusa.ac.id

Email : lppm@unusa.ac.id

Hotline : 0838.5706.3867

effect of hypnobirthing

by Nur Masruroh

Submission date: 17-May-2019 10:28AM (UTC+0700)

Submission ID: 1131810018

File name: 26.-Nur-Masruroh_1.pdf (254.44K)

Word count: 284

Character count: 1680

EFFECT OF HYPNO BREASTFEEDING ON COLOSTRUM EJECTION ONSET IN PRIMIPAROUS MOTHERS

Nur Masruroh, Ratna Ariesta Dwi Andriani

Faculty of Nursing and Midwifery,
Universitas Nahdlatul Ulama, Surabaya

ABSTRACT

Background: Hypno breastfeeding technique is a natural effort to use sub-conscious energy given to postpartum mothers so that the breastfeeding process runs safely and smoothly. This effort is done by entering positive affirmation or suggestion when the mother is very relaxed or very concentrated on a goal so that mother can produce enough milk for the infants growing needs. This study aimed to analyze effect of hypno breastfeeding on colostrum ejection onset in primiparous mothers.

Subjects and Methods: This was a quasi experiment (non-randomized) after only with control design conducted at two Puskesmas (Community Health Center), Surabaya, East Java. A sample of 60 primiparous mothers were selected and allocated in two groups: 30 mothers undergoing hypno breastfeeding and 30 mothers not undergoing hypno-breastfeeding. The dependent variable was onset of colostrum ejection. The independent variable was hypno breastfeeding. The data were collected by observation and interview. The data were analyzed by a t-test.

Results: Onset of colostrum ejection was shorter in the hypno breastfeeding group (mean= 13.2; SD= 2.1) than the control group (mean= 15.7; SD= 1.9), but it was statistically non-significant.

Conclusions: Hypno breastfeeding shortens onset of colostrum ejection but it was statistically non-significant.

Keywords: hypno breastfeeding, colostrum ejection, onset, primiparous mothers

Correspondence:

Nur Masruroh. Faculty of Nursing and Midwifery, Universitas Nahdlatul Ulama, Surabaya, East Java. Email: masruroh@unusa.ac.id. Mobile: +6281332630941.

effect of hypnobirthing

ORIGINALITY REPORT

9%

SIMILARITY INDEX

9%

INTERNET SOURCES

3%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

1

media.neliti.com

Internet Source

9%

Exclude quotes On

Exclude matches < 3%

Exclude bibliography On