

Please verify all data and inform us of any minor corrections that need to be made before 17 November 2017 at 12 p.m. Any corrections after the due date will not be accepted.

Outlook 2016

0 🗹

Thu, Nov 16, 2017, 9:01 AM 🖈 🦶

🔺 🔯 📆 📶

 \blacksquare

Φ

Thank you


Regards,


HSIC Committee


to hsicumm + there is nothing correction.

х∄

abdul muhith <abdulmuhith1979@gmail.com>







Print this page



HSIC 2017

The 1st Health Science Internantional Conference Atria Hotel, Malang, 4 October 2017 Website: http://hsic2017.umm.ac.id

Email: hsic@umm.ac.id

Malang, September 28, 2017

Payment Receipt

The organizing committee of HSIC 2017 acknowledges the following payment for registration fee,

Abstract ID ABS-138 (Oral Presentation)

Title "FACTORS AFFECTING SELF EFFICIENCY ON TUBERCULOSIS PATIENTS

IN TIKUNG PUBLIC HEALTH CENTER LAMONGAN"

Authors Abdul Muhith (a), M. Himawan Saputra (b*), Sandu Siyoto (c), Eny Dwi (d)

Paid Amount IDR 2750000

Paid By SANDU SIYOTO

Thank You.

Best regards,



Henny Dwi Susanti, M.Kep, Sp. Kep. Mat

HSIC 2017 Finance Manager

1 of 1 28/09/2017 10:31

Print this page



HSIC 2017

The 1st Health Science Internantional Conference Atria Hotel, Malang, 4 October 2017 Website: http://hsic2017.umm.ac.id

Email: hsic@umm.ac.id

Malang, July 30, 2017

Letter of Acceptance

Dear Authors: Abdul Muhith (a), M. Himawan Saputra (b*), Sandu Siyoto (c), Eny Dwi (d)

We are pleased to inform you that your abstract (ABS-138, Oral Presentation), entitled:

"FACTORS AFFECTING SELF EFFICIENCY ON TUBERCULOSIS PATIENTS IN TIKUNG PUBLIC HEALTH CENTER LAMONGAN"

has been reviewed and accepted to be presented at HSIC 2017 conference to be held on 4 October 2017 in Malang, Indonesia.

Please submit your full paper and make the payment for registration fee before the deadlines, visit our website for more information.

Thank You.

Best regards,

Sri Sunaringsih Ika Wardojo, MPH

HSIC 2017 Chairperson

1 of 1 30/07/2017 14:02

Print this page



HSIC 2017

The 1st Health Science Internantional Conference Atria Hotel, Malang, 4 October 2017 Website: http://hsic2017.umm.ac.id

Email: hsic@umm.ac.id

Malang, July 30, 2017

Letter of Invitation

Dear Authors: Abdul Muhith (a), M. Himawan Saputra (b*), Sandu Siyoto (c), Eny Dwi (d)

We are pleased to inform you that your abstract (ABS-138, Oral Presentation), entitled:

"FACTORS AFFECTING SELF EFFICIENCY ON TUBERCULOSIS PATIENTS IN TIKUNG PUBLIC HEALTH CENTER LAMONGAN"

has been reviewed and accepted to be presented at HSIC 2017 conference to be held on 4 October 2017 in Malang, Indonesia.

We cordially invite you to attend our conference and present your research described in the abstract.

Please submit your full paper and make the payment for registration fee before the deadlines, visit our website for more information.

Thank You.


Best regards,

1 of 2 30/07/2017 14:00

HSIC 2017 - Letter of Invitation

Sri Sunaringsih Ika Wardojo, MPH HSIC 2017 Chairperson

2 of 2



1st HEALTH SCIENCE INTERNATIONAL CONFERENCE

Faculty Of Health Science, University of Muhammadiyah Malang October 4th-5th,, 2017, Malang, East Java, Indonesia

SURAT PERNYATAAN

Yang bertanda tangan dibawah ini:

NAMA : Dr. Abdul Muhith, S.Kep., Ns.

JUDUL ARTIKEL : Factors Affecting Self-Efficacy on Tuberculosis Patients

ASAL INSTITUSI : Sekolah Tinggi Ilmu Kesehatan Majapahit

Dengan ini menyatakan bahwa artikel yang saya kirimkan pada 1st Health Science International Conference pada tanggal 4-5 Oktober 2017 telah melalui proses perbaikan serta saya akan menerima hasil keputusan dari pihak Atlantis Publisher secara mutlak tanpa ada tuntutan pengembalian biaya kepada panitia.

Jika ternyata artikel saya tidak dapat diterbitkan dalam proseeding Atlantis Publisher maka saya bersedia artikel tersebut untuk di terbitkan dalam proceeding ber-ISBN yang akan diterbitkan oleh Fakultas Ilmu Kesehatan bekerjasama dengan penerbit Buku Litera Yogjakarta.

Demikian surat pernyataan ini saya buat dengan sebenar-benarnya.


Mojokerto, 24 Oktober 2017 Yang membuat pernyataan








University of Muho linn Hotel, Malang Confer







YAYASAN KESEJAHTERAAN WARGA KESEHATAN (YKWK) KABUPATEN MOJOKERTO

Badan Hukum: SK. Menkumham RI No.: C-238.HT.01.02.TH 2006 Tanggal 3 Pebruari 2006

Alamat:

Jl. Raya Tangunan 27 Puri Telp. 0321-510034 Fax. 0321-510900 Mojokerto 61363 Jl. Raya Gayaman Km. 02 Mojoanyar Telp. 0321-329915 Fax. 0321-331736 Mojokerto 61364

SURAT TUGAS Nomor: 196/ST-YKWK/II.b/2017

Yang bertanda tangan di bawah ini:

Nama

: Dr. Nurwidji, MHA., M.Si.

Jabatan

: Ketua Yayasan

Dengan ini menugaskan kepada:

Nama

: Dr. Abdul Muhith

Jabatan

: Ketua Stikes Majapahit

Untuk melaksanakan tugas pada:

Hari

: Kamis (Day 2)

Tanggal

: 5 Oktober 2017

Pukul

: 07.30 WIB - selesai

Keperluan

: Undangan 1st Health Science Internasional Conference

Faculty Of Health Science, University of Muhammadiyah Malang

Tujuan

: Swiss- Belinn Hotel, Malang, East Java, Indonesia

Demikian untuk dapat dilaksanakan dengan sebaik-baiknya.

Mojokerto, 4 Oktober 2017
Ketua,

Dr. NURWIDJI, MHA., M.Si.

Datang Pukul: Kembali Pukul: Kembali Pukul





Factors Affecting Self-Efficacy on Tuberculosis Patients

Abdul Muhith¹, Mukhammad H. Saputra*², Sandu Siyoto³, Eny Dwi⁴

1,2,4STIKes Majapahit Mojokerto, Indonesia Jalan Raya Gayaman Km. 02 Mojoanyar Kota Mojokerto 61364. 3STIKes Surya Mitra Husada, Kediri, Indonesia Jalan Manila, Nomor 37, Pesantren, Kota Kediri, Jawa Timur 64133 *Corresponding author: mhimawansaputra @gmail.com

ABSTRACT

Background: Tuberculosis was a contagious infectious disease caused by Mycobacterium tuberculosis. Patients who are diagnosed Pulmonary Tuberculosis will arise fear in him. It was important for tuberculosis patients to have the confidence to heal or self-efficacy. Objectives: The purpose of this study was to analyze the factors that affect self-efficacy in Tuberculosis patients at Tikung Health Center, Lamongan District. Method: Research design in this research use cross-sectional design with research character is explanatory research. Results: The most patients had positive self-efficacy. Based on the statistical test shows that the mastery experiences, vicarious experience, social persuasion, and physiological conditions affect the efficacy of tuberculosis patients at Tikung Lamongan Public Health Center. Conclusion: The role of nurses was very important in optimizing the factors that affect the beliefs of people suffering from tuberculosis at Tikung Health Center, Lamongan regency, for example by providing consultation related to the illness, so as to increase his conviction to be able to recover and live normally in the community.

Keywords: Self-efficacy, patient, tuberculosis, factors

INTRODUCTION

Tuberculosis is a contagious infectious disease caused by Mycobacterium tuberculosis. Mycobacterium tuberculosis is transmitted through droplets in the air, so tuberculosis patients are the source of the cause of transmission in surrounding population. Until now lung tuberculosis is still a major health problem, both in the world and in Indonesia. The phenomenon in society today, there are still family members who are afraid to be close to someone suspected tuberculosis, so that appear excessively cautious attitude, such as distancing themselves from the patient, reluctant to talk, if close to the patient will immediately close their nose. It will be very offensive to the patient. Patients will be depressed and feel ostracized, so it can have an impact on the psychological condition and eventually will happen success, this psychic complaint will beat the quality of life (Lisdawati, et al, 2015).

The prevalence of pulmonary tuberculosis at Tikung Health Center of Lamongan obtained from medical record in 2015 reached 84 patients while in 2014 reached 98 patients. One of the factors affecting patient self-care management is self-efficacy. Self-efficacy is an individual's belief in his ability to organize and perform a specific task for the achievement of goals (Bandura, 1982).



METHOD

Research design in this research use cross-sectional design with research character is explanatory research, based on respondent's perception. The population in this study were all Tuberculosis patients recorded at Tikung Health Center of Lamongan District from January to December 2016, a total of 60 people. The sampling technique used is simple random sampling, with a total sample of 52. The research was conducted in working area of a Tikung public health center in Lamongan. The study was conducted from May to June 2017. Bivariate analysis using Chi-square test with 95% significance level or p = 0.05

RESULTS AND DISCUSSION

Results showed that most respondents have positive mastery experience and have positive self-efficacy, is 29 respondents (55,8%). Chi-square test results showed that the respondent mastery experience was positively and significantly correlated with the self efficacy of tuberculosis patients (p-Value: 0,000, α value: 0.05). In line with the research conducted by Wieland, et al(2013) shows the results among the four factors that play a role in the development of self-efficacy, mastery experience factor is the most important factor in improving self-efficacy (Wieland, et al, 2013). Self-efficacy is formed through the social learning process that can occur in the social environment Self-efficacy is formed as a process of adaptation and learning that exist in the theme. Success builds confidence. Difficulties or failures are part of the experience of mastery that will be the basis of the ability to control every situation (Bandura, 1982; Swaminathan, et al, 2011). Self-efficacy is closely related to successful experience, people who successfully solve a self-efficacy problem will increase, otherwise people who fail to solve a self-efficacy problem will go down (speak at the time of self-efficacy has not formed steadily in a person).

Table 1 Cross-tabulation between the Mastery Experience and Self-Efficacy

| No | Mastery Experience | | Self-Ef | - Total | | | |
|----|--------------------|----------|---------------------|---------|------|----------|------|
| | | Positive | | | | Negative | |
| | | f | % | f | % | f | % |
| 1 | Positive | 29 | 55,8 | 2 | 3.8 | 31 | 59,6 |
| 2 | Negative | 3 | 5,8 | 18 | 34,6 | 21 | 40,4 |
| | Total | 32 | 61,5 | 20 | 38,5 | 52 | 100 |
| | | p-Value: | $0,000. \ \alpha:0$ | ,05. | | | |

Based on the results of research in the table above shows that most respondents have positive vicarious experience and have positive self-efficacy is 30 respondents (57.7%). Chi-square test results showed that the vicarious experience was positively and significantly correlated with the self efficacy of tuberculosis patients (p-Value: 0.000, α : 0.05). Experience in observing others who have succeeded in doing a task will increase individual confidence that they can do the task and have the same abilities as their role-models. The magnitude of the influence of role-model on one's self-efficacy is highly dependent on how one feels similar to the model it imitates and then compares with itself (in how much similarities exist). The individual does not depend on his own experience of failure and success as the source of his self-efficacy. Self-efficacy is also influenced by the experience of other individuals (Bandura, 1982).



Table 2 Cross-tabulation between the Vicarious Experience and Self-Efficacy

| | Vicarious Experience | | Self- | - Total | | | |
|----|----------------------|----------|--------------|---------|------|----------|------|
| No | | Positive | | | | Negative | |
| | | F | % | f | % | F | % |
| 1 | Positive | 30 | 57,7 | 3 | 5.8 | 33 | 63,5 |
| 2 | Negative | 2 | 3,8 | 17 | 32,7 | 19 | 36,5 |
| | Total | | 32 | 61.5 | 20 | 38,5 | 52 |
| | | p Value | : 0,000. α : | 0,05. | | | |

Individual observation of the success of other individuals in a particular field will enhance the individual's self-efficacy in the same field. Individuals persuade themselves by saying that if other individuals can do so successfully, then the individual also has the ability to do well (Swaminathan, et al, 2011). Individual observation of the failures experienced by other individuals despite many attempts to decrease individual judgment on one's own ability and reduce individual effort to achieve success. There are two circumstances that allow the individual self-efficacy to be easily influenced by the experience of another individual, namely the lack of individual understanding of the ability of others and the lack of individual understanding of his or her own ability (Muhith, Saputra, & Siyoto, 2017).

Based on the results of research in the table above shows that most respondents have positive social experience and have positive self-efficacy is 29 respondents (55.8%). Chi-square test results showed that the social persuasions were positively and significantly correlated with the self efficacy of tuberculosis patients (p-Value: 0,000, α: 0.05). Basically verbal persuasion is a communication ability that can persuade or direct others. In persuasion communication, there is a component or element so it can be called as communication persuasion. These components include; Have a good persuasion purpose, an order wrapped with a solicitation or persuasion so as not to impose and based on the data or facts used to strengthen the argumentation (Swaminathan, et al, 2011; Cramm, et al, 2013). In verbal persuasion, individuals are directed by advice, advice, and guidance so as to enhance their beliefs about the abilities they possess that can help achieve the desired goals. Individuals who are verbally convinced will tend to work harder to achieve success (Bandura, 1982; Mason, et al, 2015).

Table 3 Cross-tabulation between the Social Persuasion and Self-Efficacy

| No | Social Persuasions | | Self-Efficacy | | | | T-4-1 | |
|----|--------------------|----------|---------------|------------------|------|-------|-------|--|
| | | Positive | | Negative | | Total | | |
| | | f | % | f | % | F | % | |
| 1 | Positive | 30 | 57,7 | 3 | 5.8 | 33 | 63,5 | |
| 2 | Negative | 2 | 3,8 | 17 | 32,7 | 19 | 36,5 | |
| | Total | 32 | 61,5 | 20 | 38,5 | 52 | 100 | |
| | | p-V | alue: 0,000. | $\alpha : 0,05.$ | | | | |

Based on the results of research shows that most of 52 respondents who have positive physiological state also has positive self-efficacy that is 29 respondents (55,8%). Chi-square test results showed that there is a relationship between the physiological state with the self efficacy of tuberculosis patient. Changes in body condition and mood can affect self-efficacy, people will quickly conclude tiredness, pain, and mood swings as a hint about self-efficacy. In line with the Dill study indicating the efficacy of self-stopping drinking decreases at a time when the mood is sad (Korpershoek, Van der Bijl & Hafsteinsdóttir, 2011). The alcoholic who initially felt confident to stop drinking (the level of self-efficacy stopped drinking) at a time when his mood sad confidence to be able



to stop drinking liquor decreased (the level of self-efficacy stopped drinking) (Wells-Prakers, et al, 1998; Swaminathan, et al, 2011).

Table 4 Cross-tabulation between the Physiological State and Self-Efficacy

| No | Physiological State | Self-Efficacy | | | | Total | |
|----|---------------------|---------------|--------------|----------|------|-------|------|
| | | Positive | | Negative | | Total | |
| | | f | % | f | % | f | % |
| 1 | Positive | 29 | 55,8 | 2 | 3,8 | 31 | 59,6 |
| 2 | Negative | 3 | 5,8 | 18 | 34,6 | 21 | 40,4 |
| | Total | 32 | 61,5 | 20 | 38,5 | 52 | 100 |
| | | p-Val | ue: 0,000. o | : 0,05. | | | |

In terms of physiological and mood conditions, self-efficacy may increase if: the body condition increases, stress decreases, negative emotions decreases, there is a correction of misinterpretation of the state of the body. At sad times self-assessment is likely to be low (meaningless). Self-assessment will be positive (high self-efficacy level) at the time of a happy mood, self-assessment will be negative (low self-efficacy level) at a time of sad mood (Bandura, 1982; Mason, et al, 2015).

CONCLUSION

Based on the results of the study can be concluded that the mastery experience of respondents, vicarious experiences, social persuasion, and physiological state affect the efficacy of tuberculosis patients at Tikung Lamongan Public Health Center.

ACKNOWLEDGEMENT

The authors thank to LPPM STIKes Majapahit Mojokerto, Chief of YKWK Kabupaten Mojokerto, Chief of STIKes Majapahit Mojokerto for supporting this research.

REFERENCES

- Bandura, A, (1982). Self-efficacy mechanism in human agency. *American Psychologist*, 37(2), 122.
- Cramm, JM, Strating, MMH, Roebroeck, ME, & Nieboer, AP. (2013). The Importance of General Self-Efficacy for the Quality of Life of Adolescents with Chronic Conditions, *Social Indicators Research*, 113(1), 551-561.
- Korpershoek, C, Van der Bijl, J & Hafsteinsdóttir, TB. (2011). Self-efficacy and its influence on recovery of patients with stroke: a systematic review, *Journal of Advanced Nursing*, 67(2), 1876-1894.
- Lisdawati, V., Puspandari, N., Rif'ati, L., Soekarno, T., Melatiwati, M., Syamsidar, K.,& Parwati, I., (2015). Molecular epidemiology study of Mycobacterium tuberculosis and its susceptibility to anti-tuberculosis drugs in Indonesia. *BMC Infectious Diseases*, 15(1), 366.
- Mason, P.H, Singh, P, Nhung, D.T., Ho, J., Nguyen, T.A.1, Fox, G & Marks, G.B. (2015). Coping Self-efficacy for Tuberculosis Treatment in Ca Mau, Vietnam, *Againts Tuberculosis*.



- Muhith, A., Saputra, H., & Siyoto, S., (2017). The Correlation Between Healthy House Condition and Dyspnea Frequency of Pulmonary Tuberculosis Patients. *Publikasi Hasil Penelitian*, pp 84-88.
- Swaminathan, S, Padmapriyadarsini, C, Venkatesan, P, Narendran, G, Kumar, RS, Iliayas, S, Menon, PA, Selvaraju, S, Pooranagangadevi, NP, Bhavani, PK, Ponnuraja, C, Dilip, M, & Ramachandran, R. (2011). Efficacy and Safety of Once-Daily Nevirapine- or Efavirenz-Based Antiretroviral Therapy in HIV-Associated Tuberculosis: A Randomized Clinical Trial, *Clinical Infectious Diseases*,, 53(1), 716-724.
- Wells-Parker, E., Williams, M., Dill, P., & Kenne, D., (1998). Stages of change and self-efficacy for controlling drinking and driving: A psychometric analysis. *Addictive Behaviors*, 23(3), pp351-363.
- Wieland, M. L., Nelson, J., Palmer, T., O'Hara, C., Weis, J. A., Nigon, J. A., & Sia, I. G., (2013). Evaluation of a tuberculosis education video among immigrants and refugees at an adult education center: a community-based participatory approach. *Journal of Health Communication*, 18(3), pp343-353.