

Volume 10 Number 11 November 2019

Indian Journal of Public Health Research & Development

An International Journal

SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 to 2017 Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine: Public Health, Environmental and Occupational Health CiteScore 2015-0.02
SJR 2015-0.105
SNIP 2015-0.034



Website: www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Prof Vidya Surwade

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohinee, Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr. Abdul Rashid Khan B. Md Jagar Din, (Associate Professor)
 Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- Dr. V Kumar (Consulting Physician) Mount View Hospital, Las Vegas, USA
- 3. Basheer A. Al-Sum.

Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia

- 4. Dr. Ch Vijay Kumar (Associate Professor)
 Public Health and Community Medicine, University of Buraimi, Oman
- Dr. VMC Ramaswamy (Senior Lecturer)
 Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas (Clinical Researcher)
 Department of Deployment Health Research,
 Naval Health Research Center, San Diego, CA (USA)
- 7. Prof. PK Pokharel (Community Medicine)
 BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

- Dr. Anju Ade (Associate Professor)
 Navodaya Medical College, Raichur, Karnataka
- Dr. E. Venkata Rao (Associate Professor) Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
- Dr. Amit K. Singh (Associate Professor) Community Medicine, VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
- Dr. R G Viveki (Professor & Head) Community Medicine, Belgaum Institute of Medical Sciences, Belgaum, Karnataka
- Dr. Santosh Kumar Mulage (Assistant Professor)
 Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
- Dr. Gouri Ku. Padhy (Associate Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Dr. Ritu Goyal (Associate Professor)
 Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar (Associate Professor)
 Microbiology, Prathima Institute of Medical Sciences, AP
- Dr. Md. Amirul Hassan (Associate Professor)
 Community Medicine, Government Medical College, Ambedkar Nagar, UP
- 10. Dr. N. Girish (Associate Professor) Microbiology, VIMS&RC, Bangalore
- 11. Dr. BR Hungund (Associate Professor) Pathology, JNMC, Belgaum.
- Dr. Sartaj Ahmad (Assistant Professor), Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India
- Dr Sumeeta Soni (Associate Professor)
 Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra (Community Medicine) GSL Medical College – Rajahmundry, Karnataka
- Prof. D.K. Srivastava (Medical Biochemistry)
 Jamia Hamdard Medical College, New Delhi
- Prof. M Sriharibabu (General Medicine) GSL Medical College, Rajahmundry, Andhra Pradesh
- Prof. Pankaj Datta (Principal & Prosthodentist) Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Samarendra Mahapatro (Pediatrician)
 Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr. Abhiruchi Galhotra (Additional Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Prof. Deepti Pruthvi (Pathologist) SS Institute of Medical Sciences & Research Center, Davangere, Karnataka
- 8. Prof. G S Meena (Director Professor)
 Maulana Azad Medical College, New Delhi
- Prof. Pradeep Khanna (Community Medicine)
 Post Graduate Institute of Medical Sciences. Rohtak. Harvana
- Dr. Sunil Mehra (Paediatrician & Executive Director) MAMTA Health Institute of Mother & Child, New Delhi
- Dr Shailendra Handu, Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal: Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India. Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarter (Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

Website: www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

Published at

Institute of Medico-legal Publications

501, Manisha Building, 75-76, Nehru Place, New Delhi-110019



Indian Journal of Public Health Research & Development

www.ijphrd.com

Contents	

Volume 10, November 11

November 2019

1.	Effect of Informational Support on Quality of Life among Pregnant Women with Antiphospholipid Syndrome	1
	Fatma Zaghloul Mahmoud, Yousria A. Elsayed, Abeer S. Eswi, Rania M. Abdel Ghani	
2.	Employees' Perspective of Knowledge Management in Health Care Industry on Their Performance <i>C. Kathiravan, E. Chandramouli</i>	6
3.	Sterilization and Disinfection in Orthodontics: A Literature Review	12
4.	Nutritional Content and Quality Analysis of Palm Sugar in Pledokan Village, Sumowono	18
5.	Triphala: A Wonder Therapy in Dentistry	22
6.	Diet Counseling: Prevention for Early Childhood Caries	26
7.	Determinants of Unmet Need for Family Planning in Tegal and Klaten Regency	30
8.	Incidentally Significant Finding in an Asymptomatic Patient	35
9.	Oral Manifestation of Viral Disease in Children	39
10.	Oral Focal Mucinosis: A Rare Clinical Entity	42
11.	Endoscopic Approach to Maxillofacial Trauma	45
12.	Recent All Ceramic Systems in Dentistry: A Systemic Review	49

13.	Duta Safety Riding: The Actors of Traffic Accidents Prevention in Samarinda, East Kalimantan, Indone Dina Lusiana Setyowati, Risva, Andi Anwar	sia52
14.	Post Operative Care: A Review	57
15.	Platelet Rich Fibrin: A Promising Innovation in Periodontics	62
16.	Electrolyte Supplementation on Workers Under Heat Stress: A Preliminary Study on Workers' Hydration and Performance Daru Lestantyo, Suroto	66
17.	Minerals and Oral Health	72
18.	Effect of Training to Knowledge and Practices of Dasa Wisma Activists as Pregnant Women Assistants in Preventing Low Birth Weight	76
19.	Ozone-Boon in Dentistry	81
20.	An Unusual Presentation of Laryngopharyngeal Reflux in A 12 Year Old Boy: A Case Report	85
21.	Oral & Perioral Piercing: Fashion or Vandalization from Dentists' Perspective	89
22.	Risk Factors of Pregnancy Incidence before 20 Years Old in Indonesia in 2016	94
23.	Patient Centered Care: A Paradigm Shift in the Delivery of Oral Health Care	99
24.	Microbial Host Interaction in Periodontal Diseases Ayushi Priya	104
25.	Evaluation of Mass Drug Administration (A Cross Sectional Study in Sanggu Village, South Barito, Central Kalimantan, Indonesia)	108
26.	Effects of Tobacco in Females all Over the World	113
27.	Ethnomedicinal Plants of Odisha: An Alternative Therapeutic Choiceagainst Multidrug Resistant Bacteria Subhashree Satapathy, Debasmita Dubey, Shakti Rath	116

		Ш
28.	Oral Health Related Quality of Life Following Third Molar Surgery & its Complication	
29.	Mucocele on Lower Lip Excision Through Laser: A Case Report	125
30.	Awareness of Patients towards Different Prosthetic Rehabilitation Like Fixed Partial Denture, Removable Partial Denture, Implants at Institute of Dental Sciences, Bhubaneswar	129
31.	Conventional Techniques and Newer Advances of Painless Local Anaesthesia Delivery in Paediatric Dentistry: A Review	133
32.	Oral Manifestations of Dermatologic Diseases	137
33.	Knowledge and Attitude Regarding Local Anesthesia among Dental Professionals and Awareness in General Population	141
34.	Medication Impact on Dental Prosthesis	146
35.	Laser Excision of Fibrous Epulis in a 11-Year-Old Boy: A Case Report	150
36.	Intraoral Cavernous Hemangioma of the Tongue: A Rare Case Report	153
37.	Comparison between Alvogyland Zinc Oxide Eugenol Packing for the Treatment of Dry Socket: A Clinical Study	156
38.	Dental Radiography in Pediatric Dentistry: A Review	160
39.	Tooth Supported-Conventional Overdentures: Two Case Reports	163
40.	Eating Disorders: A Comprehensive Review	168
41. 42.	Pigmented Lesion of Oral Cavity	
43.	Intracanal Irrigants Used in Pediatric Endodontic Treatment: A Review	184
44.	Methodological Errors in Research: A Review	189

IV 45.	Role of Colours in Paediatric Dental Clinic Setup	194
46.	Aesthetic Clinical Crown Lengthening: An Answer Toaunaesthetic Smile	196
47.	Advances in Bracket System: The Newer and Aesthetic Approach: A Review Article	199
48.	Preventing Dental Caries through Microbiome Manipulation	204
49.	Pediatric Implants Biswabandita Mohanty, SusantMohanty, Antarmayee Panigrahi	207
50.	Palatogingival Groove and the Perio-Endo Lesion: Management through Endo-Perio Regenerative (IPRF) Approach: A Case Report	212
51.	Plasma Cell Gingivitis: A Rare Finding	216
52.	Differences in Distance between Maxillary Posterior Root Apices and the Sinus Floor According to Malocclusion: A Review Article on Various Radiographic Images	219
53.	Natural Tooth Pontic: Instant Esthetic Yet Temporary Functional Solution to Solitary Missing Tooth: A Case Series	223
54.	Halitosis-Bad Breath: Etiology, Diagnosis, Treatment	228
55.	Newer Advances in Non-Surgical Periodontal Therapy: An Update	232
56.	Musculoskeletal Disorders in Dentists	237
57.	Early Orthodontic Treatment of Class II Malocclusion with Functional Appliances	240
58.	Vesiculobullous Lesions: A Comprehensive Overview	244
59.	Artificial Intelligence: A Cognitive Advancement towards Future Dentistry	249
60.	Impact of Sports Drink on Oral Health	254

VI 76.	Comparison of Electrical Activity of Masticatory Muscles in Clinically Diagnosed Temporomandibular Joint Dysfunction	322
	Mahapatra	
77.	Carcinogenesis: A Comprehensive Overview	328
78.	A Rare Site for Oral Cavity Schwannoma: A Case Report	333
79.	Unicystic Ameloblastoma of Maxilla: A Case Report	337
80.	An Unusual Cause of Throat Pain: A Case Report	340
81.	Central Giant Cell Granuloma: Contradicting the Usual Picture	343
82.	Crouzon Syndrome in a Female Patient with Classic Craniofacial Features	348
83.	Role of Azithromycin in Periodontal Diseases	351
84.	Pemphigus Vulgaris in the Oral Cavity: A Diagnostic Challenge for the Dentist	355
85.	Nasopalatine Duct Cyst: A Diagnostic Dilemma	359
86.	Idiopathic Thrombocytopaenic Purpura in a 30-Year-Old Male: The Dentist's Nightmare	362
87.	Customized Ocular Prosthesis: A Case Report	
88.	A Versatile Material for Dental Applications: PEEK	368
89.	Oral Health Challenges During Pregnancy	371
90.	Life Threatening Effects of Oral Habits	378
91.	Smoking Cessation: The Aromatherapy Way	382

		VII
92.	Field Cancerization: Perception, Clinical Implications and Future Prospective in HNSCC Devi Prasad Mandal, Neeta Mohanty	387
93.	Decoding the Link between Chronic Kidney Disease and Periodontitis	391
94.	Microbial Analysis in Dry Socket	395
95.	Arthroscopy of TMJ	399
96.	Focal Cemento-Osseous Dysplasia: An Unusual Case Report	403
97.	Plaque Disclosing Agent	406
98.	Peripheral Osteoma: A Case Report with Review of Literature	409
99.	Dentinogenic Ghost Cell Tumour in a 13-Year-Old Child, a Rare Presentation	413
100.	Orofacial Changes Due to Metals, Chemicals and Osteodystrophies	418
101.	Wegener's Granulomatosis Presenting as a Diffuse Palatal Swelling, a Rare Presentation: Case Report Satya Ranjan Misra, G. Maragathavalli	422
102.	Digital Model in Orthodontics	427
103.	An Insight into Oral Verruciform Xanthoma: A Report of Two Cases	431
104.	3D Printing, Innovative Approach in Dentistry	435
105.	Teeth in the Line of Mandibular Fracture	438
106.	Juvenile Periodontitis: An Overview	442
107.	Emergence Profile in Esthetic Implant Restorations: Surgical and Prosthetic Perspective	445
108.	Oral Manifestations of Hematologic Disorders	450

VIII		
109.	Stem Cells in Maxillofacial Surgery	453
110.	Oral Manifestations of Cardiac, Respiratory and Renal Diseases	456
111.	Current Trends in Enamel Regeneration: A Review	459
112.	Bioactive Restorative Materials	462
113.	Impact of Forensic Science in Dentistry	466
114.	Management of Medical Emergencies in Dental Office	469
115.	Tunnelling: A Stable Approach to Manage Mandibular Molars with Advanced Furcation Involvement. Gatha Mohanty, Rinkee Mohanty, Saurav Panda, Anurag Satpathy	473
116.	Social Networking in Dentistry: A Review	477
117.	Immediate vs Delayed Implant Placement: A Review	482
118.	Oral Manifestations of Gastro-Intestinal Diseases and Nutritional Deficiency	486
119.	Submandibular Osteoma-Bony growth in the Lower Border of Body of Mandible–A Case Report	489
120.	Oral Health Promotion Through Schools	493
121.	Central Odontogenic Fibroma Coexisting with Inflammatory Odontogenic Cyst: The Second Case Report	498
122.	Management of Anterior Ridge Defect: A Case Report	501
123.	Oral Manifestations of Endocrine and Metabolic Diseases	504
124.	Article on Healing of Wounds in the Oral Cavity	507
125.	Minimal Invasive Dentistry	511

Determinant Factors Affecting the Nutritional Status of Children in Regional Health Center of Gresik

Abdulmuhith¹, Mohamad Yusakanshori², Setiya Purbasari³

¹Nursing Science Department, University of NahdlatulUlama Surabaya (UNUSA), Indonesia, ²University of Nahdlatul Ulama Surabaya (UNUSA), Indonesia, ³Institute of Health Science Surya MitraHusada Kediri

Abstract

Preschool children are at risk developing PEM as they are not breastfed and the food consumed may not fuilfill the nutrients need for their progressive growth. Nutritional status of preschool children is indirectly associated to the socioeconomic and hygiene status and directly associated to the level of consumptions and infections. The aims of this research is to analyze the associations between socioeconomic factors, hygiene, level of consumptions, and infections with the nutritional status of preschool children in Gresik District. The result of statistical analysis using the Multiple Linear Regression Test showed that maternal education, knowledge, environmental hygienity and protein energy intake have a significant influence on nutritional status of children, while maternal parenting, URI incident and diarrhea and family income variables have no significant influence on nutritional status. Early detection through intensification monitoring of toddler growth at posyandu, followed by determination of nutritional status by village midwife or other health worker. It is a striving for a dynamic food and environment where monitoring of critical indicators of resources, availability and access to food and nutrition at all levels of society required.

Keywords: Nutritional status, maternal education, knowledge, hygienity, protein energy, children aged 24-60 months.

Background

Underweight or poor nutrition in infancy and children, especially at the age of less than 5 years can lead to disruption of physical growth and child intelligence.1 Growth of brain cells takes place very quickly and will stop or reach the perfect stage at the age of 4-5 years.² Rapid brain development can only be achieved if the child has good nutritional status.³ Growth monitoring of infant development is very important to know the existence of early infant growth disorder, by way of weight measurement as the best way to assess the nutritional status of children every month so that child growth will be monitored. How to assess nutritional status can be done with anthropometric, clinical, biochemical, and biophysical measurements. Anthropometric measurements can be performed with several measurements: weight measurement, height, upper arm circumference, and so on. One indicator of health in children under five years old (toddlers) can be seen from the nutritional status. Nutritional status of children can be measured by age, weight (BW), height (BH). Monitoring the nutritional status of children under five can be seen from three indicators of anthropometry, namely: weight by age (BW/A), body height by age (BH/A) and weight by body (BW/BH). Based on the indicator of BW/BH, nutritional status is divided into 4 namely malnutrition, underweight, good nutrition, and fat.Based on the results of Basic Health Research in 2013, it is known that the percentage of underweighted BW/A status by province in Indonesia is 33 percent higher, the prevalence of malnutrition in infants (BW/BH) by province in Indonesia is 18,7 percent in 2013. Meanwhile,the percentage of underweight and underweight nutrition (BW/A) according to regencies and municipalities in East Java Province in 2013 was 4.9% and nutritional status less 14.2%.

Based on the data of PSG data from the Health Office of Gresik Regency in 2016, it shows that percentage of nutritional status under fives index BC/U in 2014 until 2015 for under-five children with malnutrition decreased significantly from 5.43% to 0.7% but in year 2016 increased slightly to 0.98%, while under-fives

with underweight nutrition continued to increase from year to year, ie in 2014 by 0.26% (203 under-fives), by 2015 soaring. equal to 4, 9% (3907 under-fives), and in 2016 increased to 5.93% (4547 children under five). Malnutrition events need to be detected early on through intensification of infant growth monitoring at posyandu, followed by determination of nutritional status by village midwives or other health workers. Malnutrition data in East Java is based on 2 categories ie by indicator comparing BW/A and second category is compare BW/BH.

Research Methodology: This research is a quantitative research using analytical survey with cross sectional design or design. Cross-sectional survey is a study to study the correlation dynamics between risk factors and effects by approach, observation or point time approach meaning that each subject is observed only once and the measurement is done on the character or variable status subject at the time of examination. The population of this study is all mothers who have children under five in the working area of Puskesmas Kabupaten Gresik. Respondent in this research is mother toddler, while sample unit is toddler age 24-60 month amount 1315 balita. The minimum sample size in this

study was 90 mothers and children aged 24-60 months, taken by proportional random sampling. Respondents were mothers of the sample. The statistical test used is Multiple Linear Regression. The independent variables in this research are education, mother's knowledge, environmental higines level, protein energy intake, family income, mother care pattern, and incidence of URI and diarrhea with nutritional status of children. Dependent variable in this study is nutritional status of children aged 24-60 months.

Research Results: Table 1 shows that of 90 respondents most of the mothers have high school education background and normal nutritional status of children (64.4%). Result of data analysis using t test got t count equal to 2,526 and p = 0.013, so p < 0.05. This means that there is significant influence between mother education with nutritional status. The level of maternal education determine their attitudes and actions in dealing with various problems and has an important role in the health and growth of the child. This can be demonstrated by the fact that children from mothers with higher educational backgrounds will have a better chance to live and grow better and more readily accept broader insight into nutrition. 5,6

			Nutritional status					
		Bad	Insufficient	Normal	Percentage (%)			
SD		3	0	0	0	3		
	SD	3.3%	0.0%	0.0%	0.0%	3.3%		
Education	SMP	0	8	4	0	12		
		0.0%	8.9%	4.4%	0.0%	13.3%		
	CNAA	0	1	58	10	69		
	SMA	0.0%	1.1%	64.4%	11.1%	76.7%		
	PT		1	3	2	6		
			1.1%	3.3%	2.2%	6.7%		
Total		3	10	65	12	90		
		3.3%	11.1%	72.2%	13.3%	100.0%		

Table 1. Cross-tabulation of maternal education and nutritional status of children

Table 2 shows that of 90 respondents most mothers have high income is>Rp. 1,200,000 and her children have normal nutritional status (67.8%). The result of data analysis using t test got t count equal to 0.561 and p=0.567, so p>0.05. This means that there is no significant influence between family income with nutritional status of children. Some studies highlighted the relations

of family income and nutritional status.^{7,8}Thus the incidence of nutritional disorders is not only found in families who earn less but also in high-income families. This situation indicates that ignorance of the benefits of food for the health of the body causes the poor nutritional quality of family food, especially toddlers.

11.1%

100.0%

				Nutritional status				
			Bad	Insufficient	Normal	Fat	- Total	
	Low	Count	136.928	0.000	4	2	11	
Family income	(<idr 1.200.000)<="" td=""><td>% of Total</td><td>1.1%</td><td>4.4%</td><td>4.4%</td><td>2.2%</td><td>12.2%</td></idr>	% of Total	1.1%	4.4%	4.4%	2.2%	12.2%	
	High	Count	2	6	61	10	79	
	(>IDR 1.200.000)	% of Total	2.2%	6.7%	67.8%	11.1%	87.8%	
		Count	3	10	65	12	90	
	Γotal							

3.3%

Table 2. Cross-tabulation of income family and nutritional status

 $t_{count} = 0.561, p = 0.567$

Table 3 shows that of 90 respondents most mothers have enough knowledge and normal nutritional status (60%). The result of data analysis using t test obtained t count equal to 5,729 and p = 0.000, so p < 0.05. This means that there is significant influence between mother's knowledge about nutrition with nutritional status of children. Nutrition knowledge of parents is one of the

% of Total

factors that affect child nutrition. Mother's knowledge determines the behavior of food consumption, one of them through nutrition education so that will improve the habit of food consumption. Lack of knowledge about nutrition or the ability to apply in everyday life is an important cause of nutritional disorders.

13.3%

72.2%

Table 3. Cross-tabulation of mother's knowledge about nutrition with nutritional status.

			Bad	Over	Total		
	Count	0	4	0	0	4	
	Less	% of Total	0.0%	4.4%	0.0%	0.0%	4.4%
V	Enough	Count	2	5	54	0	61
Knowledge		% of Total	2.2%	5.6%	60.0%	0.0%	67.8%
	Card	Count	1	1	11	12	25
Good	Good	% of Total	1.1%	1.1%	12.2%	13.3%	27.8%
Total		Count	3	10	65	12	90
100	11	% of Total	3.3%	11.1%	72.2%	13.3%	100.0%

t count = 5.729, p=0.000

Table 4 shows that of 90 respondents almost half of the mother's parenting pattern is enough and normal nutritional status (42.2%). The result of data analysis using t test got t count equal to 0.553 and p = 0.582, so p > 0.05. This means that there is no significant influence between mother care pattern with nutritional status of children. Patterns of parenting also contribute to the

nutritional status of children, one of the patterns of care related to the nutritional status of children is the pattern of feeding.¹¹ In addition to eating patterns, mother's health patterns also affect the health status of children and will ultimately affect the child's nutritional status indirectly.

Nutritional status Total Insufficient **Bad** Normal Fat 2 19 23 Count 0 2 Less % of Total 0.0% 2.2% 25.6% 21.1% 2.2% Count 1 5 38 2 46 Mother's parenting Enough % of Total 1.1% 5.6% 42.2% 2.2% 51.1% 3 Count 2 8 8 21 Good % of Total 2.2% 3.3% 8.9% 8.9% 23.3% Count 3 10 65 12 90 Total % of Total 3.3% 11.1% 72.2% 13.3% 100.0%

Table 4. Cross tabulation of mother's parenting with nutritional status

 t_{count} = 0.553, p=0.582

Table 5 shows that of 90 respondents most of the good environmental hygienitas and toddlers normal nutritional status (67.8%). Result of data analysis using t test got t count equal to 3,753 and p=0.000, so p<0.05. This reveal a significant influence between hygienitas environment with nutritional status of children. Some studies found the link between environmental hygiene and nutritional conditions. 12,13 Health status can be

improved by maintaining health and physical and social environment. From an epidemiological point of view the nutritional problems are strongly influenced by the host, the agency, the environment. The imbalance between these three factors, such as the occurrence of nutrient insufficiency. Poor environmental sanitation will make children more susceptible to infectious diseases that may ultimately affect nutritional status.

Table 5. Cross-linking of environmental hygienity with nutritional status

				Nutritional status					
			Bad	Insufficient	Normal	Fat	Total		
	T	Count	3	0	0	0	3		
	Less	% of Total	3.3%	0.0%	0.0%	0.0%	3.3%		
IT:	Enough	Count	0	8	4	2	14		
Hygienity level		% of Total	0.0%	8.9%	4.4%	2.2%	15.6%		
	Good	Count	0	2	61	10	73		
		% of Total	0.0%	2.2%	67.8%	11.1%	81.1%		
T-4-1		Count	3	10	65	12	90		
Total		% of Total	3.3%	11.1%	72.2%	13.3%	100.0%		

 t_{count} = 3.753, p=0.000

Table 6 shows that of 90 respondents most of the incidence of URI and diarrhea is absent and children under normal nutritional status (72.2%). Result of data analysis using t test got t count equal to-1,313 and p = 0,193, so p > 0.05. Thus, there is no significant influence between incidence of URI and diarrhea with nutritional status of children. Malnutrition due to dietary intake can be affected by childhood illness, such as URI and diarrhea.

This will be important enough to get serious attention in childhood because it can enter a variety of disorders of growth and development of nutritional status. Similarly, diarrhea can cause nutritional disorders due to reduced food intake. Less nutritional status leads to decreased body resistance and stronger viral pathogens, resulting in a balance of disorders and infection.

			Nutritional status				Total
			Bad	Insufficient	Normal	Fat	Total
URI and diarrhea	Exist	Count	1	2	0	5	8
		% of Total	1.1%	2.2%	0.0%	5.6%	8.9%
	No	Count	2	8	65	7	82
		% of Total	2.2%	8.9%	72.2%	7.8%	91.1%
Total		Count	3	10	65	12	90
		% of Total	3.3%	11.1%	72.2%	13.3%	100.0%

Table 6. Cross tabulation of incidence of URI and diarrhea with nutritional status

t count=-1.313, p=0.193

Lastly, the testing results of the effect of energy and protein consumption levels on nutritional statusshow that out of 90 respondents, most of the level of energy and protein consumption is normal and toddlers normal nutritional status (52.2%). The result of data analysis using t test got t count equal to 4,751 and p = 0.000, so p <0.05, mean H0 rejected and H1 accepted so there is significant influence between nutrient intake with nutritional status of children aged 24-60 months. Nutrition is a substance or chemical element contained in the food needed for metabolism in the body normally. Nutrition needed by the body consists of carbohydrates, fats, proteins, vitamins, minerals and water. In an effort to achieve adequate consumption, the two most important factors that can affect the daily consumption of nutrients of availability of food and nutritional knowledge. 15A person will be able to provide adequate consumption when they are able to provide nutritional food.

Conclusion

The findings reveal that there is a significant influence between maternal education variables on nutritional status of children aged 24-60 months in 3 Puskesmas Kab. Gresik. The variables of knowledge, environmental hygienity and protein energy intake have a significant influence on nutritional status of children. Moreover, there is no significant influences of parenting, URI incident and diarrhea and family income variable on nutritional status of children. Of the factors above, the most dominant influence the nutritional status of children aged 24-60 months is the knowledge and protein energy intake. This encourages the community, especially the nanny, or the mother of the child 2-5 years to increase knowledge about child nutrition, and for healthcare workers to routinely hold program both in mother and children related to child nutrition.

Ethical Clearance: Taken from Puskesmas Kabupaten Gresikcommittee

Source of Funding: This study is self-funded

Conflict of Interest: There are no conflict of interests.

Reference

- Engle PL, Black MM, Behrman JR, De Mello MC, Gertler PJ, Kapiriri L, Martorell R, Young ME, International Child Development Steering Group. Strategies to avoid the loss of developmental potential in more than 200 million children in the developing world. The lancet. 2007 Jan 20;369(9557):229-42.
- 2. Svennerholm L, Boström K, Fredman P, Månsson JE, Rosengren B, Rynmark BM. Human brain gangliosides: developmental changes from early fetal stage to advanced age. Biochimica et Biophysica Acta (BBA)-Lipids and Lipid Metabolism. 1989 Sep 25;1005(2):109-17.
- 3. Guesry P. The role of nutrition in brain development. Preventive medicine. 1998 Mar 1;27(2):189-94.
- Basic Health Research (Riskesdas). Percentage of underweight & underweight (BB / U) nutrition status by District / City, East Java Province (2007-2013). Ministry of Health RI. 2013.
- 5. Frost MB, Forste R, Haas DW. Maternal education and child nutritional status in Bolivia: finding the links. Social science & medicine. 2005 Jan 1;60(2):395-407.
- Reed BA, Habicht JP, Niameogo C. The effects of maternal education on child nutritional status depend on socio-environmental conditions. International journal of epidemiology. 1996 Jun 1;25(3):585-92.

- 7. Engle PL. Influences of mothers' and fathers' income on children's nutritional status in Guatemala. Social Science & Medicine. 1993 Dec 1;37(11):1303-12.
- 8. Matheson DM, Varady J, Varady A, Killen JD. Household food security and nutritional status of Hispanic children in the fifth grade. The American journal of clinical nutrition. 2002 Jul 1;76(1):210-7.
- Appoh LY, Krekling S. Maternal nutritional knowledge and child nutritional status in the Volta region of Ghana. Maternal & child nutrition. 2005 Apr;1(2):100-10.
- Yabancı N, Kısaç İ, Karakuş SŞ. The effects of mother's nutritional knowledge on attitudes and behaviors of children about nutrition. Procedia-Social and Behavioral Sciences. 2014 Feb 21;116:4477-81.
- 11. Murashima M, Hoerr SL, Hughes SO, Kattelmann KK, Phillips BW. Maternal parenting behaviors during childhood relate to weight status and fruit and vegetable intake of college students. Journal of nutrition education and behavior. 2012 Nov 1;44(6):556-63.

- 12. Ngure FM, Reid BM, Humphrey JH, Mbuya MN, Pelto G, Stoltzfus RJ. Water, sanitation, and hygiene (WASH), environmental enteropathy, nutrition, and early child development: making the links. Annals of the New York Academy of Sciences. 2014 Jan 1;1308(1):118-28.
- 13. Dangour AD, Watson L, Cumming O, Boisson S, Che Y, Velleman Y, Cavill S, Allen E, Uauy R. Interventions to improve water quality and supply, sanitation and hygiene practices, and their effects on the nutritional status of children. Cochrane Database of Systematic Reviews. 2013(8).
- 14. Lima AA, Moore SR, Barboza Jr MS, Soares AM, Schleupner MA, Newman RD, Sears CL, Nataro JP, Fedorko DP, Wuhib T, Schorling JB. Persistent diarrhea signals a critical period of increased diarrhea burdens and nutritional shortfalls: a prospective cohort study among children in northeastern Brazil. The Journal of infectious diseases. 2000 May 1;181(5):1643-51.
- 15. Upadhyay S, Kumar AR, Raghuvanshi RS, Singh BB. Nutritional status and knowledge of hill women on anemia: effect of various socio-demographic factors. Journal of Human Ecology. 2011 Jan 1;33(1):29-34.