

SURAT KETERANGAN

Nomor: 1081/UNUSA/Adm-LPPM/X/2020

Lembaga Penelitian dan Pengabdian Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 20 Oktober 2020.

Judul : Cu (Cuprum) Pollution Effect from Shrimp Processing
Penulis : AYP Asih, A Muhith, AHZ Fasya, H Hermanto
No. Pemeriksaan : 2020.10.26.513

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (*Similarity Index*) yaitu 16%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya.

Surabaya, 26 Oktober 2020

Ketua LPPM



Dr. Ubaidillah Zuhdi, S.T., M.Eng., M.S.M.
NPP: 18101208

LPPM Universitas Nahdlatul Ulama Surabaya

Website : lppm.unusa.ac.id

Email : lppm@unusa.ac.id

Hotline : 0838.5706.3867

Cu (Cuprum) Pollution Effect

by Akas Yekti

Submission date: 20-Oct-2020 10:10AM (UTC+0700)

Submission ID: 1420581160

File name: 1._Prosiding.pdf (838.93K)

Word count: 2177

Character count: 11602

PAPER • OPEN ACCESS

Preface

To cite this article: 2020 ⁴*IOP Conf. Ser.: Earth Environ. Sci.* **519** 011001

View the [article online](#) for updates and enhancements.



LIVE AWARDS AND SPECIAL EVENTS

PLENARY LECTURE:
"Perovskite Solar Cells: Past 10 Years and Next 10 Years" with *Nam-Gyu Park*

LEGENDS OF BATTERY SCIENCE:
A Celebration with *M. Stanley Whittingham* and *Akira Yoshino*

PRiME 2020 • October 4-9, 2020
Hosted daily: 2000h ET & 0900h JST/KST

PRiME™
PACIFIC RIM MEETING
ON ELECTROCHEMICAL
AND SOLID STATE SCIENCE
2020

**ATTENDEES
REGISTER FOR FREE ▶**

PREFACE

The 1st International Conference Earth Science and Energy (Formerly ICEMINE) was successfully held on 7-8th November 2019 in Kuala Lumpur Malaysia. The conference is organized in collaboration between Universitas Muhammadiyah Sidoarjo, Sidoarjo, (Indonesia) and Kresna Nusantara (PT. Kresna Acitya Nusantara Mediatama, Indonesia). The conference also in cooperation and supported by Relawan Jurnal Indonesia (Indonesia).

ICESE 2019 welcomes intellectuals worldwide to join and share their ideas and research findings on issues concerning all fields of Earth Science and Energy. Therefore, in the end of full paper submission deadline, there are 131 submitted papers with 58 accepted papers for publication in the conference proceedings. All papers submitted were processed through a normative procedure for the reason of quality assurance. They were firstly reviewed by the content reviewers. Then, they were sent to the language reviewers and finally to the template reviewers. In brief, three teams of reviewers have reviewed the selected papers to reach publication. In general, this conference has gained direction and supervision from the International Advisory Board and International Scientific Committee to ensure that the whole process meets the internationally accepted academic standards. This conference has also increasingly showed its prestige with the presence of highly distinguished speakers Ahmad Fudholi Ph.D, from Universiti Kebangsaan Malaysia (Malaysia), Dr. Prantasi Harni Tjahjanti from Universitas Muhammadiyah Sidoarjo (Indonesia), and Andino Maselena, Ph. D. from Universitas Tenaga Nasional (Malaysia) who delivered their insightful presentations.

On behalf of the Organizing Committee, we sincerely express our gratitude and appreciation to all those who have involved in enabling this conference achieving the desired aim or result: officials, resource persons, delegates and guests, all publication partners, and sponsoring agencies, our heartfelt gratitude goes to honorable speakers and presenters who have shared knowledge and experiences in developing a robust discussion and transformative intellectual exchange. We wish all activities during this two-day conference will stimulate further relation, collaboration, and constructive engagement among those intellectuals in bringing their contributions for the betterment of the world. The Editors

Editors:

Ahmad Fudholi

Andino Maselena

Rahmat Hidayat

Mochammad Tanzil Multazam

Robbi Rahim

Ikhwan Arif

Andista Candra Yusro

Dwi Fajar Saputra



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

¹

Peer review statement

All papers published in this volume of *IOP Conference Series: Earth and Environmental Science* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.



¹

Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

Cu (Cuprum) Pollution Effect from Shrimp Processing

Akas Yekti Pulih Asih¹, Abdul Muhith¹, Abdul Hakim Zakkiy Fasya¹, H Hermanto²

¹Nahtlatul Ulama University of Surabaya, Indonesia

²Universitas Panca Marga, Indonesia

*abdulmuhith@unusa.ac.id

Abstract. *Litopenaeus vannamei* shrimp is a type of aquaculture shrimp, easily maintained in fresh water, short-lived, at a lower cost compared to other types of shrimp cultivation. So vannamei shrimp is more available in traditional markets. The cultivation of vannamei shrimp uses fisheries technology in its feed, which is a cuprum (Cu) mixture. The study was conducted by taking samples of *Litopenaeus vannamei* species purchased in 8 traditional markets spread throughout the city of Surabaya. Each market is taken 5 random samples of shrimp with relatively the same size and condition. Then it is processed by steaming, boiling, frying and burning. Determination of Cu heavy metal content in shrimp is carried out using atomic absorption type AA 3e00 Variant Tech tron (AAS), with a few additional 50 ml glass cups, 10 ml volumetric flask, 5 ml polyethylene vial, 10-100 effendorf micropipette μ l and analytical balance. There was a significant difference between boiling ($p = 0,000$) and steamed ($p = 0,001$) with shrimp in raw conditions. Whereas for processing by grilling ($p = 0.989$), and by frying ($p = 0.078$) showed insignificant results. This means that there is no significant difference in Cu content in shrimp, between raw conditions and processing by being grilled and fried.

1 Introduction

Shrimp is one of the main commodities of Indonesian aquaculture, so it is expected to support the country's economy from the fisheries sector. In addition to cultivation technology, it is known that this shrimp has a market both at home and abroad and is a major factor in increasing the growth of shrimp farming in Indonesia. Based on production volume, in the last 5 (five) years national shrimp production showed a positive growth trend with an average annual growth of 15.7 Percent(1).

Litopenaeus vannamei shrimp (better known as vannamei shrimp) is a type of cultivated shrimp. It is a type of shrimp that is easily maintained in fresh water, short-lived, at a lower cost compared to other types of shrimp cultivation. So that this type of shrimp is more available in traditional markets, with prices relatively cheaper when compared to other types of shrimp, both living and dead. The cultivation of vannamei shrimp uses fisheries technology in its feed, which is a cuprum (Cu) mixture(2,3).

Copper content, Cu is the second highest in the head and skin profile of shrimp. Cu plays an important role in oxygen-carrying hemocyanins which are the same as hemoglobin in vertebrate blood. However, it can become toxic when it exceeds a certain threshold. Cu is the cheapest and most commonly used pesticide in the aquaculture industry and other aquatic systems(4). Most of the



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](https://creativecommons.org/licenses/by/3.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

pesticides in aquaculture use copper as the active ingredient that can contribute to the presence of copper in the aquatic environment because it settles on the pond bottom(5).

2 Materials And Methods

This research uses a laboratory test design by providing household treatment in *Litopenaeus vannamei*, there were steamed, boiled, fried and grilled. The results will be analyzed for differences in the levels of Cu heavy metals. Using shrimp originating from 8 traditional markets, with each market taken 5 sample shrimp. This study used a cross-sectional approach, data collection for all variables is done at one time, in order to obtain relatively homogeneous shrimp.

3 Results And Discussion

The results of examination of Cu content in *Litopenaeus vannamei* shrimp showed that in raw conditions Cu content had an average of 12.7 ppm, with a deviation of 0.98 ppm. Based on the regulations of the Indonesian Food and Drug Supervisory Agency, it states that the maximum limit of heavy Cu metals in fish food and the results of its processing is 20 ppm(6). So that it can be stated that the Cu content in vannamei shrimp raw conditions is still within the safe limits allowed.

Table 1. Cu Content In *Litopenaeus vannamei* Based on Household Treatment

Market Source	Cu content (ppm)				
	Raw	Steamed	Boiled	Fried	Grilled
B1	12,75	11,98	8,59	11,06	11,62
B2	12,76	9,92	9,79	13,21	10,67
K1	14,92	12,67	10,76	11,87	13,62
K2	12,32	10,87	10,84	11,45	13,98
K3	11,77	11,23	9,98	12,07	13,76
K4	12,02	9,98	10,72	11,23	14,01
K5	13,44	11,12	11,03	11,98	12,34
K6	11,84	8,81	10,21	11,43	11,76
Average	12,73	10,82	10,24	11,79	12,72
Difference		1,91	2,49	0,94	0,01

Table 1 shows that the average Cu content after processing shows different results. The best results with the lowest Cu content are processed by boiling, with an average difference in Cu content of 2.49 ppm compared to the raw condition. Processing by steaming also shows good results, because it can reduce Cu content from raw conditions by an average of 1.91ppm. While processing by frying successfully reduces the Cu content in vannamei shrimp by an average of 0.94 ppm. However, grilled processing does not show a real reduction, because it is only able to reduce the average Cu content by 0.01 ppm.

Table 2. Statistical Difference in Cu Content

(I) treatment	(J) treatment	Sig.	Mean Difference (I-J)	Std. Error	95% Confidence Interval	
					Lower Bound	Upper Bound
Raw	Steamed	.001	1.90500*	.51824	.8529	2.9571
	Boiled	.000	2.48750*	.51824	1.4354	3.5396
	Fried	.078	.94000	.51824	-.1121	1.9921
	Grilled	.989	.00750	.51824	-1.0446	1.0596

To ascertain the results of Cu content in *Litopenaeus vannamei* shrimp, a statistical test was carried out. So that it can be seen that the significant difference in Cu content between the processing results compared with the raw conditions. Based on table 2 it is known that significant differences were obtained from the results of processing by boiling ($p = 0,000$) and steaming ($p = 0.001$). Whereas the

processing that shows the results of Cu is not significant, namely by frying ($p = 0.078$) and grilled ($p = 0.989$).

4 Conclusion

The results of the study of differences in the residual Cu levels in shrimp in the Surabaya traditional market based on household treatment, there was significant differences in the Cu content in *Litopenaeus vannamei* shrimp. The best processing of *Litopenaeus vannamei* shrimp is by boiling or steaming because it can reduce copper significantly. The worst processing of *Litopenaeus vannamei* shrimp is by grilled, because it does not cause a significant difference in Cu content compared to raw shrimp.

Significance Statements

This study discovers the potential effect of Cu pollution risks among consumer of *vannamae* shrimp. This study help the researchers and communities to understand and manage the Cu pollution in initially reducing the Cu hazard before generate seriously health and environment problem. Thus, a new feed technology and regulation of shrimp feed need to be applied as the instrument for decision makers to set good Cu elimination program in shrimp.

Acknowledgement

All researchers are grateful to Nahdlatul Ulama University of Surabaya, who have given of funding support during the research and publication and thank to Balai Besar Laboratorium Kesehatan Surabaya for conducting the copper heavy metal analysis in accordingly.

Conflict of Interest : no conflict of interest need to be reported in this study

Ethical Clearance : Obtained from Faculty of Health Committee

Source of Funding : Nahdlatul Ulama University of Surabaya

References

- [1] Kementerian Kelautan dan Perikanan (KKP). BUDIDAYA UDANG MASIH SANGAT POTENSIAL [Internet]. 2018 [cited 2019 Jul 29]. Available from: <https://kkp.go.id/djpb/artikel/8688-kkp-budidaya-udang-masih-sangat-potensial>
- [2] Asih AYP, Irawan B, Soegianto A. Effect of copper on survival, osmoregulation, and gill structures of freshwater prawn (*Macrobrachium rosenbergii*, de Man) at different development stages. Mar Freshw Behav Physiol. 2013 Mar;46(2):75–88.
- [3] Martínez A, Romero Y, Castillo T, Mascaró M, López-Rull I, Simões N, et al. The Effect of Copper on the Color of Shrimps: Redder Is Not Always Healthier. McGraw K, editor. PLoS ONE. 2014 Sep 17;9(9):e107673.
- [4] Chen W-Y, Ju Y-R, Lin C-J, Tsai J-W, Chen S-C, Liao C-M. Environmental stochasticity promotes copper bioaccumulation and bioenergetic response in tilapia. Stoch Environ Res Risk Assess. 2015 Aug;29(6):1545–55.
- [5] European Commission, Directorate-General for the Environment, University of the West of England (UWE), Science Communication Unit. Sustainable aquaculture. [Internet]. Luxembourg: Publications Office; 2015 [cited 2019 Jul 29]. Available from: <http://bookshop.europa.eu/uri?target=EUB:NOTICE:KHBB14004:EN:HTML>
- [6] BPOM. Batas maksimum Cemaran Logam dalam Makanan. DIREKTUR JENDERAL PENGAWASAN OBAT DAN MAKANAN; 1989.

1._Prosiding.pdf

ORIGINALITY REPORT

16%

SIMILARITY INDEX

16%

INTERNET SOURCES

14%

PUBLICATIONS

15%

STUDENT PAPERS

PRIMARY SOURCES

1

upcommons.upc.edu

Internet Source

7%

2

Submitted to South Dakota Board of Regents

Student Paper

4%

3

orca.cf.ac.uk

Internet Source

3%

4

repository.unika.ac.id

Internet Source

1%

5

ukmsarjana.ukm.my

Internet Source

1%

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On