



UNIVERSITAS NAHDLATUL ULAMA SURABAYA

LEMBAGA PENELITIAN DAN PENGABDIAN KEPADA MASYARAKAT

Kampus A Wonokromo : Jl. SMEA No.57 Tlp. 031-8291920, 8284508 Fax. 031-8298582 – Surabaya 60243

Kampus B RSIJemursari : Jl. Jemursari NO.51-57 Tlp. 031-8479070 Fax. 031-8433670 – Surabaya 60237

Website : unusa.ac.id Email: info@unusa.ac.id

SURAT KETERANGAN

Nomor: 380/UNUSA/Adm-LPPM/IV/2021

Lembaga Penelitian dan Pengabdian Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 06 April 2021.

Judul : *Mindfulness, Health and Wellbeing*
Penulis : Syahnur Rahman, Endang Prastuti, Machmudah
No. Pemeriksaan : 2021.04.14.209

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (*Similarity Index*) yaitu 5%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya.

Surabaya, 14 April 2021

Ketua LPPM

Achmad Syafiuddin, Ph.D

NPP: 20071300

LPPM Universitas Nahdlatul Ulama Surabaya

Website : lppm.unusa.ac.id

Email : lppm@unusa.ac.id

Hotline : 0838.5706.3867

Minimizing Behavioral Disorders in Victims and Bullying in Perpetrators By Providing Counseling Groups in MI Roudhotul Banat Taman Sidoarjo Indonesia

by Machmuda 1

Submission date: 06-Apr-2021 08:55AM (UTC+0700)

Submission ID: 1551473629

File name: Mindfulness,_Health_and_Wellbeing.pdf (290.36K)

Word count: 3359

Character count: 20339

Conference Paper

Mindfulness, Health and Wellbeing

Syahnur Rahman¹, Endang Prastuti², and Machmudah³

¹Departemen Psikologi, Universitas Pendidikan Indonesia. Bandung, Indonesia

²Psychology, Universitas Negeri Malang. Malang, Indonesia

³PGSD, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia

Abstract

Well-being isn't simply a lack of illness. It includes various factors affecting an individual's bodily, mental, and social fitness. Pollard and Davidson outline health as "a country of a hit overall performance throughout the existence path integrating bodily, cognitive and social-emotional function". Practicing mindfulness helps with managing strain and depression. This study considers mindfulness as be a powerful device for dealing with intellectual and bodily fitness issues, in addition to commonly enhancing our overall performance, relationships, and well-being.

Keywords: Mindfulness, Health, Wellbeing.

Corresponding Author:
Syahnur Rahman
syahnur@upi.edu

Published: 5 January 2021

Publishing services provided by
Knowledge E

© Syahnur Rahman et al. This article is distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use and redistribution provided that the original author and source are credited.

Selection and Peer-review under the responsibility of the ICoPsy Conference Committee.

1. Introduction

Mindfulness is defined as non-judgmental, present-concentrated recognition of approximately notion, sensation, and feeling, and accepting because it is. Germer, Siegel, dan Fulton (2005) mentioning mindfulness is a state of awareness at the moment with full acceptance. Mindfulness is a meditation exercise, in which someone learns to understand each inner nation and outside environments without attachment. The current study attempted to address this need, by offering an intervention to health care professionals to help cope with their considerable stress. The intervention became modeled after a well-established, cost-powerful strain discount software, mindfulness-primarily based totally strain discount (MBSR), evolved through Kabat-Zinn and co-workers on the University of Massachusetts Medical Center (Kabat-Zinn, 1982). MBSR is an educationally primarily based totally software specializing in schooling withinside the Eastern contemplative exercise of mindfulness. Mindfulness is a shape of meditation at the beginning derived from the Theravada culture of Buddhism (Hanh, 1976). The 2,500-year-antique exercise referred to as Vipassana became evolved as a method to domesticate extra focus and insight (Goldstein, 1976). *Mindfulness* is regularly translated as "to peer with discernment

 OPEN ACCESS

2. Methods

The types of research used in this study was literature review. The process of collecting literature in this study was carried out from 2011 until 2019. The search was conducted on various databases such as Scopus, Google Scholar, etc. The keywords used were mindfulness OR health OR wellbeing, and a combination of mindfulness, health AND wellbeing.

3. Result and Discussion

3.1. Mindfulness and health

Mindfulness-primarily based totally pressure discount indicates effective outcomes for ladies with breast most cancers in lowering man or woman caution signal of tiredness and temper disorder (Carlson and Garland, 2005), and worry, sadness, anger, and misperception (Specia, Carlson, Goodey, & Angen, 2000). Carlson, Specia, Patel, & Goodey, (2003) of their have a look at outcomes indicated that the Mindfulness-primarily based totally pressure discount application has revolutionary results at the sleep great of most cancers sufferers. Mindfulness is a country of meditation that originated from Buddhist philosophy. Mindfulness emphasizes no judgment whilst bringing interest and cognizance to the bodily and mental modifications of truth to rouse the internal cappotential to focus (Brown & Ryan, 2003). Mindfulness-primarily based totally strain reduction (MBSR) become brought to mental remedy withinside the past due Seventies through Kabat-Zinn to assist sufferers address their strain, ache and emotions; MBSR is broadly used withinside the subject of scientific most cancers sufferers (Kabat-Zinn, 1982). MBSR is stated to be powerful via 4 mechanisms, namely, interest regulation, frame consciousness, emotion regulation, and adjustments withinside the angle at the self (Holzel et al., 2011). An MBSR application in particular consists of respiratory meditation, taking walks meditation, frame scans and conscious movement (Zainal, Booth, & Huppert, 2013). Being consciously targeted on what's happening lets in human beings to take a look at and take delivery of what they're residing withinside the second of their bodies, minds and the arena round them. This recognition gives possibilities for people to make extra cautious choices concerning the way to reply to what's happening and promotes self-consciousness and private growth (Zainal, Booth, & Huppert, 2013). The advantages of MBSR were studied in BC sufferers and feature proven enhancements in a number of psychosomatic problems, along with insomnia, stress, anxiety, and depression (Grossman, Niemann, Schmidt, & Walach, 2004). A

have a look at established the performance of Mindfulness-Based Stress Reduction with minor changes as a smoking intervention. The result established that intervention turned into definitely associated with smoking abstinence and reduces in pressure Davis, Fleming, Bonus, & Baker, (2007). Shapiro & Biegel, (2007) established that a mindfulness-primarily based totally pressure discount approach reduces pressure and enhance attention. Roberts and Danoff-Burg (2010) studied how mindfulness and fitness behaviors are associated with university students, also, to study how pressure mediating those results. The result of the has a look at established that mindfulness training facilitates in reducing pressure, which contributes to boom effective fitness perceptions and fitness behaviors for instance binge eating, sleep great, and bodily activity. Mindfulness turned into definitely influencing the mental wellbeing of people (Carmody & Baer, 2008). Kumar, Feldman, & Hayes (2008) mentioned that it facilitates in reducing avoidance and mind processes. Mindfulness-Based Stress Reduction application improves the fitness and wellbeing of people with diabetes. Whitebird, Kreitzer, & O'Connor. (2009). Cordon, Brown, and Gibson (2009) supplied proof that mindfulness-primarily based totally pressure discount intervention facilitates a lower in perceived pressure for persons. Broderick and Metz (2009) the mindfulness remedy improves the attention, emotional law, and decreases pressure and domesticates the sensation of self-guarantee withinside the section of uncomfortable feelings. Mindfulness primarily based totally pressure discount (MBSR) for breast most cancers survivors are effective for reducing man or woman symptoms and symptoms of despair, apprehension, and development in great of life (QOL) (Lengacher et al., 2009, 2010). Goodman & Schorling (2012) Mindfulness-primarily based totally interventions have the capacity to feature in reducing pressure and burnout. Mindfulness-primarily based totally pressure discount related to massive upgrades in burnout ratings and intellectual wellbeing for a tremendous style of healthcare companies. A have a look at performed with the aid of using Keyworth et al., (2014) to study the adequacy and performance of meditation and mindfulness primarily based totally intervention the usage of sufferers of diabetes and persistent coronary heart disease (CHD). After a six-week intervention direction, there may be a massive discount on concerns and concept suppression in diabetes and CHD sufferers. Day et al., (2014) Study turned into performed to analyze feasibility, tolerability, acceptability, and initial estimates of the efficacy of mindfulness-primarily based totally cognitive remedy (MBCT) for headache. The result established that (MBCT) institution patients said a drastically extra improvement in self-efficacy and ache popularity for headache. A have a look at Chinese breast most cancers survivors established that mindfulness primarily based totally pressure discount enhance post-disturbing increase

and discount ⁴ in stress and anxiety (Zhang, Zhou, Feng, Fan, Zeng, & Wei, 2017). A have a look at of younger breast most cancers survivors established that girls who are professional in mindfulness strategies had been much more likely to revel in progressed self-kindness, reduced ⁴ stress (Boyle, Stanton, Ganz, Crespi, & Bower, 2017). With the boom of tremendous mental research, many research have emphasised now no longer handiest the terrible results however additionally the tremendous modifications which are elicited via way of means of a disturbing event. Research has proven that despite the fact that they produce terrible feelings after disturbing activities, BC sufferers can nonetheless make tremendous modifications, which includes posttraumatic growth (PTG) (Chan, Ho, Tedeschi, & Leung, 2011). Tedeschi and Calhoun described PTG as the 'individual's tremendous mental modifications after confronting a terrible or disturbing event' (Liu, Wang, Wang, Su, & Wang, 2014). PTG includes the tremendous modifications that arise via the manner of suffering with disturbing activities and the tremendous assessment of the assignment and loss (Kwakkenbos et al., 2014). A have a look at mindfulness education and bodily fitness: mechanisms and effects performed to expertise relationships amongst mindfulness interventions and physical health The result of the have a look at cautioned that mindfulness interventions can enhance ache management (Creswell, Lindsay, Villalba, & Chin 2019).

3.2. Mindfulness and wellbeing

A have a look at carried out to apprehend the connection among mindfulness, self-compassion, meditation enjoy, and mental well-being. The findings proposed that mindfulness and self-compassion have enormous outcomes on meditation enjoy and well-being (Baer, Lykins, & Peters, 2012). Brow & Ryan's (2003) Study indicates that each dispositional and nation mindfulness assume self-controlled behavior and fantastic passionate states. Bishop et al. (2004) proposed that mindfulness meditation exercise has a positive effect on running reminiscence and centered interest tasks. Study at the effectiveness of Mindfulness-Based Therapy display that MBSR is compelling for lowering ache and enhancing the well-being of human beings with loads of medicinal and mental issues (Baer, 2003; Bishop, 2002; Grossman, Niemann, Schmidt, & Walach, 2004). Mindfulness schooling undoubtedly outcomes the bodily and intellectual fitness of the person including decreasing temper and tension disorders, distress, and blood pressure (Ospina 2007). Raes, Dewulf, Van Heeringen, & Williams, (2009) referred to that mindfulness schooling is extensively connected with mental blessings and decreased cognitive reactivity. Research carried out by Hargus et al., 2010; Williams, Teasdale,

Segal, & Soulsby, 2000 validated that Mindfulness exercising diminishes over-desired actual reminiscence, which is associated with extended severity of despair (Kuyken & Brewin, 1995). The result of every other has a look at indicated that mindfulness-primarily based totally remedy has a fantastic effect whilst used to deal with stress, tension, melancholy (Khoury et al., 2013). Mindfulness-primarily based totally interventions are beneficial to enhance stressful signs and symptoms and broaden emotional control (Chiesa & Serretti, 2009; Grossman, Niemann, Schmidt, & Walach, 2004; Lutz et al., 2014). Another mindfulness-primarily based total intervention learns to respire this system changed into administered to a set of first-yr college students in university to assist them in higher cope and enhance emotional well-being. They have a look at discovers that there has been a modern effect at the college students' lifestyles pride and discount of their tiers of hysteria and melancholy as well (Dvorakova et al., 2017)

4. Conclusion

The gift examine compiles the studies evaluation associated with the mindfulness promotes fitness and well being. In mindfulness, interest is wanted for the notice of internal stories that arise at every instance, with the aid of using thinking about a technique of non-judgemental attitude (Hart, 1987; Kabat-Zinn, 2003). Well-being is associated with the happiness stage of someone and the way someone happy with his/her existence. Proper practices result in the development of emotional law and self-law of interest (Hart, 1980. Lazar, Kerr, & Wasserman et al. (2005) said that the right exercise of meditation encouraged structural adjustments in a subset of cortical areas in regions of somatosensory processing and interest law. Mindfulness is a powerful device to control your well being and emotional fitness. An examination performed with the aid of using Shapiro, Astin, Bishop, & Cordova (2005) supplied proof that mindfulness education direction is in a position sufficient to guide a stepped forward pleasure with existence. Improvement should occur due to improved self-management, recognition of distressing experience, much less fear approximately existence conditions, and bolstered hyperlinks to desires and values (Baer, 2003). The exam changed into finished with the useful resource of using Rosenzweig et. al (2003) to examine the performance of the Mindfulness-primarily based totally pressure discount (MBSR) intervention for clinical college students to decorate coping abilities and reduce emotional misery. Data amassed primarily based totally on pre-and post-testing. Results monitor that Mindfulness intervention is a robust pressure discount intervention.

References

- [1] Baer, R. A. (2003). Mindfulness Training as a Clinical Intervention: A Conceptual and Empirical Review. *Clinical psychology: Science and practice*, vol. 10, issue 2, pp. 125-143.
- [2] Baer, R. A., Lykins, E. L. and Peters, J. R. (2012). Mindfulness and Self-Compassion as Predictors of Psychological Wellbeing in Long-Term Meditators and Matched Nonmeditators. *The Journal of Positive Psychology*, vol. 7, issue 3, pp. 230-238.
- [3] Brown, K. W. and Ryan, R. M. (2003). The Benefits of Being Present: Mindfulness and its Role in Psychological Well-Being. *Journal of Personality and Social Psychology*, vol. 84, issue 4, p. 822.
- [4] Bishop, S. R. (2002). What Do We Really Know About Mindfulness-Based Stress Reduction?. *Psychosomatic Medicine*, vol. 64, issue 1, pp. 71-83.
- [5] Bishop, S. R., et al. (2004). Mindfulness: A Proposed Operational Definition. *Clinical Psychology: Science and Practice*, vol. 11, issue 3, pp. 230-241.
- [6] Broderick, P. C. and Metz, S. (2009). Learning to BREATHE: A Pilot Trial of a Mindfulness Curriculum for Adolescents. *Advances in School Mental Health Promotion*, vol. 2, issue 1, pp. 35-46.
- [7] Carlson, L. E. and Garland, S. N. (2005). Impact of Mindfulness-Based Stress Reduction (MBSR) on Sleep, Mood, Stress and Fatigue Symptoms in Cancer Outpatients. *International Journal of Behavioral Medicine*, vol. 12, issue 4, pp. 278-285.
- [8] Carlson, L. E., et al. (2003). Mindfulness-Based Stress Reduction in Relation to Quality of Life, Mood, Symptoms of Stress, and Immune Parameters in Breast and Prostate Cancer Outpatients. *Psychosomatic Medicine*, vol. 65, issue 4, pp. 571-581.
- [9] Carmody, J., et al. (2008). Mindfulness, Spirituality, and Health-Related Symptoms. *Journal of Psychosomatic Research*, vol. 64, issue 4, pp. 393-403.
- [10] Carmody, J. and Baer, R. A. (2008). Relationships Between Mindfulness Practice and Levels of Mindfulness, Medical and Psychological Symptoms and Well-Being in a Mindfulness- Based Stress Reduction Program. *Journal of Behavioral Medicine*, vol. 31, issue 1, pp. 23-33.
- [11] Chan, M. W., et al. (2011). The Valence of Attentional Bias and Cancer-Related Rumination in Posttraumatic Stress and Posttraumatic Growth among Women With Breast Cancer. *Psycho-Oncology*, issue 20, pp. 544–552.

- [12] Chiesa, A., Calati, R. and Serretti, A. (2011). Does Mindfulness Training Improve Cognitive Abilities? A Systematic Review of Neuropsychological Findings. *Clinical Psychology Review*, vol. 31, issue 3, pp. 449-464.
- [13] Chiesa, A. and Serretti, A. (2009). Mindfulness-Based Stress Reduction for Stress Management in Healthy People: A Review and Meta-Analysis. *The Journal of Alternative and Complementary Medicine*, vol. 15, issue 5, pp. 593-600.
- [14] Creswell, J. D., et al. (2019). Mindfulness Training and Physical Health: Mechanisms and Outcomes. *Psychosomatic Medicine*, vol. 81, issue 3, pp. 224-232.
- [15] Davis, J. M., et al. (2007). A Pilot Study on Mindfulness Based Stress Reduction for Smokers. *BMC Complementary and Alternative Medicine*, vol. 7, issue 1, p. 2.
- [16] Day, M. A., et al. (2014). Mindfulness-Based Cognitive Therapy for the Treatment of Headache Pain: A Pilot Study. *The Clinical Journal of Pain*, vol. 30, issue 2, pp. 152-161.
- [17] Dvořáková, K., et al. (2017). Promoting Healthy Transition to College through Mindfulness Training with First-Year College Students: Pilot Randomized Controlled Trial. *Journal of American College Health*, vol. 65, issue 4, pp. 259-267.
- [18] Frewen, P., et al. (2011). Assessment of Response to Mindfulness Meditation: Meditation Breath Attention Scores in Association with Subjective Measures of State and Trait Mindfulness and Difficulty Letting Go of Depressive Cognition. *Mindfulness*, vol. 2, issue 4, pp. 254-269.
- [19] Germer, C. K., Siegel, R. D. and Fulton P. R. (Eds.). (2005). *Mindfulness and Psychotherapy*. New York: Guilford Press.
- [20] Goodman, M. J. and Schorling, J. B. (2012). A Mindfulness Course Decreases Burnout and Improves Well-Being among Healthcare Providers. *The International Journal of Psychiatry in Medicine*, vol. 43, issue 2, pp. 119-128.
- [21] Grossman, P., et al. (2004). Mindfulness-Based Stress Reduction and Health Benefits: A Meta-Analysis. *Journal of Psychosomatic Research*, vol. 57, issue 1, pp. 35-43.
- [22] Goldstein, J. (1976). *The Experience of Insight*. Boston: Shambhala
- [23] Hanh, T. N. (1976). *The Miracle of Mindfulness: A Manual of Meditation*. Boston: Beacon Press.
- [24] Hart, W. (1987). *The Art of Living: Vipassana-Meditation as Taught by S.N. Goenka*. San Francisco: Harper and Row.
- [25] Hargus, E., et al. (2010). Effects of Mindfulness on Meta-Awareness and Specificity of Describing Prodromal Symptoms in Suicidal Depression. *Emotion*, vol. 10, issue 1, p. 34.

- [26] Holzel, B. K., *et al.* (2011). How Does Mindfulness Meditation Work? Proposing Mechanisms of Action from a Conceptual and Neural Perspective. *Perspectives on Psychological Science*, issue 6, pp. 537–559.
- [27] Kabat-Zinn, J. (1982). An Outpatient Program in Behavioral Medicine for Chronic Pain Patients Based on the Practice of Mindfulness Meditation: Theoretical Considerations and Preliminary Results. *General Hospital Psychiatry*, issue 4, pp. 33–42.
- [28] Keyworth, C., *et al.* (2014). A Mixed-Methods Pilot Study of the Acceptability and Effectiveness of a Brief Meditation and Mindfulness Intervention for People with Diabetes and Coronary Heart Disease. *Behavioral Medicine*, vol. 40, issue 2, pp. 53-64.
- [29] Khoury, B., *et al.* (2013). Mindfulness-Based Therapy: A Comprehensive Meta-Analysis. *Clinical Psychology Review*, vol. 33, issue 6, pp. 763-771.
- [30] Kwakkenbos, L., Coyne, J. C. and Thombs, B. D. (2014). Prevalence of Posttraumatic Stress Disorder (PTSD) in Women with Breast Cancer. *Journal of Psychosomatic Research*, issue 76, pp. 485–486.
- [31] Kuyken, W. and Brewin, C. R. (1995). Autobiographical Memory Functioning in Depression and Reports of Early Abuse. *Journal of Abnormal Psychology*, vol. 104, issue 4, p. 585.
- [32] Langer, E. J. and Moldoveanu, M. (2000). The Construct of Mindfulness. *Journal of Social Issues*, vol. 56, issue 1, pp. 1–9.
- [33] Lazar, S. W., *et al.* (2005). Meditation Experience is Associated with Increased Cortical Thickness. *Neuroreport*, vol. 16, pp. 1893–7.
- [34] Lengacher, C. A., *et al.* (2011). Feasibility of a Mindfulness-Based Stress Reduction Program for Early-Stage Breast Cancer Survivors. *Journal of Holistic Nursing*, vol. 29, issue 2, pp. 107-117.
- [35] Lengacher, C. A., *et al.* (2009). Randomized Controlled Trial of Mindfulness-Based Stress Reduction (MBSR) for Survivors of Breast Cancer. *Psychooncology*, vol. 18, pp. 1261–1272.
- [36] Liu, J. E., *et al.* (2014). Posttraumatic Growth and Psychological Distress in Chinese Early-Stage Breast Cancer Survivors: A Longitudinal Study. *Psycho-Oncology*, issue 23, pp. 437–443.
- [37] Ospina, M. (2007). *Meditation Practices for Health State of the Research*. DIANE Publishing. Pollard, E. L. and Davidson, L. (2001). *Action Research in Family and Early Childhood: Foundations for Child Well-Being*. New York: UNESCO Education Sector.

- [38] Singh, P. (2020). Mindfulness Promotes Health and Wellbeing – A Review. *The International Journal Indian Psychology*, DOI: 10.25215/0801.004.
- [39] Raes, F., et al. (2009). Mindfulness and Reduced Cognitive Reactivity to Sad Mood: Evidence from a Correlational Study and a Non-Randomized Waiting List Controlled Study. *Behaviour Research and Therapy*, vol. 47, pp. 623–627.
- [40] Roberts, K. C. and Danoff-Burg, S. (2010). Mindfulness and Health Behaviors: Is Paying Attention Good for You? *Journal of American College Health*, vol. 59, issue 3, pp. 165-173.
- [41] Rosenzweig, S., et al. (2003). Mindfulness-Based Stress Reduction Lowers Psychological Distress in Medical Students. *Teaching and Learning in Medicine*, vol. 15, issue 2, pp. 88-92.
- [42] Shapiro, S. L., Brown, K. W. and Biegel, G. M. (2007). Teaching Self-Care to Caregivers: Effects of Mindfulness-Based Stress Reduction on the Mental Health of Therapists in Training. *Training and Education in Professional Psychology*, issue 1, pp. 105-115.
- [43] Speca, M., et al. (2000). A Randomized, Wait-List Controlled Clinical Trial: The Effect of a Mindfulness Meditation-Based Stress Reduction Program on Mood and Symptoms of Stress in Cancer Outpatients. *Psychosomatic Medicine*, vol. 62, issue 5, pp. 613-622.
- [44] Whitebird, R. R., Kreitzer, M. J. and O'Connor, P. J. (2009). Mindfulness-Based Stress Reduction and Diabetes. *Diabetes Spectrum*, vol. 22, issue 4, pp. 226-230.
- [45] Williams, J. M. G., et al. (2000). Mindfulness-Based Cognitive Therapy Reduces Overgeneral Autobiographical Memory in Formerly Depressed Patients. *Journal of abnormal Psychology*, vol. 109, issue 1, p. 150.
- [46] Conference, I. H. (2002). Constitution of the World Health Organization. *Bulletin of the World Health Organization*, vol. 80, issue 12, p. 983.
- [47] Zainal, N., Booth, S. and Huppert, F. A. (2013). The Efficacy of Mindfulness-Based Stress Reduction on Mental Health of Breast Cancer Patients: A Meta-Analysis. *Psychology Oncology*, vol. 22, pp. 1457–1465.
- [48] Zhang, J. Y., et al. (2017). Randomized Controlled Trial of Mindfulness-Based Stress Reduction (MBSR) on Posttraumatic Growth of Chinese Breast Cancer Survivors. *Psychology, Health & Medicine*, vol. 22, issue 1, pp. 94-109.

Minimizing Behavioral Disorders in Victims and Bullying in Perpetrators By Providing Counseling Groups in MI Roudhotul Banat Taman Sidoarjo Indonesia

ORIGINALITY REPORT

5%

SIMILARITY INDEX

3%

INTERNET SOURCES

2%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1

hal-pasteur.archives-ouvertes.fr

Internet Source

1%

2

Submitted to Istanbul Medeniyet Üniversitesi

Student Paper

1%

3

Submitted to Pacific University

Student Paper

1%

4

www.fwhc.org.au

Internet Source

1%

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On