

SURAT KETERANGAN

Nomor: 615/UNUSA/Adm-LPPM/VI/2020

Lembaga Penelitian dan Pengabdian Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 22 Juni 2020

Judul : Estimation of Whole Blood (WB) and Anti-Hemophiliate Factor using Extended Kalman Filter in PMI Surabaya

Penulis : A Muhith, T Herlambang, M Y Anshori, R Rizqina, D Rahmalia, Hermanto

Identitas : Journal of Physics: Conference Series, 2019

No. Pemeriksaan : 2020.06.22.252

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (*Similarity Index*) yaitu 15%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya

Surabaya, 22 Juni 2020

Ketua LPPM,



UNUSA
LPPM

Dr. Istas Pratomo, S.T., M.T.

NPP. 16081074

LPPM Universitas Nahdlatul Ulama Surabaya

Website : lppm.unusa.ac.id

Email : lppm@unusa.ac.id

Hotline : 0838.5706.3867

Paper 1

by Abdul Muhith 1

Submission date: 22-Jun-2020 12:19PM (UTC+0700)

Submission ID: 1347856995

File name: kumen_Full_teks_Muhith_2020_J._Phys.__Conf._Ser._1538_012034.pdf (576.8K)

Word count: 2616


Character count: 12902

PAPER • OPEN ACCESS

Estimation of Whole Blood(WB) and Anti-Hemophiliate Factor using Extended Kalman Filter in PMI Surabaya

1
To cite this article: A Muhith *et al* 2020 *J. Phys.: Conf. Ser.* **1538** 012034

View the [article online](#) for updates and enhancements.



IOP | ebooks™

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

8

Estimation of Whole Blood(WB) and Anti-Hemophiliate Factor using Extended Kalman Filter in PMI Surabaya

A Muhith¹, T Herlambang², M Y Anshori³, R Rizqina³, D Rahmalia⁴, Hermanto⁵

¹ Nursing science Department – University of Nahdlatul Ulama Surabaya (UNUSA)

² Information System Department – University of Nahdlatul Ulama Surabaya (UNUSA)

³ Management Department – University of Nahdlatul Ulama Surabaya (UNUSA)

⁴ Mathematics Department – University of Islam Darul Ulum Lamongan

⁵ Management Department – University of PancaMarga

Email: teguh@unusa.ac.id

Abstract. Every hospital is required to have a Hospital Blood Bank (HBB), a service unit of the hospital responsible for the availability of blood for safe transfusion, of high quality and sufficient to support health services in the hospital and other health care centers. PMI (Indonesian Red Cross) continues to campaign for blood donations as part of a lifestyle (lifestyle). Every year, PMI set its targets of up to 4.5 million blood bags to meet the national blood needs, adjusted to the standards of the International Health Institute (WHO), which is 2% of the population for each day. With a continuous campaign by PMI, the stability of blood stock and distribution on target must be maintained, and the importance of blood distribution both blood coming from blood donors and blood distributed to PMI or other regional hospitals must be taken into account, therefore a software is required to estimate blood stock for the blood banks. In this paper an estimation of Whole Blood (WB) and Anti-Hemophiliate Factor (AHF) blood demand was made at PMI Surabaya. Estimation is made because a problem can sometimes be solved by using the previous information or data related to the problem. One estimation method used was Extended Kalman Filter (EKF), an estimation method with a fairly high degree of accuracy. Based on the simulation results, a numerical study was obtained based on the number of iterations, and that with 350 iterations showed a higher accuracy than those with 250 and 150 iterations. The accuracy reached was within the range of 95-98 %.

1. Introduction

7

Every hospital is required to have a Hospital Blood Bank (HBB), a service unit in the hospital responsible for the availability of blood for safe transfusion, of high quality and sufficient to support health services in hospitals and other health care centers. (Minister of Health Regulation 83/2014, Chapter III Article 40). HBB is a service unit established by the Hospital Director and can be part of a laboratory in a hospital.

Currently Indonesia still lacks 500 thousand bags of blood. According to WHO the minimum blood requirement in Indonesia shall be 2% of the population or around 5.1 million bags per year. In fact there are currently only 4.5 million bags out of 3, 05 million donors. Based on this, the Minister of Health in 2014-2019, Prof. Dr. dr. Nila F Moeloek, Sp. M (K) hopes that the community will be more involved and become donors, therefore PMI always conducts blood donor activities as often as possible by involving all elements of the society.

With the enactment of the Permenkes 83/2014, the role of hospitals having HBB is increasingly clear, especially in terms of the duties and responsibilities between HBB and UTD, previously unclear. Now by Permenkes (Health Minister Regulations) it has been emphasized that HBB is a hospital service integrated with UTD with clear duties and responsibilities set up, supported by buildings, facilities and



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](https://creativecommons.org/licenses/by/3.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

infrastructure, equipment and specific personnels, including HR qualifications and job-description as well as the strength of the network of transfusion services between providers and health services, which up to now, has only covered the related institutions without involving the health department (SW) [1]. PMI continues to campaign for blood donations as part of a lifestyle. Every year, PMI sets a target of up to 4.5 million blood bags to meet the national blood needs, as adjusted to the standards of the International Health Institute (WHO), which is 2% of the population for each day.

With a continuous campaign by PMI, the stability of blood stock and distribution on target shall be maintained, and the importance of blood distribution both blood coming from blood donors and blood distributed to PMI or other regional hospitals shall be taken into consideration. Therefore, a software is needed to estimate blood stock for the blood banks. Many studies on estimation are carried out in all scientific fields, including estimation of stock price and profit company [2,3], steam drum water level [4], estimation of AUV trajectory and ASV position [5,6,7], and estimation of missile trajectories [8].

This paper examined the estimation of blood demand for Whole Blood (WB) and Anti-Hemophiliate Factor (AHF) types for the blood banks. Estimation should be made because a problem can sometimes be solved by using the previous information or data related to the problem with a fairly small error. So with the estimation of blood stock, it is expected to reduce errors in the distribution of blood in various regions or hospitals.

2. Blood Data of Whole Blood (WB) and Anti-Hemophiliate Factor (AHF)

The data of Whole Blood (WB) and Anti-Hemophiliate Factor (AHF) is shown as follows:

Table 1. Blood Data of WB type

Data of WB												
	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
2013	1018	1062	1083	1076	1222	1053	1007	1031	1039	1023	979	1052
2014	1103	953	972	812	872	906	871	1085	897	859	818	744
2015	890	865	911	797	787	687	643	801	730	686	666	723
2016	803	659	653	629	666	599	595	576	629	557	500	504
2017	579	611	675	583	637	488	647	684	581	715	749	612
2018	688	679	640	591	725	759	622	730	676	666	675	599

Table 2. Blood Data of AHF type

Data of AHF												
	Jan	Feb	Mar	April	Mei	Juni	Juli	Agust	Sep	Okt	Nov	Des
2013	0	10	3	11	4	0	0	11	26	22	4	29
2014	2	0	0	13	0	0	8	6	0	11	5	18
2015	35	0	49	28	14	3	14	22	15	4	4	18
2016	37	3	5	0	4	3	4	0	0	13	9	2
2017	13	0	8	2	10	6	22	0	4	12	7	0

3. Extended Kalman Filter

The Extended Kalman Filter (EKF) algorithm can be seen [9]:

Model system and measurement model

$$x_k = f(x_{k-1}, u_{k-1}, w_{k-1}) \tag{1}$$

$$z_k = h(x_k, v_k) \tag{2}$$

$$x_0 \sim N(\bar{x}_0, P_{x_0}), w_k \sim N(0, Q_k), v_k \sim N(0, R_k) \tag{3}$$

1. Initialization

$$\hat{x}_0 = \bar{x}_0$$

$$P_0 = P_{x_0}$$

2. Time Update

$$\text{Estimation: } \hat{x}_k = f(\hat{x}_{k-1}, u_{k-1}, 0) \tag{4}$$

$$\text{Error covariance: } P_k^- = A_k P_{k-1} A_k^T + W_k Q_{k-1} W_k^T \tag{5}$$

3. Measurement Update

$$\text{Kalman Gain: } K_k = P_k^- H_k^T [H_k P_k^- H_k^T + V_k R_k V_k^T]^{-1} \tag{6}$$

$$\text{Estimation } : \hat{x}_k = \hat{x}_k^- + K_k (z_k - h(\hat{x}_k^-, 0)) \tag{7}$$

$$\text{Error covariance: } P_k = (I - K_k H_k) P_k^- \tag{8}$$

4. Simulation Result

From the blood data of WB and AHF types in Table 1 and 2, a mathematical function was obtained for the blood supply of WB and AHF types using Mathematica software. The Mathematica software simulation resulted in a function of WB and AHF as follows:

$$f_{wb}(x) = 1025.13 - 1.3789x - 0.371 x^2$$

$$f'_{wb}(x) = -1.3789 - 0.742 x \tag{9}$$

$$f_{ahf}(x) = 1548 - 3,137x + 0.869 x^2$$

$$f'_{ahf}(x) = -3,128 + 1,738 x \tag{10}$$

from equations (9) and (10), the modified WB and AHF blood stock function model in (9) and (10) is discretized using the finite difference method and obtained as follows:

$$f_{wbk+1} = (-1.3789 - 0.742 x_k) \Delta t$$

$$f_{tck+1} = (-3,128 + 1,7382 x_k) \Delta t$$

At 6 the function had been obtained it was simulated with the Matlab software. In this paper the simulation was done by using the Extended Kalman Filter (EKF) algorithm to the function of blood stock of Whole Blood (WB) and Anti-Hemophiliate Factor (AHF) type. The evaluation of the simulation results was done by comparing the real conditions in the field to the estimation results by the EKF application. This simulation used $\Delta t = 0, 1$ and 150, 250, and 350 iteration.




Figure 1. Estimation of WB Blood Stock using EKF method with 150 iterations

Figure 1-3 shows the Whole Blood (WB) stock estimation results by the application of the EKF method using 150, 250, and 350 iteration. Figures 1, 2 and 3 show that the estimation results of WB blood stock had high accuracy with an error of less than 2%, indicating that the estimation of the WB stock declined using either estimation of 150, 250, or 350 iterations. So it could be taken into consideration by PMI to get blood donors to avoid the shortage of blood stock of WB type.




Figure 2. Estimation of WB Blood Stock using EKF method with 250 iterations




Figure 3. Estimation of WB Blood Stock using EKF method with 350 iterations




Figure 4. Estimation of AHF Blood Stock using EKF method with 150 iterations

Figure 4-6 is the Anti-Hemophilate Factor (AHF) stock estimation results by the application of the EKF methods using 1, 6, 250, and 350 iterations. Figures 4, 5 and 6 show that the estimation results of AHF blood stock had high accuracy with an error of less than 5%. as we can see in the real graphs. The accuracy of Extended Kalman Filter methods showed no significant difference. So it could be taken into consideration by PMI to get blood donors to avoid the overload of blood stock of AHF type.




Figure 5. Estimation of AHF Blood Stock using EKF method with 250 iterations




Figure 6. Estimation of AHF Blood Stock using EKF method with 350 iterations

In Table 3, it appears that the Extended Kalman Filter method using 350 iteration with RMSE of 0.00251 for WB Blood has higher accuracy than that of 250 and 150 iterations with RMSE of 0.00312 and 0.00381, and using 350 iterations with RMSE of 0.00451 for AHF blood has higher accuracy than that of 250 and 150 iterations with RMSE of 0.00484 and 0.00517. but the difference is not much. Likewise, in Figures 4 and 5 with 150 and 250 iteration. In conclusion, EKF method can be used as a method estimating either WB and AHF blood stock or other blood types.

Table 3. Comparison of the RMSE values by the EKF based on 150, 250 and 350 iteration

	150 Iteration		250 Iteration		350 Iteration	
	WB	TC	WB	TC	WB	TC
RMSE	0.00381	0.00517	0.00312	0.00484	0.00251	0.00451
Simulation Time	6,269 s		8,398s		10,462 s	

In general, the methods of **Extended Kalman Filter** can be used as a method to estimate Whole Blood (WB) and Anti-Hemophiliate Factor (AHF) blood stock with high accuracy. Based on the numeric simulation results above, it is likely that method can also be used to estimate other type of blood stock, so it can support the work of blood transfusion management.

5. Conclusion

Based Conclusion could be drawn based on the results of the simulation analysis that the EKF method is an effective method for estimating WB and AHF blood stock with excellent accuracy and an error of less than 5%. Thus, its application can support the work of blood bank management.

Open problem. How to implemented Fuzzy Kalman Filter (FKF) for estimation of other type of blood stock in all cities in Indonesia.

Acknowledgement

This research was supported by LPPM – Nahdlatul Ulama Surabaya of University (UNUSA)

References

- [1]. Shanty W, Firdaus, Herlambang T 2018 Prediction of Availability of Packed Red Cells (PRC) at PMI Surabaya City Using Ensemble Kalman Filter as Management of Blood Transfusion Management *Journal of Physics: Conf. Series* **1211** 012031
- [2]. Karya D F, Katias P, Herlambang T and Rahmalia D 2018 Development of Unscented Kalman Filter Algorithm for stock price estimation *Journal of Physics: Conf. Series* **1211** 012031
- [3]. Anshori M Y Herlambang T 2019 Estimation Of Profitability Of A Company In PT. ABC Using Kalman Filter *The 1ST International Conference On Bussines, Law, And Pedagogy*
- [4]. Herlambang T, Mufarrikoh Z, Fidita D F and Rahmalia D 2017 Estimation Of Water Level And Steam Temperature In Steam Drum Boiler Using Ensemble Kalman Filter Square Root (EnKF-SR) *Journal of Physics: Conf. Series* **1008** 012026.
- [5]. Herlambang T, Djatmiko E B and Nurhadi H 2015 Ensemble Kalman Filter with a Square Root Scheme (EnKF-SR) for Trajectory Estimation of AUV SEGOROGENI ITS *International Review of Mechanical Engineering IREME Journal* **9**(6) Pp. 553-560.
- [6]. Herlambang T, Djatmiko E B and Nurhadi H 2015 Navigation and Guidance Control System of AUV with Trajectory Estimation of Linear Modelling *Proc. of International Conference on Advance Mechatronics, Intelligent Manufactre, and Industrial Automation, IEEE, ICAMIMIA* pp. 184-187
- [7]. Nurhadi H, Herlambang T and Adzkiya D 2019 Position Estimation of Touristant ASV Using Ensemble Kalman Filter *International Conference on Mechanical Engineering, 28-29 August 2019*
- [8]. Herlambang T 2017 Design of a Navigation and Guidance System of Missile with Trajectory Estimation Using Ensemble Kalman Filter Square Root (EnKF-SR). *International Conference on Computer Applications and Information Processing Technology (CAIPT)-IEEE, Bali*

- [9]. Herlambang T, Suhan and Nurhadi H 2019 Estimation of UNUSAITs AUV Position of Motion Using Extended Kalman Filter (EKF) *International Conference on Advance Mechatronics, Intelligent Manufacture, and Industrial Automation*, IEEE , ICAMIMIA 2019

Paper 1

ORIGINALITY REPORT

15%

SIMILARITY INDEX

10%

INTERNET SOURCES

7%

PUBLICATIONS

9%

STUDENT PAPERS

PRIMARY SOURCES

1	repository.unair.ac.id Internet Source	3%
2	journal.unirow.ac.id Internet Source	3%
3	Submitted to University of Leeds Student Paper	2%
4	www.asrojournal-sttal.ac.id Internet Source	1%
5	Riska Aprilia, Erna Apriliani, Hendro Nurhadi. "Preliminary study on estimation of 12.7×99 mm caliber projectile motion using Extended Kalman Filter method", Procedia Computer Science, 2018 Publication	1%
6	eudl.eu Internet Source	1%
7	Submitted to School of Business and Management ITB Student Paper	1%

8

article.nadiapub.com

Internet Source

1%

9

Hendro Nurhadi, Erna Apriliani, Teguh Herlambang, Dieky Adzkiya. "Sliding mode control design for autonomous surface vehicle motion under the influence of environmental factor", International Journal of Electrical and Computer Engineering (IJECE), 2020

Publication

1%

10

sintadev.ristekdikti.go.id

Internet Source

1%

Exclude quotes On

Exclude matches < 1%

Exclude bibliography Off

ICCGANT 2019 submission 45 - X

https://mail.google.com/mail/u/1/#search/iccgant+submission/FMfcgwxDrHnCMjLVsqhpGKQrrGxKJwx:B

Gmail iccgant submission UNJSA

Tulis

Kotak Masuk 2

Berbintang

Ditunda

Terkirim

Draf

Selengkapnya

Meet

Rapat baru

Rapat saya

Hangout

Abdul Muhith

Tidak ada chat terbaru
Mulai yang baru

ICCGANT 2019 submission 45 Kotak Masuk x

ICCGANT 2019 <iccgant2019@easychair.org> kepada saya

Sel, 10 Sep 2019 23:26

Inggris

Dear authors

We received

Authors : Abdul Muhith

Title : Estimasi

Number : 45

The paper we

Thank you for submitting to ICCGANT 2019.

Best regards,
EasyChair for ICCGANT 2019.

Balas Teruskan

Nonaktifkan untuk: Inggris x

dari: ICCGANT 2019 <iccgant2019@easychair.org>
 kepada: Abdul Muhith <abdulmuhith@unusa.ac.id>
 tanggal: 10 Sep 2019 23:26
 subjek: ICCGANT 2019 submission 45
 dikirim oleh: easychair.org
 ditandatangani oleh: easychair.org
 keamanan: Enkripsi standar (TLS) Pelajari selengkapnya
 Penting menurut keahlian Google.

Nonaktifkan untuk: Inggris x

6:49 AM 3/16/2021

ICCGANT 2019 submission - all - X

https://mail.google.com/mail/u/1/#search/iccgant+submission/FMfcgwxDrHnCMjLVsqhnCDWTsLMxvfCV

Gmail iccgant submission UNJSA

Tulis

Kotak Masuk 2

Berbintang

Ditunda

Terkirim

Draf

Selengkapnya

Meet

Rapat baru

Rapat saya

Hangout

Abdul Muhith

Tidak ada chat terbaru
Mulai yang baru

ICCGANT 2019 submission

EasyChair <noreply@easychair.org> kepada saya

Sel, 10 Sep 2019 23:26

Inggris

Dear Abdul M

Teguh Harlan

paper to ICC

Estimation o

You are listed as one of the authors of this paper. To enter the ICCGANT 2019 Web pages you should visit

<https://easychair.org/conferences/?conf=iccgant2019>

If you have no EasyChair account you should first create an account. To this end, you should use the above mentioned Web page and click on "I have no EasyChair account".

Nonaktifkan untuk: Inggris x

dari: EasyChair <noreply@easychair.org>
 kepada: Abdul Muhith <abdulmuhith@unusa.ac.id>
 tanggal: 10 Sep 2019 23:26
 subjek: ICCGANT 2019 submission
 dikirim oleh: easychair.org
 ditandatangani oleh: easychair.org
 keamanan: Enkripsi standar (TLS) Pelajari selengkapnya
 Penting menurut keahlian Google.

6:51 AM 3/16/2021

Letter of Acceptance - abdulmu... X

https://mail.google.com/mail/u/1/#search/iccgant+submission/FMfGxwDrHwGxJbsnWxVMWdrbHdnF

Gmail iccgant submission

4 dari 7

Letter of Acceptance Kotak Masuk x

icgant unej <iccgant@gmail.com> kepada saya, TEGUH, yusak.anshori, rachma.rizqina, dinita <...> Sel, 17 Sep 2019 20.21

Inggris > Esti > **Terjemahkan pesan**

Dear authors,

Congratulations! Based on the recommendations of the r...
 been accepted for oral presentation. You are cordially invi...
 of Jember, Jember, East Java Indonesia.

LOA (Letter of Acceptance) already sent to your email. P...
 payment (transfer receipt) via whatsapp (085746045070)

...

Organising Committee for **ICCGANT 2019**
 CGANT Research Group - University of Jember
 Jember 68121
 East Java, Indonesia

dari: **icgant unej** <iccgant@gmail.com>
 kepada: abdulmuhith@unusa.ac.id,
 TEGUH HERLAMBAANG <teguh@unusa.ac.id>,
 yusak.anshori@unusa.ac.id,
 rachma.rizqina@unusa.ac.id,
 dinita rahmalla <dinitarahmalla@gmail.com>
 tanggal: 17 Sep 2019 20.21
 subjek: Letter of Acceptance
 dikirim oleh: gmail.com
 ditandatangani oleh: gmail.com
 keamanan: Enkripsi standar (TLS) **Pelajari selengkapnya**
 Penting menurut keahlian Google.

identifed above has
 27th, 2019, University
 send the proof of

Tidak ada chat terbaru
 Mulai yang baru

Windows taskbar: 6:53 AM 3/16/2021

Letter of Acceptance - abdulmu... X

https://mail.google.com/mail/u/1/#search/iccgant+submission/FMfGxwDrHwGxJbsnWxVMWdrbHdnF

Gmail iccgant submission

4 dari 7

Dear authors,

Congratulations! Based on the recommendations of the reviewers and the Program Committee, we are pleased to inform you that your paper identified above has been accepted for oral presentation. You are cordially invited to present the paper orally at **ICCGANT 2019** which will be held in October 26th - 27th, 2019, University of Jember, Jember, East Java Indonesia.

LOA (Letter of Acceptance) already sent to your email. Please check your inbox / spam. Now you are able to pay the registration fee. Please send the proof of payment (transfer receipt) via whatsapp (085746045070)

...

Organising Committee for **ICCGANT 2019**
 CGANT Research Group - University of Jember
 Jember 68121
 East Java, Indonesia

LoA-ICCGANT 019...

I accept the invitation. Thanks a lot. I am not interested.

Windows taskbar: 6:55 AM 3/16/2021

ICCGANT 2019

The 3rd International Conference
on Combinatorics, Graph Theory,
and Network Topology

University of Jember, 26th-27th October 2019



Jember, 12nd September 2019

Our Ref : 001/ICCGANT/IX/2019

Subjects : Letter of Acceptance

Dear Abdul Muhith,

Paper Id: ICCGANT 019-045,

Paper Title: Estimation of Whole Blood (WB) and Anti Hemophiliate Factor using Extended Kalman Filter in PMI Surabaya

Congratulations! Based on the recommendations of the reviewers and the Program Committee, we are pleased to inform you that your paper identified above has been accepted for **oral** presentation. You are cordially invited to present the paper orally at ICCGANT 2019 which will be held on October 26-27, 2019, in Jember, East Java Indonesia.

Please prepare your manuscript and send your full paper to us through the easychair system by November 4, 2019. Please notify the following important dates.

1.	Notification of Acceptance (2 nd Batch) Payment for Early Bird Payment for Standard	20 September 2019 13-20 September 2019 21-30 September 2019
2.	Conference Date	26-27 October 2019
3.	Paper Submission for Publication	4 November 2019
4.	Notification of Acceptance	20 November 2019
5.	Camera Ready for Publication	27 November 2019

Registration Fee

Category	Early bird registration (13-20 September 2019)	Standard registration (21-30 September 2019)
International Standard Presenter	US\$275	US\$300
International Student Presenter	US\$175	US\$200
Second paper for International presenter (max. 3 papers)	US\$ 85	US\$ 115
Indonesian Standard Presenter	Rp. 1,100,000	Rp. 1,350,000
Indonesian S2 Student/Teacher Presenter	Rp. 1,000,000	Rp. 1,250,000
Indonesian S1 Student Presenter	Rp. 900,000	Rp. 1,150,000
Second paper for Indonesian presenter (max. 3 papers)	Rp. 750,000	Rp. 950,000
Participant Only	Rp. 600,000	Rp. 700,000

Now you can pay the registration fee. It can be paid by bank transfer to:

Bank name: BNI SYARIAH JEMBER

Account name: Panitia ICCGANT 2018

Account number: [8882222089](#)

Address: BNI Syariah Cabang Jember, Indonesia

(For international transfer, the SWIFT Code is [BNINIDJA](#))

*Note: Please send [your bank transfer receipt](#) via WA 085746045070. If your papers are selected for a publication in **Journal of Physics: Conference Series** indexed by Scopus, the publication fee will be charged when your paper has been accepted. The charge will be Rp. 1.750.000,-*

Finally, we would like to further extend our congratulations to you and we are looking forward to seeing you in our conference.

Chairperson for ICCGANT 2019

Signed by

Prof. D A F I K

ICCGANT 2019

The 3rd International Conference
on Combinatorics, Graph Theory,
and Network Topology

University of Jember, 26th-27th October 2019

