MAKALAH ILMIAH PROSIDING SEMINAR INTERNASIONAL TERINDEKS SCOPUS

The 2019 International Conference on Computer Science, Information Technology, and Electrical Engineering (ICOMITEE 2019)



Judul: Finger Movement Regression with Myoelectric Signal and Deep Neural Network

disusun oleh: Khairul Anam, Dwiretno Istiyadi Swasono, Aris Zainul Muttaqin, Faruq Sandi Hanggara

JURUSAN TEKNIK ELEKTRO FAKULTAS TEKNIK UNIVERSITAS JEMBER 2019

Diseminarkan di Hotel Meotel Jember, Indonesia 16 - 17 Oktober 2019

Organized by :



ICOM ITEE

> October 16th - 17th, 2019 IIII Hotel Meotel IIII Jember, Indonesia

PROCEEDING

The 2019 International Conference on Computer Science, Information Technology and Electrical Engineering (ICOMITEE)



Financial Sponsorship :

IEEE

Technical Sponsorship :





www.icomitee.org



PROCEEDINGS

2019 International Conference on Computer Science, Information Technology, and Electrical Engineering (ICOMITEE 2019)

October 16th - 17th 2019, Jember, Indonesia

Editors:

Slamin, University of Jember, Jember, Indonesia
Antonius Cahya Prihandoko, University of Jember, Jember, Jember, Indonesia
Fahrobby Adnan, University of Jember, Jember, Indonesia
Beny Prasetyo, University of Jember, Jember, Indonesia
Paramitha Nerisafitra, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia
Hendra Yufit Riskiawan, Politeknik Negeri Jember, Jember, Indonesia
Endang Sulistiyani, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia
Prawidya Destarianto, Politeknik Negeri Jember, Jember, Indonesia

PROCEEDINGS

2019 International Conference on Computer Science, Information Technology, and Electrical Engineering (ICOMITEE 2019)

Copyright and Reprint Permission: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at pubs-permissions@ieee.org.

All rights reserved.

Copyright ©2019 by IEEE.

```
ISBN : 978-1-7281-3435-2 (USB, Part Number: CFP19U07-USB)
ISBN : 978-1-7281-3436-9 (XPLORE COMPLIANT, Part Number: CFP19U07-ART)
```

Additional copies may be ordered to: Faculty of Computer Science University of Jember Jl. Kalimantan no.37, Kampus Bumi Tegalboto, Sumbersari, Jember, 68121 +62331 - 326935

Design and Implementation of Human Detection Feature on Surveillance Embedded IP Camera <i>Widodo Setyo Yuwono; Dodi Wisaksono Sudiharto; Catur Wijiutomo</i>	
Comparison of Support Vector Machine Classifier and Naïve Bayes Classifier on Road Surface Type Classification <i>Susi Marianingsih; Fitri Utaminingrum</i>	48-53
Mammogram Breast Cancer Classification Using Gray-Level Co- Occurrence Matrix and Support Vector Machine <i>Syam Sarosa; Fitri Utaminingrum; Fitra A. Bachtiar</i>	54-59
Artificial Intelligence	
Optimization of Fuzzy Time Series Interval Length Using Modified Genetic Algorithm <i>Tomi Yahya Christyawan; M Syauqi Haris; Rafiuddin Rody; Wayan</i> <i>Firdaus Mahmudy</i>	60-65
Classification of Toddler Nutrition Status with Anthropometry Calculation Using Naïve Bayes Algorithm <i>Riris Aulya Putri; Siti Sendari; Triyanna Widiyaningtyas</i>	66-70
Hierarchical Algorithm for the Identification of Parameter Estimation of Linear SystemMohammadAbuJami`in; KhairulAnam; RiriesRulaningtyas; Mohammaderik Echsony	71-76
New Method for Obtaining Peak Value R and the Duration of Each Cycle of Electrocardiogram <i>Sabar Setia Widayat; Aviv Yuniar Rahman</i> Data Mining and Data Analysis	77-81
Adaptive SOMMI (Self Organizing Map Multiple Imputation) Base on Variation Weight for Incomplete Data Bain Khusnul Khotimah	82-87
Sentiment Analysis on Movie Reviews Using Ensemble Features and Pearson Cor <mark>relation Based Feature Selection</mark> Fachrul Rangkuti; M Ali Fauzi; Yuita Arum Sari; Eka Sari	88-91
Twitter Sentiment Analysis of Movie Reviews Using Ensemble Features Based Naïve Bayes <i>Rosy Permatasari; M Ali Fauzi; Putra Pandu Adikara; Eka Sari</i>	92-95
Data Mining and Data Analysis	
The Implementation of Open Data Program in the Special Capital Region (DKI) of Jakarta Province	96-100

Givo Aulia; Teguh Kurniawan

Foreword from General Chair ICOMITEE 2019

In the name of Allah, the Most Beneficent and the Most Merciful.

On behalf of the organizing committees, I would like to welcome all of you to Jember, Indonesia for the 2019 International Conference on Computer Science, Information Technology and Electrical Engineering (ICOMITEE)

ICOMITEE 2019 is the international conference hosted by University of Jember (UNEJ), cohosted by State Polytechnic of Jember (POLIJE) and Nahdlatul Ulama University of Surabaya (UNUSA). ICOMITEE 2019 is officially approved by IEEE Indonesia Section and IEEE Indonesia Section Computer Society Chapter for technical co-sponsored. ICOMITEE 2019 is also officially sponsored by IEEE Signal Processing Society Indonesia Chapter.

This event is intended to provide technical forum and research discussion related to advance engineering on electrical & electronics, computer science and informatics. The Conference is aimed to bring researchers, academicians, scientists, students, engineers and practitioners together to participate and present their latest research finding, developments and applications related to the various aspects of Information System Management, Data Analytics & Big Data, IT Infrastructure and Security, Electrical and Telecommunication

Allow me to express my deepest gratitude to those who have made this conference possible. My thanks go to the Rector of University of Jember. I would also like to thank the invited speakers: Prof ASM Sajeev from Melbourne Institute of Technology, Australia, Prof. Richardus Eko Indrajit, chairman of ID-SIRTII and Associate Professor Kamal Kant Sharma from Chandigarh University, India for accepting our invitation in the conference.

At this conference, the committee received total 82 full manuscript from various cities in Indonesia and abroad such as Australia, Algeria, Iran and Sri Lanka. But, after the review process, 49 full manuscripts were accepted.

We also want to thanks and appreciation for your dedication for ICOMITEE 2019 to all committee, all TPC Sponsorship and Financial Sponsorship, TPC member, and 301 high reputation reviewer from various country.

We look forward to having a successful conference, and we hope that all the attendees enjoy and benefit from this conference.



<u>Prof. Saiful Bukhori ST., M.Kom.</u> General Chair of ICOMITEE 2019

Foreword from IEEE Indonesia Section

Dear distinguished guests, keynote speakers, colleagues, researchers, professionals, ladies and gentlemen, good morning, a prosperous, warm, and spirited greeting.

On behalf of IEEE Indonesia Section, we would like to extend our warmest welcome to all keynote speakers, presenters, and participants to the 2019 International Conference on Computer Science, Information Technology and Electrical Engineering (ICOMITEE). The conference is organized by Universitas Jember (UNEJ) and technically co-sponsored by IEEE Indonesia Section. The conference aims to bring together researchers and experts in information systems to share their ideas, experiences and insights.

IEEE Indonesia Section has conducted many activities over 32 years. in Indonesia. In terms of collaboration, IEEE Indonesia section has a good and mutual relationship with ICT organizations, Industries, Government, Universities as well as the Community in Indonesia. IEEE Indonesia Section has contributed in about 58 different International conferences annually. This conference shows its sustainability due to the hard work of the conference organizers, well organized conference and high quality papers. We do hope in the near future some high quality conferences will be continued and strengthened, so the result will give more benefit and positive impact to the human being, especially to Indonesian people.

In this occasion, I would also like to say welcome to Jember, which serves beautiful heritages, culture, with warm, polite and friendly people, a vibrant culture and lifestyle.

Finally, we do hope all of you will have enjoyable and valuable experience during this event. You may share your best knowledge in your area of research and professional activities.

Thank you.



<u>Prof. Dr.Eng. Wisnu Jatmiko</u> Chairman, IEEE Indonesia Section

Foreword from IEEE Computer Society Indonesia Section

Dear colleagues, Professors, researchers, ICT professionals, ladies and gentlemen,

Representing IEEE Computer Society Indonesia Section of The 2019 International Conference on Computer Science, Information Technology, and Electrical Engineering (ICOMITEE) 2019, we would like to express our deep gratitude, to the researchers, paper authors, and all the participant of ICOMITEE 2019. Welcome to Jember in Indonesia!

The conference is an annual event, organized by University of Jember, Jember, Indonesia.

This ICOMITEE 2019 was has been approved and technically co-sponsored by IEEE Computer Society Indonesia Section, with the conference No. #47614

With nearly 100,000 members, the IEEE Computer Society is the world's leading organization of computer professionals. Founded in 1946, it is the largest of the 37 societies of Institute of Electrical and Electronics Engineers (IEEE). The Computer Society's vision is to be the leading provider of technical information and services to the world's computing professionals.

The IEEE Computer Society Indonesia promotes and facilitates the computer-related activities of the IEEE Indonesia. It is one of the IEEE Indonesia technical chapters.

Through this opportunity, I would also like to highlight that Indonesia is an emerging country, one of the fastest growing countries in South East Asia and Pacific. Based on International Data Corporation, Indonesia has become the largest spender on ICT in South East Asia and is ranked 19th by spending globally.

The ICOMITEE 2019 provides a good platform for researchers, scientists and the entire engineering community to meet each other and exchange ideas on electronic and computer related fields, and their applications including research stimulation, the applications of electronic and information technologies, and the discussion to advance for region-wide cooperation in related disciplines. It also offers opportunity, exhibition, and business meetings.

I do hope in the near future the event will be continuing continued and strengthened, so the result will be give more benefit and give more positive impact to the Indonesian people. Technology drives innovation, people can do more, do better. Technology drives higher quality of life, people can live better.


In this occasion, I would also like to say welcome to Jember, one of the famous destinations in Indonesia. , where Jember serves beautiful heritages and scenery with warm and friendly people, a vibrant culture and lifestyle.

Finally, we do hope all of you will obtain an enjoyable and valuable experience. During this 2 days conference, , and also you may share your best knowledge in your area of research and professional activities., during this 2 days conference.

Thank you.



<u>Dr. Tanty Oktavia</u> Treasury and Vice Chair of IEEE Computer Society Indonesia Section



Foreword from Rector of University of Jember

In the name of Allah, the Most Beneficent and the Most Merciful.

First of all, I would like to welcome you all to the University of Jember, Indonesia. I am delighted to have you here to participate and attend the 2019 International Conference on Computer Science, Information Technology, and Electrical Engineering (ICOMITEE 2019). Thank you for coming, many of you travel long distances serves to remind us to conduct a highly fruitful conference.

This great event facilitates interaction among academics, researchers, and policymakers in this region through plenary sessions and parallel paper presentations. I am glad to know that this conference takes up some subjects like telecommunication, electrical, data analytics & big data, IT infrastructure & security, also management information system. I expected that every paper would inspire us to make more contributions to the related field. Hopefully, everyone will benefit from this event by sharing paper and experiences. Also learned new ideas from each other, which we could adopt to improve our work in this era further.

I would like to appreciate the Organizing Committee that has been working hard for the preparation of this international academic event. Also, I thank our sponsors (IEEE Indonesian Section, IEEE Computer Society Indonesian Section, IEEE Signal Processing Society), for providing support and assist us for the conference. Let me also thank the scientific conference committee.

Finally, let me reiterate my warm welcome to all of you to the university, and I wish you all a very successful conference.



<u>Assoc. Prof. Moh. Hasan</u> Rector of University of Jember, Jember, Indonesia

Organizing Committee of ICOMITEE 2019

Steering Committee

- Fitri Yuli Zulkifli, Universitas Indonesia, Jakarta, Indonesia
- Suryadiputra Liawatimena, IEEE Indonesia Section Computer Society Chapter
- Ford Lumban Gaol, IEEE Indonesia Section Computer Society Chapter
- Fiky Y. Suratman, IEEE SPS Indonesia Chapter
- Wisnu Jatmiko, IEEE Indonesia Section
- Moh. Hasan, University of Jember, Jember, Indonesia
- Khairul Anam, University of Jember, Jember, Indonesia
- Achmad Jazidie, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia
- Saiful Anwar, Politeknik Negeri Jember, Jember, Indonesia

General Chair

• Saiful Bukhori, University of Jember, Jember, Indonesia

General Co-Chair

• Slamin, University of Jember, Jember, Indonesia

Finance Chairs and Treasurer

- Windi Eka Yulia Retnani, University of Jember, Jember, Indonesia
- Siti Maemona, University of Jember, Jember, Indonesia
- Elok Zakia, University of Jember, Jember, Indonesia
- Suhaima, University of Jember, Jember, Indonesia

Technical Program Committee Chairs

- Antonius Cahya Prihandoko, University of Jember, Jember, Indonesia
- Beny Prasetyo, University of Jember, Jember, Indonesia
- Tio Dharmawan, University of Jember, Jember, Indonesia
- Yudha Alif Auliya, University of Jember, Jember, Indonesia
- Hendra Yufit Riskiawan, Politeknik Negeri Jember, Jember, Indonesia
- Dwi Putro Sarwo Setyohadi, Politeknik Negeri Jember, Jember, Indonesia
- Paramitha Nerisafitra, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia

Publication Chairs

- Fahrobby Adnan, University of Jember, Jember, Indonesia
- Prawidya Destarianto, Politeknik Negeri Jember, Jember, Indonesia
- Didit Rahmat Hartadi, Politeknik Negeri Jember, Jember, Indonesia
- Endang Sulistiyani, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia
- Ima Kurniastuti, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia

Publicity and Sponsorship Chairs

- Januar Adi Putra, University of Jember, Jember, Indonesia
- Hariyono Rakhmad, Politeknik Negeri Jember, Jember, Indonesia
- Rizqi Putri Nourma Budiarti, Universitas Nahdlatul Ulama Surabaya, Surabaya, Indonesia

Secretary and Information Chair

• Fitriyana Dewi, University of Jember, Jember, Indonesia

Local Arrangement and Registration Chairs

- Oktalia Juwita, University of Jember, Jember, Indonesia
- Qilbaaini Effendi, University of Jember, Jember, Indonesia
- Beni Widiawan, Politeknik Negeri Jember, Jember, Indonesia
- Yogiswara, Politeknik Negeri Jember, Jember, Indonesia
- Syamsul Arifin, Politeknik Negeri Jember, Jember, Indonesia

Technical Program Members

- Hasan Aksoy, Turk Hava Kurumu Universitesi, Turkey
- Humaira Anwer, National University of Sciences & Technology, Pakistan
- Mahdi Baradarannia, University of Tabriz, Iran
- Deniz Dal, Ataturk University, Turkey
- Evgeny Markin, Russia & Richemar LLC, USA
- Agus Minarno, Universitas Muhammadiyah Malang, Indonesia
- Naveed Sabir, Mehran University Of Engineering & Technology, Pakistan
- Robert Szabolcsi, Obuda University, Hungary
- Syed Zafaruddin, BITS Pilani, India

Reviewers

- Mahmoud Rokaya, Taif University, Saudi Arabia
- Rodrigo Campos Bortoletto, Instituto Federal de São Paulo, Brazil
- Hussain Saleem, University of Karachi, Pakistan
- Pooya Taheri, SFU, Canada
- Eduard Babulak, Liberty University, USA
- Tresna Dewi, Politeknik Negeri Sriwijaya, Indonesia
- Ezra Morris A. Gnanamuthu, Universiti Tunku Abdul Rahman, Malaysia
- Sutrisno Sutrisno, Diponegoro University, Indonesia
- Julian L. Webber, Osaka University, Japan
- Sandeep Kakde, Y C College of Engineering, India
- Manojkumar Somabhai Parmar, Robert Bosch Engineering and Business Solutions Private Limited, India
- Qi Zhao, University of California, Los Angeles, USA
- Haitham Abu Ghazaleh, Tarleton State University, USA

- Raveendranathan Kalathil Chellappan, College of Engineering Thiruvananthapuram, India
- Kashif Sharif, Beijing Institute of Technology, P.R. China
- Ali Al Janaby, Ninevah University, Iraq
- Hamid Alasadi, IRAQ- BASRA, Iraq
- Parameshachari Bidare Divakarachari, GSSSIETW, Mysuru, Visvesvaraya Technological University, India
- Narumol Chumuang, Muban Chombueng Rajabhat University, Thailand
- Hossein Jafari, Intelligent Fusion Technology, Inc., USA
- Haijun Pan, New Jersey Institute of Technology, USA
- Andrews Samraj, Mahendra Engineering College, India
- Jiachyi Wu, National Taiwan Ocean University, Taiwan
- Mohd Khairul Ikhwan Bin Ahmad, Universiti Tun Hussein Onn Malaysia, Malaysia
- Emad Hasan Al-Hemiary, Al-Nahrain University, Iraq
- Konstantinos Giannakis, Ionian University, Greece
- Seng Hansun, Universitas Multimedia Nusantara, Indonesia
- Ramoshweu Solomon Lebelo, Vaal University of Technology, South Africa
- Amrit Mukherjee, Jiangsu University, P.R. China
- Indra Riyanto, Universitas Budi Luhur, Indonesia
- Nadheer A. Shalash, Al-Mamon University College, Iraq
- Rostyslav Sklyar, Independent Professional, Ukraine
- Srinivasulu Tadisetty, Kakatiya University College of Engineering and Technology, India
- Kesavaraja D, Dr Sivanthi Aditanar College of Engineering, India
- Akhil Gupta, Lovely Professional University, India
- Gen Motoyoshi, NEC Corporation, Japan
- Cong Pu, Marshall University, USA
- Grienggrai Rajchakit, Maejo University, Thailand
- YunWu Zhang, Southeast University, P.R. China
- Karim Hashim Al-Saedi, Mustansiriyah University, Iraq
- Amirah 'Aisha Badrul Hisham, University of Nottingham Malaysia, Malaysia
- Liang-Bi Chen, Southern Taiwan University of Science and Technology, Taiwan
- Saad Elmansori, Concordia University, Canada
- Muhamad Fadli Ghani, Universiti Kuala Lumpur Malaysian Institute of Marine Engineering Technology, Malaysia
- Yuchun Guo, Beijing Jiaotong University, P.R. China
- Roberto Carlos Herrera Lara, National Polytechnic School, Ecuador
- Oktalia Juwita, University of Jember, Indonesia
- Cheruku Sandesh Kumar, Amity University Rajasthan, India
- Punith Kumar M b, University of Mysore, India
- Michael McGuire, University of Victoria, Canada
- Zahéra Mekkioui, University of tlemcen, Algeria

- Khalil Azha Mohd Annuar, Universiti Teknikal Malaysia Melaka, Malaysia
- Marwan Nafea, University of Nottingham Malaysia, Malaysia
- Henry Novianus Palit, Petra Christian University, Indonesia
- Shashikant Shantilal Patil, SVKM NMIMS Mumbai India, India
- Ema Rachmawati, Telkom University, Indonesia
- Akbar Sheikh-Akbari, Leeds Beckett University, United Kingdom (Great Britain)
- Heni Sulistiani, Universitas Teknokrat Indonesia, Indonesia
- Ryan Randy Suryono, Universitas Teknokrat Indonesia, Indonesia
- Adrian Tam, Clarity Solutions Group, USA
- Nidhal Abass, University of Kufa, Iraq
- Louazani Ahmed, Ahmed ZABANA University Center of Relizane, Algeria
- Lateeef Adesola Akinyemi, Lagos State University, Lagos, Nigeria
- Mohammad Al-Shabi, University of Sharjah, United Arab Emirates
- Eraclito De Souza Argolo, Universidade Federal do Maranhão, Brazil
- Muhammad Sohaib Ayub, Lahore University of Management Sciences, Pakistan
- Omar R. Daoud, Philadelphia University, Jordan
- Muftah Fraifer, IDC-CSIS-UL, Ireland
- Zaher Haddad, Alaqsa University, Palestine
- Saifullah Khalid, Civil Aviation Research Organisation, India
- Vahid Khalilzad-Sharghi, Medical Imaging Solutions USA, USA
- Agus Eko Minarno, Universitas Muhammadiyah Malang, Indonesia
- Arshad Muhammad, Sohar University, Oman
- Nasser Najibi, Cornell University, USA
- Rajesh M. Pindoriya, Indian Institute of Technology Mandi, India
- Harikumar Rajaguru, Bannari Amman Institute of Technology, India
- Karthikeyan Ramasamy, Anna University, Chennai, India
- Mehrdad Rostami, (Formerly) Shahed University, Canada
- Nafiul Siddique, New Mexico State University, USA
- Rana Pratap Sircar, Ericsson, India
- Thitinan Tantidham, Mahidol University, Thailand
- Deepti Prakash Theng, G. H. Raisoni College of Engineering, India
- Shibiao Wan, The Hong Kong Polytechnic University, Hong Kong
- Wei Wei, University of Washington, USA
- Tarun Yadav, Scientific Analysis Group, Defence Research & Development Organisation, Ministry of Defence, GOI, India
- Mohamad Fauzi Zakaria, Universiti Tun Hussein Onn Malaysia, Malaysia
- Areej M. Abduldaim Al-Alwash, University of Technology, Iraq
- Mehran Alidoost Nia, University of Tehran, Iran
- Intan Sari Areni, Hasanuddin University, Indonesia
- Rahadian Bisma, Universitas Negeri Surabaya, Indonesia
- Anjali Avinash Chandavale, University of Pune, India

- Ying-Ren Chien, National I-Lan University, Taiwan
- Paolo Crippa, Università Politecnica delle Marche, Italy
- Bogdan Eugen Cristea, Microchip, Romania
- Deniz Dal, Ataturk University, Turkey
- Raul de Lacerda, Laboratoire de Signaux et Systèmes (L2S, CNRS), CentraleSupelec, France
- Rohit Gupta, Thapar University, India
- Abdelfatteh Haidine, ENSA El Jadida University Chouaib Doukkali, Morocco
- Suneeta Harlapur, Vemana Institute of Technology, India
- Ching-Ting Hsu, University of Taipei, Taiwan
- Md. Moidul Islam, Friedrich-Schiller-Universität Jena, Germany
- Sunil Kumar Kopparapu, Tata Consultancy Services, India
- E Hari Krishna, Kakatiya University, India
- Sunil Kumar, Manipal University Jaipur, India
- Otavio P. Lavor, UFERSA, Brazil
- Xia Li, Apple, USA
- Ali Mahdoum, Centre de Développement des Technologies Avancées, Algeria
- Dina Fitria Murad, Bina Nusantara University, Indonesia
- Mas Rina Mustaffa, Universiti Putra Malaysia, Malaysia
- Tripura Pidikiti, R V R and J C College of Engineering, India
- Pramod K B Rangaiah, Uppsala University, India
- Wael A. Salah, Palestine Technical University Kadoorie, Palestine
- Riko Arlando Saragih, Maranatha Christian University, Indonesia
- Alexander B. Sergienko, St.-Petersburg Electrotechnical University, Russia
- Aditi Sharma, Quantum University, Roorkee, Uttarakhand, India
- Joni W. Simatupang, President University, Indonesia
- Dhananjay Singh, Hankuk University of Foreign Studies, Korea
- Miguel Antonio Sovierzoski, Federal University of Technology Parana', Brazil
- Suryakanthi Tangirala, Faculty of Business, Botswana
- Ashish Tanwer, Stony Brook University, USA
- Rahmat Trialih, Brawijaya University, Indonesia
- Evi Wahyuni, University of Muhammadiyah Malang, Indonesia
- Mohammed Ali Al-Qodah, Prince Sattam bin Abdulaziz University, Saudi Arabia
- Humaira Anwer, National University of Sciences & Technology, Islamabad, Pakistan
- Srinivasa Rao Balasani, Visakha Institute of Engineering & Technology, India
- Renaldi Gondosubroto, GReS Studio, Indonesia
- Cataldo Guaragnella, Politecnico di Bari, Italy
- Patrick W.C. Ho, Monash University, Malaysia
- V Jyothsna, JNTUH, India
- Yogesh S. Kale, North Carolina A&T State University, USA
- Suraya Mohammad, University Kuala Lumpur British Malaysian Institute, Malaysia

- Fernando L. R. Mussoi, Federal Institute of Santa Catarina, Brazil
- Fajrin Nurman Arifin, Jember University, Indonesia
- Vanita Pawar, DIAT, Pune, India
- Uppu Ramachnadraiah, Hindustan University, India
- Nuno Rodrigues, Instituto Politécnico de Bragança, Portugal
- Gnane Swarnadh Satapathi, AJ Institute of Engineering and Technology, India
- Dana I. Sensuse, Universitas Indonesia, Indonesia
- Seppo Sirkemaa, University of Turku, Finland
- Apol Pribadi Subriadi, Institut Teknologi Sepuluh Nopember, Indonesia
- Arif Tirtana, STIKI, Indonesia
- Gabriel Venegas-Mancilla, Universidad Católica de Temuco, Chile
- Gang Wang, PCTEL, Inc., USA
- Thaweesak Yingthawornsuk, King Mongkut's University of Technology Thonburi, Thailand
- Izham Z. Abidin, Universiti Tenaga Nasional, Malaysia
- Abrar Zahin, Utah State University, USA
- Shao Ying Zhu, University of Derby, United Kingdom (Great Britain)

Keywords—Internet of Things, Surface water, Development sensor device, River water quality, Water river monitoring, real time online.

1st Rizqi Putri Nourma Budiarti

Engineering Department

Universitas Nahdlatul Ulama Surabaya

Surabaya, Indonesia

rizqi.putri.nb@unusa.ac.id

3rd Mochamad Hariadi

Department of Multimedia and

Network Engineering

Institute of Technology Sepuluh November

Surabaya, Indonesia

mochar@ee.its.ac.id

Abstract— The need for water consumption not only

for humans but also the other living things as natural

supporting elements for continuity of life. Water

consumption depends on the availability of water

resources like rivers, lakes, and reservoirs. Certainly,

water becomes limited natural resources most of them

because of water pollutions. It is necessary to manage

water quality to fulfil the sustainability of water

functions as natural resources, we create an integrated

system based on Internet of Things to measuring the

water quality by developing environmental water

management monitoring system using sensors. The use

of raspberry pi as an embedded system will help in the

manufacture of detecting sensors device and the use of

remote communications technology can help the

interaction of sending data between things. The result is

the IoT water quality monitoring system can be

operated as an automated water monitoring system for

I. INTRODUCTION

How important the role of water for the life of living beings, not only for humans and even other living things need water as one of the supporting elements of the continuity of life in every living creature. Actually, water is an unlimited natural resource, because water sources can be obtained from several water sources. According to the Surabaya regulation No. 2 of 2004 on the definition of water that all water contained in or derived from sources both above and below the soil surface. including sea water utilized on land and sources of water are places and containers water, both above and below the soil surface, including the aquatic, springs, rivers, swamps, lakes and reservoirs [1]. Nowadays, the increasing population growth causes the demand for clean water consumption to increase. Demand for increased water availability and 2nd Anang Tjahjono Department of Electrical Engineering Politeknik Elektronika Negeri Surabaya Surabaya, Indonesia anang.tj@pens.ac.id

4th Mauridhi Hery Purnomo Department of Multimedia and Network Engineering Institute of Technology Sepuluh November Surabaya, Indonesia hery@ee.its.ac.id

consumption if not matched by standard water quality and water pollution causes water to be a limited natural resource and always degraded.

Referring to Local Regulation of Surabaya City No. 2 Year 2004 regarding management of water quality and pollution control that water is natural resource that must be utilized to fulfill the livelihood of many people, therefore need to be preserved and sustainability of water function especially at source water to improve human well-being. To conserve water function it is necessary to manage water quality and control water pollution wisely by taking into account the interests of present and future generations as well as the ecological balance. To realize the sustainability of water function, the various control of water pollution has been done. However, there are still a handful of people littering, disposal of industrial sewage into rivers, as well as untreated household waste. Various water problems, both directly and indirectly, have caused increased water pollution.

In realizing the environmental ecosystems that play a role in the management and processing of water sources for the better, several studies have been done to determine the water content. Water content in an environmental system can be known by manual, where the process is done by taking samples of water using tools such as glass, scoop, and other tools such as bottles. The results of water samples taken, checked using the laboratory to determine the water content. This manual process takes about 1 to 30 days depending on what parameters you want to measure and examine. The results obtained from the manual procedure depend heavily on how skilled and observational the process of measuring water is. In fact, the current process of measuring water quality parameters performed by most of Perusahaan Daerah Air Minum/PDAM (water utility company) and Balai Lingkungan Hidup/BLH (Center for the environment) is still done manually, and water sampling is done periodically. In addition to using

Development of IoT for Automated Water Quality

Monitoring System

978-1-7281-3436-9/19/\$31.00 ©2019 IEEE

manual procedures, only a few water quality measurements are performed in an automated method using a water sensor to determine water quality. This is because the cost for using the sensor is not cheap, and another reason is some of the sensors and its use is still not maximal.

Sukaridhoto, etc. their research build portable water monitoring system with similar devices. They

collect the data from sensors and send the data to the cloud [2]. Shifeng Fang with his associates, built a system of monitoring the environment to monitor climate change in mainland China in the XinJiang region [3]. The system uses air sensors, humidity and precipitation. The article titled "An Integrated System for Regional Environmental Monitoring and Management Based on Internet of Things".




Fig. 1. System Design



Fig. 2. Research Location

By implementing the use of Internet of Things (IoT) technology supported by data retrieval method using sensors, embedded systems and the use of remote communication technology can help simplify the water quality parameters.

II. RESEARCH METHODS

A. System Design

In this research, it has a system design as depicted in Fig. 1. The location of data collection is at the river water source of Kali Surabaya. We put the sensors before the intake on the water gate of PDAM KARANG PILANG. Referring to research in the previous paper by our research group while do some research to get the data from passive sensor using web scraping through the paper, "Web scraping for Automated Water Quality Monitoring System: A case study of PDAM Surabaya" [4].

In this research, the author combines Internet of Things technology consisting of YSI 600R water sensor, raspberry pi 3 as embedded system, and 4G communications.

B. Research Methods

In this study, the research method has been carried out as illustrated in Fig. 3. In the early stages, after making observations with the study literature and survey conducted location permissions for the process of data retrieval. Furthermore, the preparation of infrastructure and create Web UI (User Interfaces), then create database system for IoT Platform.

After the development of database system done, then get the data from passive sensor using Web Scraping technique and also get the data from active sensor using Python serial programming. Then transmission the data to the database system using MQTT protocol. So that the development of IoT sensor devices can be view as the IoT platform can be obtained the results status sensor monitoring system from these sensor data.




Fig.3. Research Methods of Development IoT Platform for the water quality sensor device.

C. Python Serial

In this research, to retrieve data from YSI600R [5] water quality sensors connected via serial port RS232 used Python programming [6]. In python, it has own module to fetch data via serial port called pySerial. The used of pySerial provide the communication parameter include 8 bits, Non-parity, and 1 stop bit or commonly abbreviated as 8N1. The data transfer rate that used in this research was 9600 bps. By using Raspbian OS the serial identified by /dev/ttyUSB0 when pySerial calls modules with serial import to read and write the data.

D. SQL lite and MariaDB

In this research, for application data logging local authors using RDBMS application is known as SQLite[6]. SQLite can directly read and write on a disk storage. Also, because SQLite is a very practical library, so SQLite can run well on limited memory environments such as raspberry pi 3. For another DBMS system for the development of database system, we used MariaDB which is used for enterprise, because MariaDB already supporting high availability, security, interoperability, etc [7].

E. MQTT

In this research, for efficiency of the data transfer for Internet of Things system, we used the MQTT protocol (Message Queue Telemetry Transport Protocol) [8]. The MQTT protocol is a network protocol that uses the publish/ subscribe concept in its data transmission, usually for sending messages between "Internet of Things" devices. MQTT platform broker is a mosquito [9]. The use of MQTT which is only designed to publish and subscribe message with minimizing the use of network bandwidth and device resources requirements, especially application usage for IoT. There has been a lot of research about implementation apps using MQTT such as application DIY Smart Trash for IoT open platform [10].

III. RESEARCH RESULT AND ANALYSIS

In this section, we explained about research result and analysis which including the implementations of IoT Sensor device, read and get the data from passive and active sensors.

A. Get the data from passive sensor by using web scrapping

In this stage, using previous paper about the web scrapping [4]. We have built and develop logging data during the research. The research location of data collection using the output of water quality parameter in the river water source of Kali Surabaya, which near intake area on the water gate of PDAM KARANG PILANG. The research area location is shown on Fig. 2. During the observation on this research, there is no logging data for this sensor things, so we built and made database to pull data for logging data water quality parameter to became data input.

B. Collecting data from Active Sensor

In this stage, we also has made the Internet of Things device consisting of a series of sensors that use water quality sensor and connected with embedded systems equipped with software that serves as a data processing unit of the sensor and send data to a data center using a 4G connection. The Sensor IoT system, we built can be shown in Fig. 4. In this system we combined things, using Raspberry Pi type B, YSI 600R Sensor, Modem wifi 4G, and Adapter Input 5 Volt and 12 Volt.




Fig. 4. Design Supported Sensor for IoT




Fig. 5. Flowchart Watermond Application

In this IoT development, the raspberry pi 3, model type B. The embedded system is used as a data processing center where the Rapsbian operating system has been modified and an addition of watermond application is used to retrieve data and transmit water quality data from the sensor, then processed so that data can be stored in the local database temporarily using SQLite and MQTT protocols for the process of sending data to a bigdata server. The data retrieving from the YSI Sensor in every 4-5 seconds and then save it temporary to locally database SQLlite. By using data communication MQTT protocols, this watermond application sends the keyword in the form of string "data" so that the sensor directly gives feedback in the form of water quality data coming from the sensor. Watermond applications that have been made this all running on the background process. In connecting between IoT device system with database server, this research

using Modem 4G as its communication network. In addition, in case of damage to the connection, watermond applications can stop sending data and only store locally. If the connection can be done automatically watermond applications can send data back to the database server. The following is flowchart of watermond application, which describes the data retrieval, processing and transmission of sensor data shown in Fig. 5.

C. Collection and retrival of data

In this research, water quality sensor connected to the raspberry pi type B and the sensor is able to send data by using MQTT protocols, we called the active sensors. To be able to store incoming data into MQTT Broker into the database, required a connection into the database server. In here, we built a Python-based MQTT2DB application has been developed to transmit data from sensors received in the MQTT Broker into the DBMS. When receiving messages from MQTT brokers that receive data from MQTT Publisher, MQTT2DB sort messages in and perform SQL Insert into the DBMS. In this research, also used sensor WTW IQ SensorNet 2020 XT as passive sensor, where the sensor can not send sensor data to the big data server. So the big data server needs to download data that is on this sensor to be entered into the database in the big data server. The passive sensor in this study has a web-based output running on the sensor. The data displayed in HTML format and structured in a table. So we need a mechanism that can sort the sensor data from HTML based table and store the data taken in the database. By using web scrapping [2], we can get all data from the sensor using the beautiful soup library with Python programming language. In this research, Sensor YSI 600R using as active sensor, which can be shown in Fig. 6.




Fig.6. Sensor with Raspberry Pi 3 Model B using as Active Sensor.

Leize(Outmare - (csh) Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law. rizqi@umer:-\$ mosquitto_sub -t watermon Data >> 2016-11-06 15:51:02 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) 2010 - 2016-11-06 15:51:06 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) -0.02 pH:7.53 > Data >> 2016-11-06 15:51:10 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) -0.02 pH:7.53 >

ctivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 0.02 pH:7 53

^{:-0.02} pH:/.53 > Data >> 2016-11-06 15:51:14 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 D0sat(%):-0.2 D0(mg/L) 2 pH:7.53 > 2 2016-11-06 15:51:18 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 >> vivity(us/cm):655 TDS(g/L):0.387 Solinity(ppt):0.28 D0sot(%):-0.2 D0(mg/L) -0.02 pH: Data >

Fig.7. Data collections from active sensor using

mosquitto_subscribe

⁴



Fig. 8. The location between PDAM Surabaya, Ngagel, with water reservoir Karang Pilang

IV. RESULT DISCUSSION AND RECOMMENDATION

Water Monitor							
Ф Мар							
	Ph	Do	Cond	Tda	Тапр	Swi	Dosat
	Sonso	r Data Gra	nh				
Lat. Report	Jenso	Data Ora	211	Ph Graph			=
H Vew Sensor	Zoon in in	time YTD 1g 42				From Nov 9, 20	16 To Dec 11, 2016
H Report	1 -	7					
ial Report Harian		V					7.5
Let Report Mingguan						~	,
M Report Bulanan							65
	19. Nov 21	Nov 21. Nov 22. Nov	23. Nov 24. Nov 25. No	w 26. Nov	19. Nov 30. Nov 3. Dec	B. Dec 9.	Dec 11. Dec
	al-	211. Nov 222. Nov	TH. AND	71 300	12 400	1.74	11.04
							ingehaut our

Fig. 9. Web UI for sensor YSI 600R

Data sensor types, we have several data types of sensors namely: sensordb, datasenkp, and datasenng. First sensordb data, this data is obtained from YSI 600R sensor installed in river waters in Karang Pilang area. This location is adjacent to the water intake of PDAM Karang Pilang. This data is taken with the aim of obtaining the status of raw water conditions used by PDAM. Data is taken 24 hours continuously with the frequency of data retrieval 4-5 seconds until the sensor data once reading the data and can be read clearly in database system. The data format sent contains information: date and time, sensor id, location (latitute, longitude), temperature, conductivity, TDS, salinity, DO saturation, DO, and pH. The transmitted data can be seen in Fig. 7.

The second data used in this research is the data from sensors located in the reservoir of PDAM for the location of Karang Pilang and Ngagel. This Data is derived from the WTW IQ SensorNet 2020 XT sensor installed in the PDAM. The Sensor runs for 24 hours, the data is taken with a web scraping technique with a retrieval time of 4-5 seconds. Data from Ngagel has parameters among others: Turbidity for raw water, Chlorine for production water, TSS, raw water pH, DO raw water, Turbidity water production. Data from Coral Pilang has a Turbidity parameters of raw water, Turbidity water production and Chlorine water production. Karang Pilang Data is referred to as datasengkp, and data from the sensors located in Ngagel is called datasenng.

A. Web UI from active Sensors Device Monitoring System

In this research, we built web-based UI using PHP and HighChart Javascript that are used to display graphics from the sensor live or within the time frame. The dashboard of Web UI from sensors device monitoring system can be shown in Fig. 9.

B. Get Data from passive Sensors Device Monitoring System

In previous research [4], the passive sensors device monitoring system can be shown in the web dashboard in Fig. 10.

J	0	IQS V	VebSe	rver			×	+			
	\leftarrow	\rightarrow	C		۲	192.168.	7.80				
		Apps		@MyPr	iority	_Courses		@UNUSA	@DATA MINING U	@Info Dosen	programi

IQ SENSOR NET web server

Controller: NGAGEL 2 Serial: 09430346 Software: 3.59 Time: 16 Sep 2019 21:39:48

Overview sensors

ID	Status	Sensor model	Serial no.	Sensor name	Value 1			Value 2		Info bits
S01	Measuring	VisoTurb700IQ	09250704	AIR BAKU	137	NTU	Turb			0x0
S03	Measuring	MIQIC2 REC1	09381117	AIR PRO IP2	1.31	ppm	Chlor	7.39	mA	0x0
S04	Measuring	ViSolid700IQ	12490907	DIS.TOR IP2	4727	mg/l	TSS	609	mg/l#	0x0
S05	Measuring	SensoLyt700IQ	12390797	AIR BAKU NG	7.27		pH	29.0	°C	0x0
S06	Measuring	SC FDO 700	12100970	AIR BAKU NG	2.05	mg/l	02	28.9	°C	0x0
S07	Measuring	VisoTurb700IQ	12311119	AIR_PRO_IP2	0.58					

Fig. 10. Passive sensors web dashboard

C. Watermon applications

In the Watermon application, we built program to show the sensor status connection to datacenter while getting the data from the sensor and if the status of connection identified as OFFLINE, the data will be save it as temporary to SQLite and sending the data again to database system on server if the status of connection identified as ONLINE. The report status of the sensor connection can be shown in Fig. 11 and the process local-write data while the connection is not ready or offline can be shown in Fig.12.

1635	Watermon	Sun	6 Nov	14:20:02	WIB	2016	status ok ok OFFLINE
1636	Watermon		6 Nov	14:23:01	WIB	2016	status: awakening
1637	Watermon	Sun	Nov 6	14:23:41	WIB	2016	status: awakening
1638	Watermon		6 Nov	14:24:01	WIB	2016	status: awakening
1639	Watermon		6 Nov	14:25:03	WIB	2016	status ok ok OFFLINE
1640	Watermon		6 Nov	14:26:01	WIB	2016	status: awakening
1641	Watermon	Sun	Nov 6	14:26:18	WIB	2016	status: awakening
1642	Watermon		6 Nov	14:27:02	WIB	2016	status ok ok OFFLINE
1643	Watermon		6 Nov	14:28:01	WIB	2016	status: awakening
1644	Watermon		6 Nov	14:29:01	WIB	2016	status ok ok DEAD
1645	Watermon		6 Nov	14:30:02	WIB	2016	status: awakening
1646	Watermon		6 Nov	14:31:01	WIB	2016	status: awakening
1647	Watermon		6 Nov	14:32:01	WIB	2016	status ok ok OFFLINE
1648	Watermon		6 Nov	14:33:02	WIB	2016	status ok ok ONLINE
1649	Watermon		6 Nov	14:34:01	WIB	2016	status: awakening
1650	Watermon	Sun	Nov 6	14:34:51	WIB	2016	status: awakening
1651	Watermon	Sun	Nov 6	14:34:56	WIB	2016	status ok ok OFFLINE
1652	Watermon	Sun	6 Nov	14:35:01	WIB	2016	status ok ok ONLINE
1653	Watermon	Sun	Nov 6	14:35:02	WIB	2016	status ok ok ONLINE
1654	Watermon	Sun	Nov 6	14:35:10	WIB	2016	status ok ok ONLINE

Fig. 11. Report Status Offline, Awakening and Online of Sensors Device Monitoring System

Local-Write to SQLite file /home/pi/watermon/sensor.db
Test
0FFLINE: 2016-11-03 12:16:28 sensor1 -7.348105 112.681262 29.18 515 0.310 0.23 4.5 0.34 7.24
Serial-Write: data.
Serial-read: # data
Serial-Write: data
Local-Prosesing Data
['2016-11-03', '12:16:32', 'sensor1', '-7.348105', '112.681262', '29.18', '515', '0.310', '', '', '0.23'
, '', '', '4.2', '', '', '0.32', '', '7.23']
Local-Write to SQLite file /home/pi/watermon/sensor.db
Test
0FFLINE: 2016-11-03 12:16:32 sensor1 -7.348105 112.681262 29.18 515 0.310 0.23 4.2 0.32 7.23
Serial-Write: data.
Serial-read: # data
Serial-Write: data
Local-Prosesing Data
['2016-11-03', '12:16:36', 'sensor1', '-7.348105', '112.681262', '29.17', '516', '0.310', '', '', '0.23' , '', '', '4.1', '', '', '0.31', '', '7.23']
Local-Write to SQLite file /home/pi/watermon/sensor.db
Test
0FFLINE: 2016-11-03 12:16:36 sensor1 -7.348105 112.681262 29.17 516 0.310 0.23 4.1 0.31 7.23
Serial-Write: data.
Serial-read: # data
Serial-Write: data
Local-Prosesing Data
['2016-11-03', '12:16:41', 'sensor1', '-7.348105', '112.681262', '29.17', '516', '0.310', '', '', '0.23' , '', '', '4.0', '', '', '0.30', '', '7.23']
Fig. 12. The proses local-write while the sensor connection to

datacenter is offline

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law. rizaj@umar:-\$ mosquitto_sub -t watermon Data >> 2016-11-06 15:51:02 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) :-0.02 pH:7.53 > Data >> 2016-11-06 15:51:06 id:sensor1 loc:-7.248105,112 681262 Temp(C):30.28 Dota >> 2016-11-06 15:51:06 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(u5/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) :-0.02 pH:7.53 > Data >> 2016-11-06 15:51:10 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(uS/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 DOsat(%):-0.2 DO(mg/L) -0.02 pH:7.53 > :-0.02 pH:7.53 > Data >> 2016-11-06 15:51:14 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(u5/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 D0sat(%):-0.2 D0(mg/L) :-0.02 pH:7.53 > Data >> 2016-11-06 15:51:18 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(u5/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 D0sat(%):-0.2 D0(mg/L) :-0.02 pH:7.53 > Data >> 2016-11-06 15:51:23 id:sensor1 loc:-7.348105,112.681262 Temp(C):30.28 Conductivity(u5/cm):655 TDS(g/L):0.387 Salinity(ppt):0.28 D0sat(%):-0.2 D0(mg/L) :-0.02 pH:7.53 > -0.02 pH:7.53 >

Fig. 13. Collection and retrival of data

In the data retrieval, by using MQTT protocols, the sensor role as MQTT publishers and send data to database server that have install as Mosquito-Server which role as MQTT broker. By using topic "watermon" that only MQTT publisher and MQTT broker can communicate each other. In Fig.13 shown collection and retrieval of data sensor. From the result, we can achieve real-time data monitoring.

D. Collection and retrival of data to datacenter

In the process of sending the data collection using insert SQL data through MQTT protocols and white it while inserting data into MariaDB (database server). The report status monitoring system while inserting data into MariaDB can be shown in Fig.14.

- watermon 0 Data >> 2016-11-21 00:52:36 id:sensorl loc:-7.348105,112.mqtt2db Mon Nov 21 00:51:01 MIB 2016 running 681262 Temp(C):29.05 Conductivity(US/cm):409 TDS(g/L):0.247 Salinity (ppt):0.18 Doat(%):-2.4 DO(mg/L):-0.19 pH:8.14 > Insert SQL 2016-11-21 00:52:36 sensorl -7.348105,112.681262 29.05 409 0.247 0.18 -2.4 -0.19 8.14 watermon 0 Data >> 2016-11-21 00:52:41 id:sensorl loc:-7.348105,112.681262 Temp(C):29.05 Conductivity(US/cm):408 TDS(g/L):0.246 Salinity(ppt):0.18 DOsat(%):-2.4 DO(mg/L):-0.19 PH:8.14 > Insert SQL 2016-11-21 00:52:41 sensorl -7.348105,112.681262 29.05 408 0.246 0.18 -2.4 -0.19 8.14 watermon 0 Data >> 2016-11-21 00:52:45 id:sensorl loc:-7.348105,112.681262 29.05 408 0.246

Fig. 14. Report status monitoring system while inserting data into MariaDB using MQTT

V. CONCLUSIONS

In this research IoT platform has been built which consists of water condition monitoring sensor, embedded system capable of processing sensor data and sending to data center, data transmission with MQTT protocol. The system monitoring of Automated Water Quality Device using passive and active sensors that shown in the research result and discussion that report all status monitoring system from Things to Things connections through internet while sending data and transmission the report status using MOTT protocol. For next stage of research plan is combine the IoT Platform with application of Big Data System to classified river water quality using classification analysis.

ACKNOWLEDGMENT

I would like to thanks to LPDP Scholarship of Republic Indonesia Endowment Funding in Education with number: PRJ-547/LPDP.3/2016 for this IoT project research.

REFERENCES

- [1] G. o. Surabaya, Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air, 2004.
- [2] S. Sukaridhoto, R. Sudibyo, W. Sarinastiti, R. Dharmawan, A. Sasono, A. Saputro and S. Sasaki, "Design and development of a portable low-cost COTS-based water quality monitoring system," in 2016 International Seminar on Intelligent Technology and Its Applications (ISITIA), 2016
- [3] S. Fang, L. Da Xu, Y. Zhu, J. Ahati, H. Pei, J. Yan, and Z. Liu "An integrated system for regional environmental monitoring and management based on internet of things.," IEEE Transactions on Industrial Informatics, vol. 10, pp. 1596-1605., 2014.
- [4] R. P. N. Budiarti, N. Widyatmoko, M. Hariadi, and M. H. Purnomo, "Web scraping for automated water quality monitoring system: A case study of PDAM Surabaya.," in 2016 International Seminar on Intelligent Technology and Its Applications (ISITIA), 2016.
- [5] Y. 600R, ""6-Series Multiparameter Water Quality Sondes User Manual," [Online]. Available: https://www.ysi.com/. [Accessed 1 july 2019].
- "pySerial Documentation.," [6] [Online]. Available: https://pythonhosted.org/pyserial/ . [Accessed 1 July 2019].
- [7] D. Bartholomew, Getting Started with MariaDB, 2nd ed., Birmingham: Mumbai, 2015.
- [8] MQTT, "Message Queue Telemetry Transport," [Online]. Available: http://mqtt.org. [Accessed 1 July 2019].
- [9] M. Protocol, "The MQTT Protocol Concept," [Online]. Available: mosquitto.org/man/mqtt-7.html. [Accessed 1 July 2019].
- [10] R. P. N. Budiarti, J. Maulana and S. Sukaridhoto, "Aplikasi DIY Smart Trash Berbasis IoT Open Platform," in Applied Technology and Computing Science Journal, Indonesia. vol. 1 (2), 2018, pp. 93-104., no. 1.
- [11] "SOLite Documentation.," [Online]. Available: https://sqlite.org/index.html. [Accessed 1 July 2019].

^{0.18 -2.4 -0.19 8.14}watermon 0 Data >> 2016-11-21 00:52:45 id:sensor1 loc:-7.348105,112.681262
Temp(C):29.05 Conductivity(uS/cm):409 TD5(g/L):0.246 Salinity(ppt):0.18
Dosat(%):-2.4 D0(mg/L):-0.19 pH:8.14 >
Insert SQL 2016-11-21 00:52:45 sensor1 -7.348105,112.681262 29.05 409 0.246
0.18 -2.4 -0.19 8.14
watermon 0 Data >> 2016-11-21 00:52:49 id:sensor1 loc:-7.348105,112.681262
Temp(C):29.05 Conductivity(uS/cm):409 TDS(g/L):0.247 Salinity(ppt):0.18
Dosat(%):-2.5 D0(mg/L):-0.19 pH:8.14 >
Insert SQL 2016-11-21 00:52:49 sensor1 -7.348105,112.681262 29.05 409 0.247
0.18 -2.5 -0.19 8.14

ERS/



www.icomitee.org

εM