

SURAT KETERANGAN

Nomor: 847/UNUSA-LPPM/Adm-I/IV/2024

Lembaga Penelitian dan Pengabdian Kepada Masyarakat (LPPM) Universitas Nahdlatul Ulama Surabaya menerangkan telah selesai melakukan pemeriksaan duplikasi dengan membandingkan artikel-artikel lain menggunakan perangkat lunak **Turnitin** pada tanggal 20 Juni 2023.

Judul : *Self-acceptance Affects Attitudes in Caring for Sexual Function after Hysterectomy*

Penulis : Raden Khairiyatul Afiah^{1,2*} , Chatarina Umbul Wahyuni³ ,
Budi Prasetyo⁴ , Mochammad Bagus Qomaruddin⁵ , Ratna
Yunita Sari² , Imamatul Faizah² , Rusdianingseh Rusdianingseh
, Fauziyatun Nisa⁶ , Firman Suryadi Rahman⁷

No. Pemeriksaan : 2024.04.29.364

Dengan Hasil sebagai Berikut:

Tingkat Kesamaan diseluruh artikel (*Similarity Index*) yaitu 18%

Demikian surat keterangan ini dibuat untuk digunakan sebagaimana mestinya

Surabaya, 29 April 2024

Ketua LPPM,



UNUSA
LPPM

Achmad Syafiuddin, Ph.D.

NPP. 20071300

Self-acceptance Affects Attitudes in Caring for Sexual Function after Hysterectomy

by Raden Khairiyatul Afiyah

Submission date: 20-Jun-2023 02:40PM (UTC+0700)

Submission ID: 2119572408

File name: 4.2021-JIN_Desember_oamjms-Bu_Er_Author_ratna_Q3.pdf (549.27K)

Word count: 3211

Character count: 18309



Self-acceptance Affects Attitudes in Caring for Sexual Function after Hysterectomy

Raden Khairiyatul Afyah^{1,2*}, Chatarina Umbul Wahyuni³, Budi Prasetyo⁴, Mochammad Bagus Qomaruddin⁵, Ratna Yunita Sari⁶, Imamatul Faizah², Rusdianingseh Rusdianingseh⁶, Fauziyatun Nisa⁶, Firman Suryadi Rahman⁷

¹Doctoral Student of Public Health, Faculty of Public Health, Universitas Airlangga, Mulyorejo, Surabaya, Indonesia; ²Department of Nursing, Nursing and Midwifery Faculty, Universitas Nahdlatul Ulama, Surabaya, Indonesia; ³Department of Epidemiology, Faculty of Public Health, Universitas Airlangga, Mulyorejo, Surabaya, Indonesia; ⁴Department of Obstetrics and Gynecology, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia; ⁵Department of Health Promotion and Behavioral Sciences, Faculty of Public Health, Universitas Airlangga, Mulyorejo, Surabaya, Indonesia; ⁶Department of Midwifery, Nursing and Midwifery Faculty, Universitas Nahdlatul Ulama, Yogyakarta, Indonesia; ⁷Doctoral Student of Public Health, Universitas Airlangga, Surabaya, Indonesia

Abstract

Edited by: Mirko Spiroski
Citation: Afyah RK, Wahyuni CU, Prasetyo B, Qomaruddin MB, Sari RY, Faizah I, Rusdianingseh R, Nisa F, Rahman FS. Self-acceptance Affects Attitudes in Caring for Sexual Function after Hysterectomy. *Open Access Maced J Med Sci.* 2021 Dec 06; 9(G):293-296. <https://doi.org/10.3889/oamjms.2021.7568>
Keywords: Self-acceptance; Affects; Attitudes; Caring; Sexual function; Post hysterectomy
***Correspondence:** Raden Khairiyatul Afyah, Department of Public Health, Faculty of Public Health, Universitas Airlangga, Mulyorejo, Surabaya Indonesia. E-mail: eer@unusa.ac.id
Received: 11-Oct-2021
Revised: 25-Nov-2021
Accepted: 26-Nov-2021
Copyright: © 2021 Raden Khairiyatul Afyah, Chatarina Umbul Wahyuni, Budi Prasetyo, Mochammad Bagus Qomaruddin, Ratna Yunita Sari, Imamatul Faizah, Rusdianingseh Rusdianingseh, Fauziyatun Nisa, Firman Suryadi Rahman
Funding: This research did not receive any financial support
Competing Interests: The authors have declared that no competing interests exist
Open Access: This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

BACKGROUND: A comprehensive understanding of several approaches, both pharmacological and non-pharmacological, is needed to reduce sexual function problems after hysterectomy. As one example, the research of Rawland *et al.* (2015) and that study found that cognitive, affective, motivational, behavioral, self-efficacy, and sexual acceptance responses could potentially play an important role in the assessment of appropriate care. However, in general, there is no research that explains that self-acceptance can affect attitudes.

AIM: This study aims to analyze the correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy.

METHODS: The data measured were self-acceptance and attitudes toward treatment of sexual function after hysterectomy which was obtained from post-hysterectomy women. Data on self-acceptance using the Self-acceptance – Scale for Persons with Early Blindness (SAS-EB) questionnaire and data on attitudes toward caring for sexual function were made by researchers using references from the theory planned of behavior (TPB) (Alshawish *et al.*, 2020). Statistical analysis used was Chi-square to analyze self-acceptance with attitudes to caring for sexual function after hysterectomy.

RESULTS: This study found the importance of self-acceptance in determining attitudes toward caring for sexual function after hysterectomy. A person's positive attitude will affect behavior to treat sexual function after hysterectomy.

CONCLUSION: In general, this study proves that self-acceptance is related to attitudes to caring for sexual function after hysterectomy.

Introduction

Comprehensive understanding of several approaches and methods both pharmacologically and non-pharmacologically is needed in improving sexual function after hysterectomy [1]. Pharmacological methods are needed to reduce hormonal-related problems [2]. While non-pharmacology is needed to improve health and what is very important is a psychological approach because it can affect especially attitudes and behavior [3].

Several studies on self-acceptance related to several types of disorders have been carried out. Self-efficacy and self-acceptance and the study found that the importance of assessing the need for sex self-efficacy is an important factor as part of the assessment of sexuality in postmenopausal women [4].

Bak [5] conducted a study on the relationship of sexual dysfunction with depression and acceptance of disease in women and men with type 2 diabetes mellitus and the study found that sexual disorders in patients with type 2 diabetes showed a correlation with the occurrence of depression and acceptance of the disease. Rawland [6] conducted a study on self-efficacy as a relevant construct in understanding sexual response and dysfunction and the study found that cognitive, affective, motivational and behavioral responses, and sexual self-efficacy have the potential to play an important role in the assessment of appropriate care effective for sexual problems. A study on self-acceptance of sexual function found that individual differences in low unconditional self-acceptance were detrimental to well-being and, in some cases, could lead to mental health problems and mental disorders [7]. The study found that low

5 unconditional self-acceptance is detrimental to well-being and, in some cases, can lead to mental health problems and mental disorders.

Although research on solutions to sexual dysfunction after hysterectomy has been carried out, in general, the above research shows that so far no one has explained the importance of self-acceptance [13] influencing attitudes. Several studies explain that self-efficacy and sexual self-acceptance are important factors as part of the assessment of [7] sexuality in postmenopausal women. Bak [5] explained that sexual disorders in patients with type 2 diabetes showed a correlation with the occurrence of depression and [1] acceptance of the disease. Rawland [6] explain that cognitive, affective, motivational and behavioral responses, and sexual self-efficacy have the potential to play an important role in the assessment of effective treatments for sexual problems.

The above discussion shows that self-acceptance as a new approach to the treatment of sexual function after hysterectomy is important for treatment and is indispensable. Therefore, this study aims to propose a new model based on a psychological approach that can improve the health of sexual function after hysterectomy.

Methods

Data obtained from women after hysterectomy as many as 102 people who live in Surabaya. The data obtained are based on data from the Hospital of Islam Jemursari Surabaya and the Hospital of Islam A yani Islam Surabaya. Data on self-acceptance used the SAS-EB (Self-acceptance – Scale for Persons with Early Blindness) questionnaire and data on attitude caring for sexual function were made by researchers using references from the theory planned of behavior [8] (PB) [8]. Data analysis was carried out by Chi-square statistical test with significant $p < 0.05$. The results of the analysis can be concluded that if the $p < 0.05$ then H_0 is rejected, meaning that there is a correlation between self-acceptance and attitudes to caring for sexual function after hysterectomy and if the $p > 0.05$, then H_0 is accepted, meaning there is no correlation between self-acceptance with attitudes to caring for sexual function after hysterectomy.

Results

12 Respondents characteristics

Table 1 shows that the most of the 102 respondents (54.9%) were in early adulthood. Almost

half (46.1%) of the education levels are highly educated. The parity almost all (83.3%) is multipara and the knowledge almost half (39.2%) is high.

Table 1: Frequency distribution of respondent characteristics

Characteristics	Respondent (102)		Characteristics	Respondent n (102)	
	f	%		f	%
Age (years)			Parity		
Late adulthood (36–45)	46	45.1	Primipara	18	17.7
Early adolescence (46–55)	56	54.9	Multipara	84	82.3
Education			Knowledge		
Basic	20	19.6	Low	30	29.4
Intermediate	35	34.3	Medium	40	39.2
High	47	46.1	High	32	31.4

Table 2 shows that almost half of the 102 respondents (44.1%) are intermediate self-acceptance and almost half (49.1%) of the attitude to take care for sexual function after hysterectomy were intermediate.

Table 2: Self-acceptance and attitude to care for sexual function after hysterectomy

Characteristics	Respondent n (102)	
	F	%
Self-acceptance		
Lack	22	21.6
Intermediate	45	44.1
Good	35	34.3
Attitudes in caring for sexual function		
Lack	23	22.5
Intermediate	50	49.1
Good	29	28.4

Table 3 shows that of the 45 respondents who with self-acceptance most (55.6%) of the attitude to take care of sexual function after hysterectomy are intermediate. The results of cross-tabulation the correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy were analyzed using the Chi-square test, the result was $p = 0.007$ which means that there is a correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy.

Table 3: Correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy

Variable	Attitudes in caring for sexual function						Total	
	Lack		Intermediate		Good			
	f	%	f	%	f	%	f	%
Self-acceptance								
Lack	5	22.7	10	45.5	7	31.8	22	21.6
Intermediate	9	20	25	55.6	11	24.4	45	44.1
Good	9	25.7	15	42.9	11	31.4	35	34.3
p								0.007

Discussion

The results showed that there was a correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy with p value = 0.007. Self-acceptance has a very big influence on how a person will behave in dealing with post-hysterectomy problems, namely, sexual function. Self-acceptance according to the Chaplin [9] is an attitude that is basically satisfied with oneself, one's qualities and talents, and recognition of one's shortcomings [9]. Self-acceptance

is manifested by being able to recognize self-worth as a person. Self-acceptance is the basis of an attitude of self-esteem and a feeling of comfort in oneself regardless of faults and weaknesses [10]. Self-acceptance will be easily realized if in a person there is a belief that he can do the best for himself [11]. Self-acceptance is very important for a woman after a hysterectomy, especially with regard to sexual function. Self-acceptance will form confidence to take the best action for yourself and your partner [12]. Self-acceptance in post-hysterectomy women is influenced by several important factors, namely, family environmental factors, personal factors, and family factors [13]. Self-acceptance can shape attitudes, norms, and beliefs as well as the ability to control behavior so that it will influence someone to take an action. The self-acceptance model can increase self-confidence; self-ability to interpret life well so that post-hysterectomy sexual function can be resolved and quality of life is not disturbed [14], [15].

Sexual function problems are a common effect of hysterectomy. These problems have an impact on fulfilling sexual needs with partners so that appropriate action is needed to improve health status comprehensively which includes physical, psychological, social, and spiritual care [16]. Comprehensive treatment to improve the health of sexual function after hysterectomy is not easy to implement, because it requires a conducive psychological condition, namely, the ability to accept the present imperfections. In this case, support from spouse and family is needed. This is in accordance with Thakar's research which states that post-hysterectomy self-acceptance is influenced by psychological conditions, namely, the presence of social support (husband, family, and health workers). Psychological factors also affect self-acceptance after hysterectomy because they positively believe that hysterectomy does not have a negative impact on life with their partner [17]. When a person is able to accept himself from sexual function problems, then someone will realize to take an action so that this can influence a person to behave in maintaining healthy sexual function after hysterectomy [17].

Several factors that influence self-acceptance in treating sexual function after hysterectomy are age, education, number of children, and knowledge about hysterectomy. Based on Table 1, the results show that the most (54.9%) are in early adulthood; this shows that the most of the respondents are entering their productive period. At that age, a person is at physical and psychological maturity so that everything that happens in his life requires careful thought to make a decision [18]. At that age, psychological conditions related to the maturity of married life are at a good level, thus issues related to sexual function will be discussed together with partners so that they will find the best decision for sexual life after hysterectomy [19].

Based on Table 1, almost half (46.1%) of the respondents' education have higher education. The high level of education of the respondents is because

the most of the respondents live in big cities where their educational life is modern, there are many universities that are diverse and of high quality, thus the population is competing to pursue the best education to improve their standard of living. Education affects a person in seeking information about everything that happens in his life so that when a person faces life's problems it will be easier to find the best solution [20]. A person's attitude to do something is closely related to the knowledge possessed and many experts argue that knowledge is directly proportional to one's education.

Based on Table 1, almost all (82.7%) children born are the number of children born alive more than one. The more children, the better the way a person adapts to unfavorable conditions. The number of children more than one allows a person not to really want to have more children because a hysterectomy will result in a woman being unable to reproduce [21]. The number of children who have been born affects a person in accepting himself after a hysterectomy because of the assumption that the more children born, the more perfect a woman is [22].

Based on Table 1, almost half (39.2%) of the respondents' knowledge about hysterectomy had a moderate level of knowledge. This is because knowledge about hysterectomy is an uncommon knowledge that is easily conveyed by anyone but requires people who have knowledge in this field to explain information about hysterectomy and its treatment [23], [24], [25]. This is in accordance with the research of Thompson, *et al.* 2016 that health workers can provide health education about hysterectomy and its treatment to patients, husbands, and families during pre- and post-surgery.

Conclusions

The purpose of this study was to determine the correlation between self-acceptance with attitudes toward caring for sexual function after hysterectomy. This study found the importance of self-acceptance in determining attitudes to caring for sexual function after hysterectomy. The nurse's role in this case is as an educator, namely, providing information about hysterectomy and its treatment. Suggestions for further researchers are to add qualitative methods, variables, and increase the number of respondents.

Acknowledgement

We would like to thank the Universitas Nahdlatul Ulama Surabaya for their friendly support.

References

1. Safarinejad MR, Shafiei N, Safarinejad S. Quality of life and sexual functioning in young women with early-stage breast cancer 1 year after lumpectomy. *Psychooncology*. 2013;22(6):1242-8. <https://doi.org/10.1002/pon.3130> PMID:22777952
2. Danesh M, Hamzehgardeshi Z, Moosazadeh M, Shabani-Asrami F. The effect of hysterectomy on women's sexual function: A narrative review. *Med Arch*. 2015;69(6):387. <https://doi.org/10.5455/medarh.2015.69.387-392> PMID:26843731
3. Vasile C. An evaluation of self-acceptance in adults. *Proc Soc Behav Sci*. 2013;78:605-9.
4. Metz ME, Epstein NB, McCarthy B. *Cognitive-Behavioral Therapy for Sexual Dysfunction*. London, United Kingdom: Routledge; 2017.
5. Bağ E, Marcisz C, Krzemińska S, Dobrzym-Matusiak D, Foltyn A, Droszdol-Cop A. Relationships of sexual dysfunction with depression and acceptance of illness in women and men with Type 2 diabetes mellitus. *Int J Environ Res Public Health*. 2017;14(9):1073. <https://doi.org/10.3390/ijerph14091073> PMID:28926936
6. Rowland DL, van Lankveld JJ. Anxiety and performance in sex, sport, and stage: Identifying common ground. *Front Psychol*. 2019;10:1615. <https://doi.org/10.3389/fpsyg.2019.01615> PMID:31379665
7. Huang Y, Wu R, Wu J, Yang Q, Zheng S, Wu K. Psychological resilience, self-acceptance, perceived social support and their associations with mental health of incarcerated offenders in China. *Asian J Psychiatr*. 2020;52:102166. <https://doi.org/10.1016/j.ajp.2020.102166> PMID:32447270
8. Alshawish E, Qadous S, Yamani MA. Experience of Palestinian women after hysterectomy using a descriptive phenomenological study. *Open Nursing J*. 2020;14:74-9.
9. Sutton P. Past, present, and future of hysterectomy. *J Minim Invasive Gynecol*. 2020;17(4):421-35. <https://doi.org/10.1016/j.jmig.2010.03.005> PMID:20621006
10. Moshki M, Mohammadzadeh F, Dehnoalian A. The effectiveness of a group-based educational program on the self-efficacy and self-acceptance of menopausal women: A randomized controlled trial. *J Women Aging*. 2018;30(4):310-25. <https://doi.org/10.1080/08952841.2017.1366753> PMID:28901839
11. Overholser J, Dimaggio G. Struggling with perfectionism: When good enough is not good enough. *J Clin Psychol*. 2020;76(11):2019-27. <https://doi.org/10.1002/jclp.23047> PMID:32860445
12. Metz ME, Epstein N, McCarthy B. *Cognitive-Behavioral Therapy for Sexual Dysfunction*. London, United Kingdom: Routledge; 2017.
13. Black-Kutner R. *Self-Acceptance, Partner-Acceptance, and Forgiveness Relating to Marital Satisfaction*. Hempstead: Hofstra University; 2020.
14. Afiyah RK, Wahyuni CU, Prasetyo B, Winarno DD. Recovery time period and quality of life after hysterectomy. *J Public Health Res*. 2020;9(2):1837. <https://doi.org/10.4081/jphr.2020.1837> PMID:32728576
15. Meher T, Sahoo H. Regional pattern of hysterectomy among women in India: Evidence from a recent large scale survey. *Women Health*. 2020;60(5):585-600. <https://doi.org/10.1080/03630242.2019.1687634> PMID:31718517
16. Thomas HN, Hamm M, Hess R, Thurston RC. Changes in sexual function among midlife women: "I'm older... and I'm wiser." *Menopause*. 2018;25(3):286-92. <https://doi.org/10.1097/GME.0000000000000988> PMID:29088016
17. Tutuncu B, Yildiz H. The influence on women's sexual functions of education given according to the PLISSIT model after hysterectomy. *Proc Soc Behav Sci*. 2012;47:2000-4.
18. Rew L, Thompson S, Brown A, Seo E. An intervention to enhance psychological capital in homeless females: Preliminary findings. *J Adolesc Health*. 2014;54(2):S13.
19. Elmoneim EF, Ghonemy GE, Hassan NI. Effect of roy adaptation model on sexual function and spousal support among women after total hysterectomy. *IQSR J Nursing Health Sci*. 2017;6(2):130-40.
20. Silverstein RG, Brown AC, Roth HD, Britton WB. Effects of mindfulness training on body awareness to sexual stimuli: Implications for female sexual dysfunction. *Psychosom Med*. 2011;73(9):817-25. <https://doi.org/10.1097/PSY.0b013e318234e628> PMID:22048839
21. Brotto LA, Smith KB. Applications of mindfulness in the treatment of women's sexual dysfunction. *The Wiley Blackwell Handbook of Mindfulness*. New York, United States: John Wiley & Sons; 2014. p. 864-80.
22. Sarhan D, Mohammed GF, Gomaa AH, Eyada MM. Female genital dialogues: Female genital self-image, sexual dysfunction, and quality of life in patients with vitiligo with and without genital affection. *J Sex Marital Ther*. 2016;42(3):267-76. <https://doi.org/10.1080/0092623X.2015.1010678> PMID:25650731
23. McEachan RR, Conner M, Taylor NJ, Lawton RJ. Prospective prediction of health-related behaviours with the theory of planned behaviour: A meta-analysis. *Health Psychol Rev*. 2011;5(2):97-144.
24. Rahman FS, Martiana T. Pregnancy disorders in female workers at the industrial area of Sidoarjo, Indonesia. *J Public Health Res*. 2020;9(2):1824. <https://doi.org/10.4081/jphr.2020.1824> PMID:32728568
25. Rahman FS, Martiana T. Analysis of factors related to maternal health in female workers in the industrial area of Sidoarjo, Indonesia. *J Public Health Afr*. 2019;10(S1):41-4.

Self-acceptance Affects Attitudes in Caring for Sexual Function after Hysterectomy

ORIGINALITY REPORT

18%

SIMILARITY INDEX

16%

INTERNET SOURCES

17%

PUBLICATIONS

13%

STUDENT PAPERS

PRIMARY SOURCES

- 1 www.jove.com 2%
Internet Source
- 2 Submitted to Universiteit van Amsterdam 2%
Student Paper
- 3 Agusta Dian Elliana, Nursalam Nursalam, Esti Yunitasari. "Organizational Characteristics, Individual Characteristics, Work Characteristics, and Technological Factors against Culture-Based Care", Open Access Macedonian Journal of Medical Sciences, 2021 2%
Publication
- 4 Dwi Izzati, Erni Rosita Dewi, Nur Anisah Rahmawati, Vita Ratna Sari, Amadea Zulfiah Azmi, Budi Prasetyo. "Self-concept Factor Influencing Antenatal Provider Selection: A Qualitative Study from Indonesian Midwives", Open Access Macedonian Journal of Medical Sciences, 2021 2%
Publication

5	Internet Source	2%
6	www.jphres.org Internet Source	1%
7	www.mdpi.com Internet Source	1%
8	blog.balimedicaljournal.org Internet Source	1%
9	Qinghua Lu, Bin Wang, Rui Zhang, Juan Wang, Feifei Sun, Guiyuan Zou. "Relationship Between Emotional Intelligence, Self-Acceptance, and Positive Coping Styles Among Chinese Psychiatric Nurses in Shandong", <i>Frontiers in Psychology</i> , 2022 Publication	1%
10	Submitted to <i>Education for Health</i> Student Paper	1%
11	discol.umk.edu.my Internet Source	1%
12	repository.umy.ac.id Internet Source	1%
13	"The Textbook of Clinical Sexual Medicine", Springer Science and Business Media LLC, 2017 Publication	1%

14

Rowland, David L., Beth A. Adamski, Cody J. Neal, Amy L. Myers, and Arthur L. Burnett. "Self-Efficacy as a Relevant Construct in Understanding Sexual Response and Dysfunction", *Journal of Sex & Marital Therapy*, 2015.

Publication

1 %

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On